NHDES Waste Management Division
29 Hazen Drive; PO Box 95
Concord, NH 03302-0095

ANNUAL GROUNDWATER QUALITY SUMMARY REPORT
JULY 2022
Former Elite Laundry Site
10 Laundry Way
Jaffrey, NH 03452

NHDES Site #: 199908001
Project Type: Hazardous Waste
Project Number: 0009307

Prepared For:
Town of Jaffrey Department of Planning &
Economic Development
10 Goodnow Street
Jaffrey, NH 03452
Phone Number (603) 532-7880
Contact Name: Jo Anne Carr
Contact Email: jacarr@townofjaffrey.com

PE/PG STAMP HERE

Prepared By:
Tighe & Bond
177 Corporate Drive
Portsmouth, NH 03801
Phone Number: (603) 294-9679
Contact Name: Scott Wozniakowski, PG
Contact Email: SWozniakowski@tighebond.com

August 11, 2022

Groundwater Monitoring Report Cover Sheet

Site Name: **Former Elite Laundry**

Town: **Jaffrey, NH**

Permit #: **GWP-199908001-J-001**

Type of Submittal (*Check all that apply*)

- ☒ Periodic Summary Report (*year*):
- ☐ Data Submittal (*month and year per Condition #7 of Permit*):

Check each box where the answer to any of the following questions is "YES"

Sampling Results

- ☐ During the most recent monitoring event, were any ***new*** compounds detected at any sampling point?
  Well/Compound:
- ☐ Are there any detections of contamination in drinking water that is untreated prior to use?
  Well/Compound:
  - ☐ Do compounds detected exceed AGQS?
- ☐ Was free product detected for the ***first time*** in any monitoring point?
  - ☐ Surface Water (*visible sheen*)
  - ☐ Groundwater (*1/8" or greater thickness*)
    Location/Thickness:

Contaminant Trends

- ☐ Do sampling results show an increasing concentration trend in any source area monitoring well?
  Well/Compound:
- ☒ Do sampling results indicate an AGQS violation in any of the GMZ boundary wells?
  Well/Compound:

SH-17 / PCE and TCE

MW-18 / PCE

MW-15I / PCE and TCE

MW-28 / PCE and TCE

Recommendations

- ☐ Does the report include any recommendations requiring DES action? (*Do not check this box if the only recommendation is to continue with existing permit conditions.*)

This form is to be completed for groundwater monitoring data submittals and periodic summary reports submitted to the New Hampshire Department of Environmental Services Waste Management Division.

nicole.gianunzio@des.nh.gov or phone (603) 271-7379
PO Box 95, Concord, NH 03302-0095

APPENDIX A




FIGURE 1
SITE LOCUS MAP

Former Elite Laundry Site
Jaffrey, New Hampshire

Tighe&Bond

Based on USGS Topographic Map for
Monadnock Mountain, New Hampshire. Revised 1984.
Contour Interval Equals Meters.
Circles indicate 500-foot and half-mile radii


1:24,000
0 1,000 2,000
Feet

N

June 2022

G:\GIS\NH\SiteLocus\Jaffrey\topo_FormerEliteLaundry.mxd, [Exported By: MHarris, 6/27/2022, 9:55:19 AM]

J-0033



LEGEND

- National Register of Historic Places
- Historic & Cultural Features Inventory
- Community Public Water Supply - Groundwater
- Community Public Water Supply - Surface Water
- Principal Arterial - Interstate
- Principal Arterial - Other
- Minor Arterial
- Major Collector
- Minor Collector/Local
- Other
- NHD Flowline
- Railroad
- Pipeline
- Power transmission line
- Telephone line
- Power station
- Substation
- Hydroelectric plant
- Wellhead Protection Areas
- Conservation/Public Lands
- Drinking Water Source Protection Area
- NH Base Wetland Assessment
- NWI Wetland
- NHD Waterbody
- NHD Area
- Aquifer
- County Boundary
- 100 Year Flood Zone
- 500 Year Flood Zone
- Town Boundary

1:24,000

0 1,000 2,000

Feet

N

FIGURE 2
PRIORITY RESOURCE

Former Elite Laundry Site
Jaffrey, New Hampshire

Data source: New Hampshire Geographically Referenced Analysis and Information Transfer System (GRANIT) and USFWS.

June 2022

Tighe&Bond

G:\GIS\NH\SiteLocus\Jaffrey\NH_GIS_FormerEliteLaundry.mxd, [Exported By: MHarris, 6/27/2022, 9:13:14 AM]

J-0033

FIGURE 3
AERIAL SITE PLAN AND MONITORING WELL LOCATION

LEGEND

- Monitoring Well
- Monitoring Well - Overburden
- Monitoring Well - Shallow/Intermediate Bedrock
- Monitoring Well - Deep Bedrock
- Former Elite Laundry Site Boundary
- GMZ Boundary
- CVOCs > GW-2/VI Monitoring Wells

LOCUS MAP



0 125 250
Feet

1:900

NOTES

Basemap: Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

Former Elite Laundry Site
Jaffrey, New Hampshire

July 2022

Tighe&Bond
Engineers | Environmental Specialists

G:\GIS\NH\SiteLocus\Jaffrey\FormerEliteLaundrySite_SitePlan_36x48.mxd

J-0033

APPENDIX B

TABLE 1
Current Groundwater Analytical Results
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		SH-1S	SH-4	SH-11	SH-12	SH-14S	SH-14D	SH-17	SH-18S	SH-18D	SH-19	BR-1D	BR-2D	BR-3I	BR-4S	BR-4I	BR-4D	BR-5S	BR-5I	BR-5D	BR-6S	BR-6I	BR-6D	MW-02R	MW-14	MW-15S	MW-15I
Sample Date	GW-1 (AGQS)	GW-2	5/27/22	5/24/22	5/27/22	5/27/22	5/27/22	5/27/22	5/26/22	5/26/22	5/26/22	5/27/22	5/24/22	5/24/22	5/26/22	5/24/22	5/24/22	5/24/22	5/24/22	5/24/22	5/24/22	5/26/22	5/26/22	5/26/22	5/27/22	5/24/22	5/24/22	5/24/22
Sampled By			T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements																												
Depth to Water (ft)	NE	NE	11.52	10.25	8.43	10.06	6.79	6.42	3.98	8.06	9.98	9.70	7.72	8.57	4.21	5.02	5.41	6.99	10.17	10.70	13.83	8.36	9.50	10.60	4.48	8.26	1.82	1.42
Groundwater Table Elevation (ft)	NE	NE	1001.76	1008.94	996.35	987.20	978.84	978.98	995.00	1003.72	1001.68	1001.4	1008.61	1005.46	1007.96	1009.16	1008.76	1007.57	1008.24	1007.32	1003.55	1007.42	1006.44	1005.4	987.67	1008.91	1003.26	1003.86
Dissolved Oxygen (mg/L)	NE	NE	7.38	4.05	3.88	5.65	6.61	0.38	2.13	2.35	1.03	0.35	3.4	0.32	0.32	0.21	0.25	0.22	0.29	0.28	0.34	0.88	4.83	5.54	0.25	0.15	0.31	0.17
pH	NE	NE	5.45	5.79	5.75	5.76	6.04	5.72	5.56	5.93	6.31	5.96	6.87	6.26	7.07	6.51	6.55	9.78	6.03	6.43	10.38	6.18	6.48	6.65	6.23	6.59	5.88	5.98
ORP	NE	NE	193	117	191	242	235	224	158	145	84.5	17	41	-7.7	-67	91	-82	-306	-18.5	-36	-205	35	113	124	26	-63	47	133
Specific Conductance (ms/cm)	NE	NE	2,066	61.8	1,538	776	1,504	697	2,163	2,327	2,379	1,381	85.4	184	249	140	192	216	568	404	1,359	446	562	329	270	148	994	924
VOCs - (ug/L)																												
Acetone	6,000	NE	<50	<250	<50	<50	<50	<250	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<250	<50	<50
Benzene	5	2,000	<2	**<10***	<2	<2	<2	**<10***	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	**<10***	<2	<2
Butylbenzene (n-)	260	NE	<2	<10	<2	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2
Butylbenzene (sec-)	260	NE	<2	<10	<2	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2
Butylbenzene (tert-)	260	NE	<2	<10	<2	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2
Chloroethane	NE	NE	<2	<10	<2	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	2	2	<2	<2	<10	<2	<2
Chloroform (Trichloromethane)	70	70	<2	<10	<2	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	<2	<10	<2	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2
Dichloroethylene (1,1-)	7	630	<1	<5	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	<2	29	6	4	<2	18	2	2	33	<2	4	4	10	16	36	**500**	<2	4	15	**110**	36	<2	3	**1,300**	7	24
Dichloroethylene (trans-1,2-)	100	560	<2	<10	<2	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2	3	38	<2	<2	<2	3	<2	<2	<2	19	<2	<2
Dichloropropane, 1,2-	50	5	<2	**<10***	<2	<2	<2	**<10***	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	**<10***	<2	<2
Hexanone (2-)	2,000	50,000	<10	<50	<10	<10	<10	<50	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<50	<10	<10
Isopropylbenzene (Cumene)	800	NE	<2	<10	<2	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2
Isopropyltoluene (p-)	260	NE	<2	<10	<2	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2
Butanone (2-) (MEK)	4,000	50,000	<10	<50	<10	<10	<10	<50	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<50	<10	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	<2	<10	<2	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2
Naphthalene	100[1]	1,700	<5	**<25***	<5	<5	<5	<25	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	**<25***	<5	<5
Propylbenzene (n-)	260	NE	<2	<10	<2	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2
Ethylbenzene	700	1,500	<2	<10	<2	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2
Tetrachloroethene (PCE)	5	240	<2	**220**	**7**	**66**	<2	**480**	**5**	<2	4	<2	**5**	<2	<2	**44**	<2	**10**	<2	<2	**17**	<2	**15**	<2	**20**	**<10***	<2	**17**
Tetrahydrofuran	154	NE	<10	<50	<10	<10	<10	<50	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<50	<10	<10
Toluene	1,000	50,000	<2	<10	<2	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2
Trichloroethene (TCE)	5	20	<2	**15**	**13**	**9**	<2	**59**	**5**	**5**	**71**	<2	4	<2	<2	**16**	<2	**17**	<2	<2	**11**	<2	**14**	4	**6**	**20**	<2	**6**
Trimethylbenzene (1,2,4-)	330	1,300	<2	<10	<2	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	<2	<10	<2	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2
Vinyl Chloride	2	4	<2	**11**	<2	<2	<2	**<10***	<2	<2	<2	<2	<2	**3**	<2	<2	**36**	**330**	<2	<2	<2	**43**	**3**	<2	2	**160**	<2	<2
Xylene (m,p-)	NE	NE	<2	<10	<2	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2
Xylene (o-)	NE	NE	<2	<10	<2	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2
Xylenes, Total	10,000	17,000	<2	<10	<2	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2
Total VOCs	-	-	ND	275	26	79	ND	557	12	7	108	ND	13	7	10	76	75	895	ND	4	43	158	70	4	31	1,499	7	47
Low Level VOCs - (ug/L)																												
1,4-Dioxane (LL)	0.32[2]	NE	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	0.29	<0.25	<0.25	<0.25	<0.25	**<12***	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 1
Current Groundwater Analytical Results
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		MW-15D	MW-16D	MW-17	MW-18	MW-19	MW-20	MW-21	MW-22S	MW-22D	MW-23	MW-24	MW-25	MW-26	MW-27	MW-28	MW-29	MW-30	Trip Blank
Sample Date	GW-1 (AGQS)	GW-2	5/24/22	5/26/22	5/26/22	5/26/22	5/26/22	5/27/22	5/24/22	5/24/22	5/24/22	5/24/22	5/26/22	5/26/22	5/24/22	5/24/22	5/26/22	5/26/22	5/26/22	5/27/22
Sampled By			T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements																				
Depth to Water (ft)	NE	NE	0.92	7.38	9.25	8.23	4.39	5.25	11.67	8.41	8.73	9.79	3.85	2.87	10.36	9.39	21.03	7.17	10.10	
Groundwater Table Elevation (ft)	NE	NE	1004.16	1000.51	992.70	978.88	975.47	1006.2	1006.22	1006.21	1006.18	1006.16	-	-	998.71	999.13	984.62	998.64	1005.22	
Dissolved Oxygen (mg/L)	NE	NE	0.23	5.72	3.91	2.84	0.16	0.14	0.21	0.32	0.41	2.89	3.03	0.28	4.90	5.62	4.25	2.05	0.35	
pH	NE	NE	5.97	11.23	6.56	6.43	6.91	6.47	7.75	6.79	6.63	7.03	5.57	5.92	3.41	6.51	6.55	6.21	6.82	
ORP	NE	NE	68	-14.2	121	125	73.4	-109	-116	-95	55.5	50.5	102	80	301	118	103	86	-35	
Specific Conductance (ms/cm)	NE	NE	661	1,292	154	167	139	1,929	134	334	71.3	467	1,422	4,831	672	301	1,805	1,231	137	
VOCs - (ug/L)																				
Acetone	6,000	NE	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Benzene	5	2,000	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (n-)	260	NE	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (sec-)	260	NE	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (tert-)	260	NE	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroethane	NE	NE	<2	<2	<2	<2	<2	<2	<2	5	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroform (Trichloromethane)	70	70	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	<1	<1	<1	<1	<1	<1	<1	<1	<1	3	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	<2	<2	<2	6	<2	3	2	**110**	<2	**210**	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (trans-1,2-)	100	560	<2	<2	<2	<2	<2	<2	<2	4	<2	4	<2	<2	<2	<2	<2	<2	<2	<2
Dichloropropane, 1,2-	50	5	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Hexanone (2-)	2,000	50,000	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Isopropylbenzene (Cumene)	800	NE	<2	<2	<2	<2	<2	<2	<2	2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Isopropyltoluene (p-)	260	NE	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butanone (2-) (MEK)	4,000	50,000	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Naphthalene	100[1]	1,700	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Propylbenzene (n-)	260	NE	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Ethylbenzene	700	1,500	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrachloroethene (PCE)	5	240	4	<2	<2	**17**	<2	<2	<2	2	<2	**23**	<2	<2	<2	<2	**21**	2	<2	<2
Tetrahydrofuran	154	NE	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Toluene	1,000	50,000	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trichloroethene (TCE)	5	20	<2	<2	<2	2	<2	<2	<2	**25**	<2	**130**	<2	<2	<2	<2	**5**	<2	<2	<2
Trimethylbenzene (1,2,4-)	330	1,300	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Vinyl Chloride	2	4	<2	<2	<2	<2	<2	<2	<2	**88**	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (m,p-)	NE	NE	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (o-)	NE	NE	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylenes, Total	10,000	17,000	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Total VOCs	-	-	4	ND	ND	25	ND	3	2	236	ND	370	ND	ND	ND	ND	26	2	ND	ND
Low Level VOCs - (ug/L)																				
1,4-Dioxane (LL)	0.32[2]	NE	<0.25	<0.25	<0.25	<0.25	<0.25	0.3	<0.25	<5*	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	-

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 2
Historical Groundwater Table
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		SH-1S											SH-1D										SH-2
Sample Date	GW-1 (AGQS)	GW-2	5/15/03	8/18/05	9/27/11	10/24/13	5/7/14	8/29/14	5/24/17	5/22/18	5/23/19	5/20/20	5/26/21	5/27/22	11/27/01	5/15/03	8/18/05	9/27/11	10/24/13	5/7/14	8/29/14	5/24/17	5/22/18	5/23/19	5/20/20	5/15/03
Sampled By			SHA	SHA	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	SHA	SHA	SHA	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	SHA
Field Water Quality Measurements																										
Depth to Water (ft)	NE	NE												11.52												
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	-	-	-	-	-	-	6.41	7.38	-	-	-	-	-	-	4.72	-	-	-	-	-
pH	NE	NE	-	-	-	-	-	-	-	-	-	-	5.73	5.45	-	-	-	-	-	-	5.55	-	-	-	-	-
ORP	NE	NE	-	-	-	-	-	-	-	-	-	-	218	193	-	-	-	-	-	-	-6.7	-	-	-	-	-
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	-	-	-	-	-	-	836	2,066	-	-	-	-	-	-	0.598	-	-	-	-	-
VOCs - (ug/L)																										
Acetone	6,000	NE	<10	-	-	-	-	-	<50	<50	<50	<50	<50	<50	<10	<10	-	-	-	-	-	<50	<50	<50	No	<10
Benzene	5	2,000	<1	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<1	<1	-	-	-	-	-	<2	<2	<2	Sample	<1
Butylbenzene (n-)	260	NE	<1	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<1	<1	-	-	-	-	-	<2	<2	<2	Collected	<1
Butylbenzene (sec-)	260	NE	<1	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<1	<1	-	-	-	-	-	<2	<2	<2		<1
Butylbenzene (tert-)	260	NE	<1	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<1	<1	-	-	-	-	-	<2	<2	<2	Well	<1
Chloroethane	NE	NE	<5	<5	-	-	-	-	<2	<2	<2	<2	<2	<2	<5	<5	<5	-	-	-	-	<2	<2	<2	Destroyed	<5
Chloroform (Trichloromethane)	70	70	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	9	<2	<2	<2	<2	<2	<2	<2	<2	<2		<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	ND	ND	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	ND	ND	ND	<2	<2	<2	<2	<2	<2	<2		ND
Dichloroethylene (1,1-)	7	630	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1		<1
Dichloroethylene (cis-1,2-)	70	NE	**70**	**240**	55	2	<2	<2	<2	<2	<2	<2	<2	<2	**150**	**270**	**320**	**120**	9	<2	<2	<2	<2	<2		**1,400**
Dichloroethylene (trans-1,2-)	100	560	2	5	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	5	11	9	3	<2	<2	<2	<2	<2	<2		51
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<2	<2	<	<	<	<	<	<	<	<	<	<		<
Hexanone (2-)	2,000	50,000	<10	-	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	-	-	-	-	-	<10	<10	<10		<10
Isopropylbenzene (Cumene)	800	NE	<1	-	-	-	-	-	<2	<2	<2	<2	<10	<2	<1	<1	-	-	-	-	-	<2	<2	<2		<1
Isopropyltoluene (p-)	260	NE	<1	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<1	<1	-	-	-	-	-	<2	<2	<2		<1
Butanone (2-) (MEK)	4,000	50,000	<10	-	-	-	-	-	<10	<10	<10	<10	<2	<10	<10	<10	-	-	-	-	-	<10	<10	<10		<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	<5	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<5	<5	-	-	-	-	-	<2	<2	<2		<5
Naphthalene	100[1]	1,700	<5	-	-	-	-	-	<5	<5	<5	<5	<5	<5	<5	<5	-	-	-	-	-	<5	<5	<5		<5
Propylbenzene (n-)	260	NE	<1	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<1	<1	-	-	-	-	-	<2	<2	<2		<1
Ethylbenzene	700	1,500	<1	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<1	<1	-	-	-	-	-	<2	<2	<2		<1
Tetrachloroethene (PCE)	5	240	**23**	**23**	**12**	<2	<2	<2	<2	<2	<2	<2	<2	<2	**18**	**92**	**53**	**27**	3	<2	<2	<2	<2	<2		**150**
Tetrahydrofuran	154	NE	<10	-	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	-	-	-	-	-	<10	<10	<10		<10
Toluene	1,000	50,000	<1	-	-	-	-	-	95	<2	<2	<2	<2	<2	<1	<1	-	-	-	-	-	<2	<2	<2		<1
Trichloroethene (TCE)	5	20	**28**	**44**	**10**	<2	<2	<2	<2	<2	<2	<2	<2	<2	**26**	**110**	**76**	**25**	<2	<2	<2	<2	<2	<2		**300**
Trimethylbenzene (1,2,4-)	330	1,300	<1	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<1	<1	-	-	-	-	-	<2	<2	<2		<1
Trimethylbenzene (1,3,5-)	330	NE	<1	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<1	<1	-	-	-	-	-	<2	<2	<2		<1
Vinyl Chloride	2	4	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2		<2
Xylene (m,p-)	NE	NE	<1	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<1	<1	-	-	-	-	-	<2	<2	<2		<1
Xylene (o-)	NE	NE	<1	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<1	<1	-	-	-	-	-	<2	<2	<2		<1
Xylenes, Total	10,000	17,000	ND	-	-	-	-	-	<2	<2	<2	<2	<2	<2	ND	ND	-	-	-	-	-	<2	<2	<2		ND
Total VOCs	-	-	123	312	77	2	ND	ND	95	ND	ND	ND	ND	ND	208	483	458	175	12	ND	ND	ND	ND	ND		1,901
Low Level VOCs - (ug/L)																										
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	-	-	0.47J	<0.25	<0.25	<0.25	<0.25	<0.25	-	-	-	-	-	-	-	0.64J	<0.25	<0.25		-

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 2
Historical Groundwater Table
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		SH-3				
Sample Date	GW-1 (AGQS)	GW-2	11/27/01	5/15/03	8/16/05	9/27/11	10/24/13
Sampled By			SHA	SHA	SHA	T&B	T&B
Field Water Quality Measurements							
Depth to Water (ft)	NE	NE					
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	-
pH	NE	NE	-	-	-	-	-
ORP	NE	NE	-	-	-	-	-
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	-
VOCs - (ug/L)							
Acetone	6,000	NE	<100	<20	-	-	-
Benzene	5	2,000	<10	<2	-	-	-
Butylbenzene (n-)	260	NE	<10	<2	-	-	-
Butylbenzene (sec-)	260	NE	<10	<2	-	-	-
Butylbenzene (tert-)	260	NE	<10	<2	-	-	-
Chloroethane	NE	NE	<50	<10	<10	-	-
Chloroform (Trichloromethane)	70	70	<10	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	ND	ND	ND	<2	<2
Dichloroethylene (1,1-)	7	630	<10	<2	<2	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	**1,100**	**310**	**350**	**300**	34
Dichloroethylene (trans-1,2-)	100	560	20	11	8	7	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<
Hexanone (2-)	2,000	50,000	<100	<20	-	-	-
Isopropylbenzene (Cumene)	800	NE	<10	<2	-	-	-
Isopropyltoluene (p-)	260	NE	<10	<2	-	-	-
Butanone (2-) (MEK)	4,000	50,000	<100	<20	-	-	-
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	<10	<5	-	-	-
Naphthalene	100[1]	1,700	**<50***	<10	-	-	-
Propylbenzene (n-)	260	NE	<10	<2	-	-	-
Ethylbenzene	700	1,500	<10	<2	-	-	-
Tetrachloroethene (PCE)	5	240	**80**	**62**	**33**	**35**	4
Tetrahydrofuran	154	NE	<100	<20	-	-	-
Toluene	1,000	50,000	<10	<2	-	-	-
Trichloroethene (TCE)	5	20	**90**	**110**	**89**	**35**	3
Trimethylbenzene (1,2,4-)	330	1,300	<10	<2	-	-	-
Trimethylbenzene (1,3,5-)	330	NE	<10	<2	-	-	-
Vinyl Chloride	2	4	**<20***	**<4***	**<4***	<2	**4**
Xylene (m,p-)	NE	NE	<10	<2	-	-	-
Xylene (o-)	NE	NE	<10	<2	-	-	-
Xylenes, Total	10,000	17,000	ND	ND	-	-	-
Total VOCs	-	-	1,290	493	480	377	45
Low Level VOCs - (ug/L)							
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	-

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 2
Historical Groundwater Table
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		SH-4																					SH-4 DUP
Sample Date	GW-1 (AGQS)	GW-2	11/27/01	5/15/03	8/16/05	4/22/09	9/27/11	11/10/11	8/17/12	2/7/13	6/18/13	10/24/13	1/30/14	5/7/14	8/29/14	11/21/16	5/23/17	11/22/17	5/23/18	5/22/19	11/26/19	5/19/20	11/23/20	5/25/21	11/23/21	5/24/22	11/27/01
Sampled By			SHA	SHA	SHA	SHA	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	SHA
Field Water Quality Measurements																											
Depth to Water (ft)	NE	NE																							9.5	10.25	
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	-	-	0.4	2.5	3.81	-	0.78	-	0.48	-	-	-	-	-	-	-	-	2.34	2.90	4.05	-
pH	NE	NE	-	-	-	-	-	-	5.88	5.74	6.49	-	6.20	-	6.43	-	-	-	-	-	-	-	-	5.46	5.56	5.79	-
ORP	NE	NE	-	-	-	-	-	-	-225.9	-113	38	-	-11.6	-	-80.1	-	-	-	-	-	-	-	-	280	162	117	-
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	-	-	1,100	0.183	0.181	-	939	-	1.588	-	-	-	-	-	-	-	-	81.4	87.3	61.8	-
VOCs - (ug/L)																											
Acetone	6,000	NE	-	<500	-	-	-	-	-	-	-	-	-	-	-	<50	<250	<500	<500	<50	<50	<250	<500	<250	<250	<250	-
Benzene	5	2,000	-	<50	-	-	-	-	-	-	-	-	-	-	-	<2	**<10***	**<20***	**<20***	<2	<2	**<10***	**<20**	**<10***	**<10***	**<10***	-
Butylbenzene (n-)	260	NE	-	<50	-	-	-	-	-	-	-	-	-	-	-	<2	<10	<20	<20	<2	<2	<10	<20	<10	<10	<10	-
Butylbenzene (sec-)	260	NE	-	<50	-	-	-	-	-	-	-	-	-	-	-	<2	<10	<20	<20	<2	<2	<10	<20	<10	<10	<10	-
Butylbenzene (tert-)	260	NE	-	<50	-	-	-	-	-	-	-	-	-	-	-	<2	<10	<20	<20	<2	<2	<10	<20	<10	<10	<10	-
Chloroethane	NE	NE	<5,000	<300	<300	<300	-	-	-	-	-	-	-	-	-	2	<10	<20	<20	<2	<2	<10	<20	<10	<10	<10	<5,000
Chloroform (Trichloromethane)	70	70	**<1,000***	<50	<50	<50	<40	<40	**<100***	<20	<20	<10	<10	<10	<2	<2	<10	<20	<20	<2	<2	<10	<20	<10	<10	<10	**<1,000***
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	ND	ND	ND	ND	<40	<40	<100*	<20	<20	<10	<10	<10	<2	<2	<10	<20	<20	<2	<2	<10	<20	<10	<10	<10	ND
Dichloroethylene (1,1-)	7	630	**<1,000***	**<50***	**<50***	**<50***	**<20***	**<20***	**<50***	**<10***	**<10***	<5	<5	<5	<1	6	<5	**<10***	**<10***	<1	3	<5	**16**	<5	<5	<5	**<1,000***
Dichloroethylene (cis-1,2-)	70	NE	**<1,000***	<50	**170**	<50	**360**	**86**	**13,000**	**2,100**	**1,900**	**490**	**930**	**590**	31	**1,300**	**580**	**1,400**	**290**	**320**	**960**	**110**	**1,500**	**940**	**310**	29	**<1,000***
Dichloroethylene (trans-1,2-)	100	560	**<1,000***	<50	<50	<50	<40	<40	**250**	43	37	46	44	43	13	25	12	<20	<20	5	11	<10	31	11	<10	<10	**<1,000***
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<2	**<10***	**<10***	<
Hexanone (2-)	2,000	50,000	-	<500	-	-	-	-	-	-	-	-	-	-	-	<10	<50	<100	<100	<10	<10	<50	<100	<50	<50	<50	-
Isopropylbenzene (Cumene)	800	NE	-	<50	-	-	-	-	-	-	-	-	-	-	-	<2	<10	<20	<20	<2	<2	<10	<20	<50	<10	<10	-
Isopropyltoluene (p-)	260	NE	-	<50	-	-	-	-	-	-	-	-	-	-	-	<2	<10	<20	<20	<2	<2	<10	<20	<10	<10	<10	-
Butanone (2-) (MEK)	4,000	50,000	-	<500	-	-	-	-	-	-	-	-	-	-	-	<10	<50	<100	<100	<10	<10	<50	<100	<10	<50	<50	-
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	<50	-	-	-	-	-	-	-	-	-	-	-	<2	<10	**<20***	**<20***	<2	<2	<10	<20	<10	<10	<10	-
Naphthalene	100[1]	1,700	-	**<300***	-	-	-	-	-	-	-	-	-	-	-	<5	**<25***	**<50***	**<50***	<5	<5	**<25***	**<50***	**<25***	**<25***	**<25***	-
Propylbenzene (n-)	260	NE	-	<50	-	-	-	-	-	-	-	-	-	-	-	<2	<10	<20	<20	<2	<2	<10	<20	<10	<10	<10	-
Ethylbenzene	700	1,500	-	<50	-	-	-	-	-	-	-	-	-	-	-	<2	<10	<20	<20	<2	<2	11	<20	<10	<10	<10	-
Tetrachloroethene (PCE)	5	240	**49,000**	**7,600**	**6,200**	**6,100**	**8,400**	**5,700**	**<100***	**2,800**	**870**	**<10***	**<10***	**22**	**<2**	<2	**470**	**3,100**	**910**	**410**	**1,600**	**1,600**	**1,000**	**4,500**	**680**	**220**	**50,000**
Tetrahydrofuran	154	NE	-	<500	-	-	-	-	-	-	-	-	-	-	-	<10	<50	<100	<100	<10	<10	<50	<100	<50	<50	<50	-
Toluene	1,000	50,000	-	<50	-	-	-	-	-	-	-	-	-	-	-	<2	<10	<20	<20	<2	<2	<10	<20	<10	<10	<10	-
Trichloroethene (TCE)	5	20	**<1,000***	**<50***	**190**	**<50***	**290**	**83**	**<100***	**660**	**77**	**<10***	**<10***	**30**	<2	<2	**68**	**550**	**320**	**95**	**320**	**110**	**640**	**650**	**140**	**15**	**<1,000***
Trimethylbenzene (1,2,4-)	330	1,300	-	<50	-	-	-	-	-	-	-	-	-	-	-	<2	<10	<20	<20	<2	<2	<10	<20	<10	<10	<10	-
Trimethylbenzene (1,3,5-)	330	NE	-	<50	-	-	-	-	-	-	-	-	-	-	-	<2	<10	<20	<20	<2	<2	<10	<20	<10	<10	<10	-
Vinyl Chloride	2	4	**<2,000***	**<100***	**<100***	**<100***	**<40***	**<40***	**<25***	**<25***	**50**	**2,100**	**1,600**	**2,100**	**35**	<2	**380**	**200**	**<20**	**12**	**130**	**<10***	**460**	**24**	**38**	**11**	**<2,000***
Xylene (m,p-)	NE	NE	-	<50	-	-	-	-	-	-	-	-	-	-	-	<2	<10	<20	<20	<2	<2	<10	<20	<10	<10	<10	-
Xylene (o-)	NE	NE	-	<50	-	-	-	-	-	-	-	-	-	-	-	<2	<10	<20	<20	<2	<2	<10	<20	<10	<10	<10	-
Xylenes, Total	10,000	17,000	-	ND	-	-	-	-	-	-	-	-	-	-	-	<2	<10	<20	<20	<2	<2	<10	<20	<10	<10	<10	-
Total VOCs	-	-	49,000	7,600	6,560	6,100	9,050	5,869	13,250	5,603	2,934	2,636	2,574	2,785	79	1,333	1,510	5,250	1,520	842	3,024	1,831	3,647	6,125	1,168	275	50,000
Low Level VOCs - (ug/L)																											
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.25	0.84J	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	-

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 2
Historical Groundwater Table
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		SH-5					SH-6						SH-7											SH-7 DUP	SH-8
Sample Date	GW-1 (AGQS)	GW-2	11/27/01	5/15/03	4/21/09	9/26/11	10/24/13	11/27/01	5/15/03	8/17/05	4/21/09	9/26/11	10/24/13	10/30/03	8/16/05	5/13/09	10/20/10	9/26/11	11/10/11	1/25/12	8/17/12	2/7/13	10/24/13	5/7/14	8/29/14	10/30/03	10/30/03
Sampled By			SHA	SHA	SHA	T&B	T&B	SHA	SHA	SHA	SHA	T&B	T&B	SHA	SHA	SHA	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	SHA	SHA
Field Water Quality Measurements																										
Depth to Water (ft)	NE	NE																								
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.52	0.62	-	-	0.38	-	-
pH	NE	NE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.11	6.48	-	-	6.49	-	-
ORP	NE	NE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-227.3	-91.9	-	-	-94.1	-	-
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,045	0.399	-	-	1.067	-	-
VOCs - (ug/L)																											
Acetone	6,000	NE	-	<10	-	-	-	-	<10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benzene	5	2,000	-	<1	-	-	-	-	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Butylbenzene (n-)	260	NE	-	<1	-	-	-	-	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Butylbenzene (sec-)	260	NE	-	<1	-	-	-	-	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Butylbenzene (tert-)	260	NE	-	<1	-	-	-	-	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chloroethane	NE	NE	<5	<5	<5	-	-	<5	<5	<5	<5	-	-	<100	<300	<300	-	-	-	-	-	-	-	-	-	<100	<10
Chloroform (Trichloromethane)	70	70	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<20	<50	<50	-	<20	<10	<20	<20	<10	<2	<2	<2	<20	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	ND	ND	ND	<2	<2	ND	ND	ND	ND	<2	<2	ND	ND	ND	-	<20	<10	<20	<10	<10	<2	<2	<2	ND	ND
Dichloroethylene (1,1-)	7	630	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	**<20***	**<50***	**<50***	-	**<10***	<5	**<10***	**<10***	<5	<1	<2	<1	**<20***	<2
Dichloroethylene (cis-1,2-)	70	NE	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	**6,500**	**7,300**	**4,200**	-	**2,700**	**730**	**4,300**	**7,500**	**1,800**	**110**	39	37	**6,700**	**240**
Dichloroethylene (trans-1,2-)	100	560	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	**170**	**170**	**130**	-	77	15	**100**	**180**	49	14	<2	3	**180**	5
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
Hexanone (2-)	2,000	50,000	-	<10	-	-	-	-	<10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Isopropylbenzene (Cumene)	800	NE	-	<1	-	-	-	-	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Isopropyltoluene (p-)	260	NE	-	<1	-	-	-	-	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Butanone (2-) (MEK)	4,000	50,000	-	<10	-	-	-	-	<10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	<5	-	-	-	-	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Naphthalene	100[1]	1,700	-	<5	-	-	-	-	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Propylbenzene (n-)	260	NE	-	<1	-	-	-	-	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ethylbenzene	700	1,500	-	<1	-	-	-	-	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetrachloroethene (PCE)	5	240	<2	**160**	**63**	2	<2	<2	**190**	<2	<2	<2	<2	**12,000**	**2,400**	**1,400**	-	**3,100**	**80**	**<20***	**<20***	**<10***	<2	<2	<2	**12,000**	**160**
Tetrahydrofuran	154	NE	-	<10	-	-	-	-	<10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Toluene	1,000	50,000	-	<1	-	-	-	-	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trichloroethene (TCE)	5	20	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	**2,200**	**990**	**800**	-	**500**	**110**	**26**	**<20***	**<10***	<2	<2	<2	**2,300**	**140**
Trimethylbenzene (1,2,4-)	330	1,300	-	<1	-	-	-	-	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trimethylbenzene (1,3,5-)	330	NE	-	<1	-	-	-	-	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vinyl Chloride	2	4	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	**<40***	**<100***	**<100***	-	**<20***	**<10***	**<20***	**21**	**370**	**170**	**7**	**16**	**<40***	**<4***
Xylene (m,p-)	NE	NE	-	<1	-	-	-	-	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Xylene (o-)	NE	NE	-	<1	-	-	-	-	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Xylenes, Total	10,000	17,000	-	ND	-	-	-	-	ND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total VOCs	-	-	ND	160	63	2	ND	ND	190	ND	ND	ND	ND	20,870	10,860	6,530	ND	6,377	935	4,426	7,701	2,219	294	46	56	21,180	545
Low Level VOCs - (ug/L)																											
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 2
Historical Groundwater Table
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		SH-10		SH-11															
Sample Date / Sampled By	GW-1 (AGQS)	GW-2	10/30/03 SHA	8/18/05 SHA	10/30/03 SHA	8/16/05 SHA	9/27/11 T&B	10/25/13 T&B	1/31/14 T&B	8/29/14 T&B	11/21/16 T&B	5/24/17 T&B	11/21/17 T&B	5/22/18 T&B	5/22/19 T&B	11/25/19 T&B	5/20/20 T&B	11/24/20 T&B	5/26/21 T&B	11/23/21 T&B	5/27/22 T&B
Field Water Quality Measurements																					
Depth to Water (ft)	NE	NE																		8.11	8.43
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	-	-	5.66	2.58	-	-	-	-	-	-	-	-	4.78	3.48	3.88
pH	NE	NE	-	-	-	-	-	-	5.85	5.78	-	-	-	-	-	-	-	-	5.75	5.84	5.75
ORP	NE	NE	-	-	-	-	-	-	260.8	-14.5	-	-	-	-	-	-	-	-	311.6	205	191
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	-	-	1,662	2	-	-	-	-	-	-	-	-	1,760	1,602	1,538
VOCs - (ug/L)																					
Acetone	6,000	NE	-	-	-	-	-	-	-	-	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Benzene	5	2,000	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (n-)	260	NE	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (sec-)	260	NE	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (tert-)	260	NE	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroethane	NE	NE	<5	<5	<5	<5	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroform (Trichloromethane)	70	70	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	ND	ND	ND	ND	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	9	13	**100**	**120**	49	30	30	24	15	11	12	9	5	7	7	9	6	5	6
Dichloroethylene (trans-1,2-)	100	560	<2	<2	2	3	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<2	<2	<2
Hexanone (2-)	2,000	50,000	-	-	-	-	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Isopropylbenzene (Cumene)	800	NE	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2
Isopropyltoluene (p-)	260	NE	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butanone (2-) (MEK)	4,000	50,000	-	-	-	-	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<2	<10	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Naphthalene	100(1)	1,700	-	-	-	-	-	-	-	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Propylbenzene (n-)	260	NE	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Ethylbenzene	700	1,500	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrachloroethene (PCE)	5	240	**5**	**24**	**54**	**72**	**25**	**19**	**18**	**18**	**18**	**12**	**15**	**10**	**5**	**10**	**7**	**12**	**8**	**6**	**7**
Tetrahydrofuran	154	NE	-	-	-	-	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Toluene	1,000	50,000	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trichloroethene (TCE)	5	20	3	**6**	**98**	**86**	**32**	**24**	**26**	**24**	**24**	**20**	**21**	**17**	**13**	**17**	**14**	**19**	**14**	**11**	**13**
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Vinyl Chloride	2	4	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (m,p-)	NE	NE	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (o-)	NE	NE	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylenes, Total	10,000	17,000	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Total VOCs	-	-	17	43	254	281	106	73	74	66	57	43	48	36	23	34	28	40	28	22	26
Low Level VOCs - (ug/L)																					
1,4-Dioxane (LL)	0.32(2)	NE	-	-	-	-	-	-	-	-	<0.25	<0.25J	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 2
Historical Groundwater Table
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		SH-12														SH-13				
Sample Date	GW-1 (AGQS)	GW-2	10/30/03	8/16/05	9/27/11	5/7/14	11/21/16	5/24/17	11/21/17	5/22/18	5/22/19	11/25/19	5/20/20	11/24/20	5/26/21	11/23/21	5/27/22	10/30/03	8/17/05	4/20/09	9/27/11	10/24/13
Sampled By			SHA	SHA	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	SHA	SHA	SHA	T&B	T&B
Field Water Quality Measurements																						
Depth to Water (ft)	NE	NE														9.76	10.06					
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	-	-	-	-	-	-	-	-	6.22	4.81	5.65	-	-	-	-	-
pH	NE	NE	-	-	-	-	-	-	-	-	-	-	-	-	5.84	5.93	5.76	-	-	-	-	-
ORP	NE	NE	-	-	-	-	-	-	-	-	-	-	-	-	314.8	450	242	-	-	-	-	-
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	-	-	-	-	-	-	-	-	926	540	776	-	-	-	-	-
VOCs - (ug/L)																						
Acetone	6,000	NE	-	-	-	-	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	-	-	-	-	-
Benzene	5	2,000	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	-
Butylbenzene (n-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	-
Butylbenzene (sec-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	-
Butylbenzene (tert-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	-
Chloroethane	NE	NE	<5	<5	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<5	<5	<5	-	-
Chloroform (Trichloromethane)	70	70	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	ND	ND	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	ND	ND	ND	<2	<2
Dichloroethylene (1,1-)	7	630	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	7	54	18	17	9	3	4	3	4	3	4	13	5	3	4	<2	<2	<2	<2	<2
Dichloroethylene (trans-1,2-)	100	560	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloropropane, 1,2-	50	5	-	-	-	-	<	<	<	<	<	<	<	<	<2	<2	<2	<	<	<	<	<
Hexanone (2-)	2,000	50,000	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	-	-	-	-	-
Isopropylbenzene (Cumene)	800	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-	-	-	-	-
Isopropyltoluene (p-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	-
Butanone (2-) (MEK)	4,000	50,000	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<2	<10	<10	-	-	-	-	-
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	-
Naphthalene	100[(1)]	1,700	-	-	-	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	-	-	-	-	-
Propylbenzene (n-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	-
Ethylbenzene	700	1,500	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	-
Tetrachloroethene (PCE)	5	240	**220**	**170**	**390**	**470**	**170**	**100**	**110**	**65**	**88**	**95**	**81**	**270**	**110**	**66**	**66**	<2	<2	<2	2	<2
Tetrahydrofuran	154	NE	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	-	-	-	-	-
Toluene	1,000	50,000	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	-
Trichloroethene (TCE)	5	20	**13**	**35**	**33**	**40**	**21**	**7**	**10**	**6**	**9**	**8**	**9**	**32**	**14**	**8**	**9**	<2	<2	<2	<2	<2
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	-
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	-
Vinyl Chloride	2	4	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (m,p-)	NE	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	-
Xylene (o-)	NE	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	-
Xylenes, Total	10,000	17,000	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	-
Total VOCs	-	-	240	259	441	527	200	110	124	74	101	106	94	315	129	77	79	ND	ND	ND	2	ND
Low Level VOCs - (ug/L)																						
1,4-Dioxane (LL)	0.32[(2)]	NE	-	-	-	-	<0.25	<0.25J	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	-	-	-	-	-

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 2
Historical Groundwater Table
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		SH-14S								SH-14D														SH-15		
Sample Date	GW-1 (AGQS)	GW-2	8/16/05	4/20/09	9/27/11	5/24/17	5/22/18	5/22/19	5/20/20	5/26/21	5/27/22	8/16/05	4/20/09	9/27/11	5/7/14	11/21/16	5/24/17	11/21/17	5/22/18	5/22/19	11/25/19	5/20/20	11/24/20	5/26/21	11/22/21	5/27/22	8/17/05	4/21/09	9/27/11
Sampled By			SHA	SHA	T&B	T&B	T&B	T&B	T&B	T&B	T&B	SHA	SHA	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	SHA	SHA	T&B
Field Water Quality Measurements																													
Depth to Water (ft)	NE	NE									6.79														5.69	6.42			
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	-	-	-	12.9	6.61	-	-	-	-	-	-	-	-	-	-	-	-	0.55	0.60	0.38	-	-	-
pH	NE	NE	-	-	-	-	-	-	-	6.00	6.04	-	-	-	-	-	-	-	-	-	-	-	-	5.68	5.78	5.72	-	-	-
ORP	NE	NE	-	-	-	-	-	-	-	255.3	235	-	-	-	-	-	-	-	-	-	-	-	-	288	-125	224	-	-	-
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	-	-	-	1,161	1,504	-	-	-	-	-	-	-	-	-	-	-	-	816	756	697	-	-	-
VOCs - (ug/L)																													
Acetone	6,000	NE	-	-	-	<50	<50	<50	<50	<50	<50	-	-	-	-	<50	<50	<50	<50	<50	<50	<50	<250	<250	<250	<250	-	-	-
Benzene	5	2,000	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	**<10***	**<10***	**<10***	**<10***	-	-	-
Butylbenzene (n-)	260	NE	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<10	<10	<10	<10	-	-	-
Butylbenzene (sec-)	260	NE	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<10	<10	<10	<10	-	-	-
Butylbenzene (tert-)	260	NE	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<10	<10	<10	<10	-	-	-
Chloroethane	NE	NE	<5	<5	-	<2	<2	<2	<2	<2	<2	<5	<5	-	-	<2	<2	<2	<2	<2	<2	<2	<10	<10	<10	<10	<5	<5	-
Chloroform (Trichloromethane)	70	70	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	<10	<10	<10	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	ND	ND	<2	<2	<2	<2	<2	<2	<2	ND	ND	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	<10	<10	<10	ND	ND	<2
Dichloroethylene (1,1-)	7	630	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<5	<5	<5	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	<2	<2	<2	<2	<2	<2	<2	<2	<2	14	15	10	9	11	6	5	6	10	8	15	18	15	14	18	<2	<2	<2
Dichloroethylene (trans-1,2-)	100	560	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	<10	<10	<10	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<2	<2	<	<	<	<	<	<	<	<	<	<	<	<	**<10***	**<10***	**<10***	<	<	<
Hexanone (2-)	2,000	50,000	-	-	-	<10	<10	<10	<10	<10	<10	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<50	<50	<50	<50	-	-	-
Isopropylbenzene (Cumene)	800	NE	-	-	-	<2	<2	<2	<2	<10	<2	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<10	<50	<10	<10	-	-	-
Isopropyltoluene (p-)	260	NE	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<10	<10	<10	<10	-	-	-
Butanone (2-) (MEK)	4,000	50,000	-	-	-	<10	<10	<10	<10	<2	<10	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<50	<10	<50	<50	-	-	-
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-	-	7	<2	<2	<2	<2	<2	<2	<10	<10	<10	<10	-	-	-
Naphthalene	100[1]	1,700	-	-	-	<5	<5	<5	<5	<5	<5	-	-	-	-	<5	<5	<5	<5	<5	<5	<5	<25	<25	<25	<25	-	-	-
Propylbenzene (n-)	260	NE	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<10	<10	<10	<10	-	-	-
Ethylbenzene	700	1,500	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<10	<10	<10	<10	-	-	-
Tetrachloroethene (PCE)	5	240	<2	<2	<2	<2	<2	<2	<2	<2	<2	**210**	**290**	**210**	**240**	**150**	**260**	**240**	**270**	**390**	**360**	**580**	**570**	**490**	**470**	**480**	<2	<2	<2
Tetrahydrofuran	154	NE	-	-	-	<10	<10	<10	<10	<10	<10	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<50	<50	<50	<50	-	-	-
Toluene	1,000	50,000	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<10	<10	<10	<10	-	-	-
Trichloroethene (TCE)	5	20	<2	<2	<2	<2	<2	<2	<2	<2	<2	**20**	**25**	**19**	**20**	**15**	**18**	**17**	**20**	**32**	**29**	**47**	**54**	**51**	**44**	**59**	<2	<2	<2
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<10	<10	<10	<10	-	-	-
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<10	<10	<10	<10	-	-	-
Vinyl Chloride	2	4	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	**<10***	**<10***	**<10***	**<10***	<2	<2	<2
Xylene (m,p-)	NE	NE	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<10	<10	<10	<10	-	-	-
Xylene (o-)	NE	NE	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<10	<10	<10	<10	-	-	-
Xylenes, Total	10,000	17,000	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<10	<10	<10	<10	-	-	-
Total VOCs	-	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	244	330	239	269	183	284	262	296	432	397	642	642	556	528	557	ND	ND	ND
Low Level VOCs - (ug/L)																													
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	1.2J	<0.25	<0.25	<0.25	<0.25	<0.25	-	-	-	-	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	-	-	-

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 2
Historical Groundwater Table
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		SH-16		SH-17								SH-18S												SH-18S DUP
Sample Date	GW-1 (AGQS)	GW-2	8/18/05	9/27/11	8/18/05	4/20/09	9/26/11	5/27/18	5/21/19	5/21/20	5/26/21	5/26/22	8/17/05	10/25/13	5/7/14	11/22/16	5/25/17	11/21/17	5/23/18	5/21/19	11/26/19	5/21/20	11/23/20	5/28/21	11/22/21	5/26/22	10/25/13
Sampled By			SHA	T&B	SHA	SHA	T&B	T&B	T&B	T&B	T&B	T&B	SHA	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements																											
Depth to Water (ft)	NE	NE										3.98													8.08	8.06	
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	-	-	-	-	3.01	2.13	-	-	-	-	-	-	-	-	-	-	-	5.05	1.24	2.35	-
pH	NE	NE	-	-	-	-	-	-	-	-	7.64	5.56	-	-	-	-	-	-	-	-	-	-	-	5.86	5.87	5.93	-
ORP	NE	NE	-	-	-	-	-	-	-	-	157	158	-	-	-	-	-	-	-	-	-	-	-	175	-64	145	-
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	-	-	-	-	1,806	2,163	-	-	-	-	-	-	-	-	-	-	-	1,981	1,075	2,327	-
VOCs - (ug/L)																											
Acetone	6,000	NE	-	-	-	-	-	<50	<50	<50	<50	<50	<10	-	-	Well	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	-
Benzene	5	2,000	-	-	-	-	-	<2	<2	<2	<2	<2	<1	-	-	Dry	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Butylbenzene (n-)	260	NE	-	-	-	-	-	<2	<2	<2	<2	<2	<1	-	-	No	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Butylbenzene (sec-)	260	NE	-	-	-	-	-	<2	<2	<2	<2	<2	<1	-	-	Sample	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Butylbenzene (tert-)	260	NE	-	-	-	-	-	<2	<2	<2	<2	<2	<1	-	-	Collected	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Chloroethane	NE	NE	<5	-	<5	<5	-	<2	<2	<2	<2	<2	<5	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Chloroform (Trichloromethane)	70	70	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	ND	<2	ND	ND	<2	<2	<2	<2	<2	<2	ND	<2	<2	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	2	<1	<1	-	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	<2	<2	24	20	18	2	<2	3	3	2	**200**	9	4	-	<2	<2	<2	<2	<2	<2	<2	<2	5	3	2	10
Dichloroethylene (trans-1,2-)	100	560	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	5	<2	<2	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<2	<2	<	<	<	<	<	<	<	<	<	<	<	<2	<2	<2	<2	<
Hexanone (2-)	2,000	50,000	-	-	-	-	-	<10	<10	<10	<10	<10	<10	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	-
Isopropylbenzene (Cumene)	800	NE	-	-	-	-	-	<2	<2	<2	<10	<2	<1	-	-	-	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-
Isopropyltoluene (p-)	260	NE	-	-	-	-	-	<2	<2	<2	<2	<2	<1	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Butanone (2-) (MEK)	4,000	50,000	-	-	-	-	-	<10	<10	<10	<2	<10	<10	-	-	-	<10	<10	<10	<10	<10	<10	<10	<2	<10	<10	-
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	-	-	-	-	<2	<2	<2	<2	<2	12	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Naphthalene	100[1]	1,700	-	-	-	-	-	<5	<5	<5	<5	<5	<5	-	-	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	-
Propylbenzene (n-)	260	NE	-	-	-	-	-	<2	<2	<2	<2	<2	<1	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Ethylbenzene	700	1,500	-	-	-	-	-	<2	<2	<2	<2	<2	<1	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Tetrachloroethene (PCE)	5	240	<2	<2	3	**34**	**6**	3	4	**7**	**7**	**5**	**94**	4	2	-	<2	3	<2	<2	2	<2	<2	<2	<2	<2	5
Tetrahydrofuran	154	NE	-	-	-	-	-	<10	<10	<10	<10	<10	<10	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	-
Toluene	1,000	50,000	-	-	-	-	-	<2	<2	<2	<2	<2	<1	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Trichloroethene (TCE)	5	20	<2	<2	3	**26**	**6**	3	3	**5**	**7**	**5**	**190**	**14**	**7**	-	4	**11**	3	4	**9**	**5**	**7**	**6**	**6**	**5**	**15**
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	-	-	<2	<2	<2	<2	<2	<1	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	-	-	<2	<2	<2	<2	<2	<1	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Vinyl Chloride	2	4	<2	<2	**10**	**4**	**7**	<2	<2	<2	<2	<2	**7**	<2	<2	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (m,p-)	NE	NE	-	-	-	-	-	<2	<2	<2	<2	<2	<1	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Xylene (o-)	NE	NE	-	-	-	-	-	<2	<2	<2	<2	<2	<1	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Xylenes, Total	10,000	17,000	-	-	-	-	-	<2	<2	<2	<2	<2	ND	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Total VOCs	-	-	ND	ND	40	84	37	8	7	15	17	12	510	27	13	0	4	14	3	4	11	5	7	11	9	7	30
Low Level VOCs - (ug/L)																											
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	-	<0.25	<0.25	<0.25	<0.25	<0.25	-	-	-	-	0.69J	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	-

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 2
Historical Groundwater Table
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		SH-18D															SH-18D DUP
Sample Date	GW-1 (AGQS)	GW-2	8/17/05	9/28/11	10/25/13	5/7/14	8/29/14	11/21/16	5/25/17	11/21/17	5/23/18	5/21/19	11/26/19	5/21/20	11/23/20	5/28/21	11/22/21	5/26/22	10/25/13
Sampled By			SHA	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements																			
Depth to Water (ft)	NE	NE															9.85	9.98	
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	2.31	-	-	-	-	-	-	-	-	0.65	0.11	1.03	-
pH	NE	NE	-	-	-	-	5.81	-	-	-	-	-	-	-	-	6.09	6.05	6.31	-
ORP	NE	NE	-	-	-	-	-12.4	-	-	-	-	-	-	-	-	231.6	-104	84.5	-
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	0.667	-	-	-	-	-	-	-	-	3,806	1,550	2,379	-
VOCs - (ug/L)																			
Acetone	6,000	NE	20	-	-	-	-	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	-
Benzene	5	2,000	<1	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Butylbenzene (n-)	260	NE	<1	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Butylbenzene (sec-)	260	NE	<1	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Butylbenzene (tert-)	260	NE	<1	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Chloroethane	NE	NE	<5	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Chloroform (Trichloromethane)	70	70	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	ND	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	<1	<1	<1	<1	<1	<1	<1	1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	**190**	**230**	**130**	**180**	**160**	62	33	**97**	33	40	**170**	64	**76**	51	50	33	**120**
Dichloroethylene (trans-1,2-)	100	560	3	5	3	3	3	<2	<2	<2	3	<2	<2	<2	<2	<2	<2	<2	3
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<	<	<2	<2	<2	<
Hexanone (2-)	2,000	50,000	<10	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	-
Isopropylbenzene (Cumene)	800	NE	<1	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-
Isopropyltoluene (p-)	260	NE	<1	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Butanone (2-) (MEK)	4,000	50,000	<10	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<2	<10	<10	-
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	**68**	-	-	-	-	<2	<2	2	<2	<2	2	<2	<2	<2	<2	<2	-
Naphthalene	100[1]	1,700	<5	-	-	-	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	-
Propylbenzene (n-)	260	NE	<1	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Ethylbenzene	700	1,500	<1	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Tetrachloroethene (PCE)	5	240	**160**	**460**	**95**	**37**	**38**	**29**	**18**	**26**	**12**	**10**	**6**	**5**	**10**	**9**	**7**	4	**77**
Tetrahydrofuran	154	NE	<10	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	-
Toluene	1,000	50,000	<1	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Trichloroethene (TCE)	5	20	**94**	**160**	**89**	**190**	**250**	**200**	**110**	**160**	**64**	**71**	**17**	**54**	**92**	**110**	**100**	**71**	**86**
Trimethylbenzene (1,2,4-)	330	1,300	<1	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Trimethylbenzene (1,3,5-)	330	NE	<1	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Vinyl Chloride	2	4	**7**	<2	<2	<2	**5**	<2	<2	<2	<2	<2	**2**	<2	<2	**4**	<2	<2	<2
Xylene (m,p-)	NE	NE	<1	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Xylene (o-)	NE	NE	<1	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Xylenes, Total	10,000	17,000	ND	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Total VOCs	-	-	542	855	317	410	456	291	161	286	112	121	197	123	178	174	157	108	286
Low Level VOCs - (ug/L)																			
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	-	<0.25	<0.25	0.33	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	-

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 2
Historical Groundwater Table
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		SH-19									SH-19 DUP	BR-1			BR-1 (78-81')	BR-1 (82-85')	BR-1D (75.5-85.5')	BR-1		
Sample Date	GW-1 (AGQS)	GW-2	8/18/05	4/21/09	9/27/11	10/24/13	5/26/17	5/23/18	5/23/19	5/20/20	5/26/21	5/27/22	8/18/05	10/30/03	8/17/05	4/20/09	5/18/10	5/18/10	6/28/10	9/10/10	9/27/11	1/25/12
Sampled By			SHA	SHA	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	SHA	SHA	SHA	SHA	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements																						
Depth to Water (ft)	NE	NE										9.70										
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	-	-	-	-	1.1	0.35	-	-	-	-	-	-	-	-	-	-
pH	NE	NE	-	-	-	-	-	-	-	-	6.36	5.96	-	-	-	-	-	-	-	-	-	-
ORP	NE	NE	-	-	-	-	-	-	-	-	66	17	-	-	-	-	-	-	-	-	-	-
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	-	-	-	-	1,307	1,381	-	-	-	-	-	-	-	-	-	-
VOCs - (ug/L)																						
Acetone	6,000	NE	<50	-	-	-	<50	<50	<50	<50	<50	<50	<50	-	-	-	-	-	<50	NA	NA	NA
Benzene	5	2,000	<5	-	-	-	<2	<2	<2	<2	<2	<2	<5	-	-	-	-	-	-	-	-	-
Butylbenzene (n-)	260	NE	13	-	-	-	<2	<2	<2	<2	<2	<2	13	-	-	-	-	-	-	-	-	-
Butylbenzene (sec-)	260	NE	5	-	-	-	<2	<2	<2	<2	<2	<2	5	-	-	-	-	-	-	-	-	-
Butylbenzene (tert-)	260	NE	<5	-	-	-	<2	<2	<2	<2	<2	<2	<5	-	-	-	-	-	-	-	-	-
Chloroethane	NE	NE	<30	<5	-	-	<2	<2	<2	<2	<2	<2	<30	<3000	<500	<50	-	-	-	-	-	-
Chloroform (Trichloromethane)	70	70	<5	<2	<2	<2	<2	<2	<2	<2	<2	<2	<5	**<500***	**<100***	<10	**<100***	**<100***	<7.5	**<400***	<20	<40
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	ND	ND	<2	<2	<2	<2	<2	<2	<2	<2	ND	ND	ND	ND	ND	ND	ND	<400	<20	<40
Dichloroethylene (1,1-)	7	630	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	**<500***	**<100***	**<10***	**<50***	**<50***	**<7.5***	**<200***	**<10***	**<20***
Dichloroethylene (cis-1,2-)	70	NE	46	2	2	3	<2	<2	<2	<2	<2	<2	46	**<500***	**700**	**1,900**	**18,000**	**47,000**	**6,400**	**21,000**	**3,800**	**6,700**
Dichloroethylene (trans-1,2-)	100	560	<5	<2	<2	<2	<2	<2	<2	<2	<2	<2	<5	**<500***	**<100***	30	**690**	**1,800**	**140**	**590**	**110**	**170**
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<2	<2	<	<	<	<	<	<	<	<	<	<
Hexanone (2-)	2,000	50,000	<50	-	-	-	<10	<10	<10	<10	<10	<10	<50	-	-	-	-	-	-	-	-	-
Isopropylbenzene (Cumene)	800	NE	39	-	-	-	<2	<2	<2	<2	<10	<2	40	-	-	-	-	-	-	-	-	-
Isopropyltoluene (p-)	260	NE	<5	-	-	-	<2	<2	<2	<2	<2	<2	<5	-	-	-	-	-	-	-	-	-
Butanone (2-) (MEK)	4,000	50,000	<50	-	-	-	<10	<10	<10	<10	<2	<10	<50	-	-	-	-	-	-	-	-	-
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	<5	-	-	-	<2	<2	<2	<2	<2	<2	<5	-	-	-	-	-	<10	NA	NA	NA
Naphthalene	100[1]	1,700	**100**	-	-	-	<5	<5	<5	<5	<5	<5	**100**	-	-	-	-	-	-	-	-	-
Propylbenzene (n-)	260	NE	100	-	-	-	<2	<2	<2	5	<2	<2	110	-	-	-	-	-	-	-	-	-
Ethylbenzene	700	1,500	<5	-	-	-	<2	<2	<2	<2	<2	<2	<5	-	-	-	-	-	-	-	-	-
Tetrachloroethene (PCE)	5	240	**13**	4	4	**5**	2	<2	<2	<2	<2	<2	**15**	**43,000**	**11,000**	**1,900**	**8,000**	**18,000**	**3,000**	**9,900**	**1,800**	**3,000**
Tetrahydrofuran	154	NE	<50	-	-	-	<10	<10	<10	<10	<10	<10	<50	-	-	-	-	-	-	-	-	-
Toluene	1,000	50,000	58	-	-	-	<2	<2	<2	<2	<2	<2	54	-	-	-	-	-	-	-	-	-
Trichloroethene (TCE)	5	20	**13**	<2	<2	<2	<2	<2	<2	<2	<2	<2	**13**	**3,500**	**2,200**	**80**	**4,000**	**12,000**	**960**	**4,100**	**990**	**2,000**
Trimethylbenzene (1,2,4-)	330	1,300	180	-	-	-	<2	<2	<2	<2	<2	<2	180	-	-	-	-	-	-	-	-	-
Trimethylbenzene (1,3,5-)	330	NE	**500**	-	-	-	<2	<2	<2	<2	<2	<2	**500**	-	-	-	-	-	-	-	-	-
Vinyl Chloride	2	4	**<10***	<2	<2	<2	<2	<2	<2	<2	<2	<2	**<10***	**<1,000***	**<200***	**<20***	**<100***	**<100***	**<10***	**<400***	**<20***	**<40***
Xylene (m,p-)	NE	NE	470	-	-	-	<2	<2	<2	<2	<2	<2	470	-	-	-	-	-	-	-	-	-
Xylene (o-)	NE	NE	62	-	-	-	<2	<2	<2	<2	<2	<2	59	-	-	-	-	-	-	-	-	-
Xylenes, Total	10,000	17,000	532	-	-	-	<2	<2	<2	<2	<2	<2	529	-	-	-	-	-	-	-	-	-
Total VOCs	-	-	2,131	6	6	8	2	ND	ND	5	ND	ND	2,134	46,500	13,900	3,910	30,690	78,800	10,500	35,590	6,700	11,870
Low Level VOCs - (ug/L)																						
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	0.67J	<0.25	**<1.2***	**<1.2***	**<5***	<0.25	-	-	-	-	-	-	-	-	-	-

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 2
Historical Groundwater Table
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		BR-1D															BR-1 (82-85') DUP	BR-1D DUP	BR-2			BR-2 (85-88') packer	BR-2D (83-88')
Sample Date	GW-1 (AGQS)	GW-2	8/17/12	2/7/13	6/18/13	10/24/13	5/7/14	8/29/14	11/21/16	5/23/17	11/22/17	5/24/18	5/22/19	11/26/19	5/19/20	11/23/20	5/25/21	11/23/21	5/24/22	5/18/10	2/7/13	10/30/03	8/17/05	4/22/09	5/18/10	6/28/10
Sampled By			T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	SHA	SHA	SHA	T&B	T&B
Field Water Quality Measurements																										
Depth to Water (ft)	NE	NE																7.12	7.72							
Dissolved Oxygen (mg/L)	NE	NE	1.31	2.11	1.70	-	-	-	-	-	-	-	-	-	-	-	0.55	0.10	3.4	-	-	-	-	-	-	-
pH	NE	NE	7.87	5.05	5.18	-	-	-	-	-	-	-	-	-	-	-	6.87	6.69	6.87	-	-	-	-	-	-	-
ORP	NE	NE	-230.1	-351.4	83	-	-	-	-	-	-	-	-	-	-	-	69	-124	41	-	-	-	-	-	-	-
Specific Conductance (ms/cm)	NE	NE	282	1.359	2.36	-	-	-	-	-	-	-	-	-	-	-	683	102	85.4	-	-	-	-	-	-	-
VOCs - (ug/L)																										
Acetone	6,000	NE	-	-	-	-	-	-	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	-	NA	-	-	-	-	<50
Benzene	5	2,000	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-
Butylbenzene (n-)	260	NE	-	-	-	-	-	-	<2	<2	<2	<2	<50	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-
Butylbenzene (sec-)	260	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	2	<2	<2	-	-	-	-	-	-	-
Butylbenzene (tert-)	260	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-
Chloroethane	NE	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	3	<2	80	93	3	<2	-	-	<100	<500	<500	-	-
Chloroform (Trichloromethane)	70	70	<40	<40	<40	<20	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	**<100***	<40	<20	**<100***	**<100***	<40	<7.5
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	<40	<40	<40	<20	<20	<2	<2	<2	<2	<2	3	<2	<2	<2	<2	<2	<2	ND	<40	ND	ND	ND	ND	ND
Dichloroethylene (1,1-)	7	630	**<20***	**<20***	**<20***	**<10***	<1	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<1	<1	**<50***	**<20***	**<20***	**<100***	**<100***	**<20***	<5
Dichloroethylene (cis-1,2-)	70	NE	**6,100**	**5,700**	**6,700**	**3,500**	**900**	9	24	13	6	3	<2	<2	8	5	9	5	4	**47,000**	**5,300**	**260**	**600**	**600**	**480**	**370**
Dichloroethylene (trans-1,2-)	100	560	**170**	**170**	**180**	64	14	3	5	2	<2	<2	<1	3	<2	8	16	<2	<2	**1,800**	**160**	<20	<100	<100	<40	<7.5
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<	<	<	2	<2	<2	<	<	<	<	<	<	<
Hexanone (2-)	2,000	50,000	-	-	-	-	-	-	<10	<10	<10	<10	6	<10	<10	<10	<10	<10	<10	-	-	-	-	-	-	-
Isopropylbenzene (Cumene)	800	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-	-	-	-	-	-	-
Isopropyltoluene (p-)	260	NE	-	-	-	-	-	-	<2	<2	<2	<2	<10	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-
Butanone (2-) (MEK)	4,000	50,000	-	-	-	-	-	-	20	<10	<10	<10	<2	<2	<10	<10	<2	<10	<10	-	-	-	-	-	-	-
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	NA	-	-	-	-	<10
Naphthalene	100[1]	1,700	-	-	-	-	-	-	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	-	-	-	-	-	-	-
Propylbenzene (n-)	260	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-
Ethylbenzene	700	1,500	-	-	-	-	-	-	<2	<2	<2	<2	<5	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-
Tetrachloroethene (PCE)	5	240	**2,200**	**1,800**	**1,700**	**38**	**16**	4	<2	<2	4	3	<2	<2	4	2	2	<2	**5**	**18,000**	**1,700**	**6,200**	**8,700**	**10,000**	**6,200**	**4,700**
Tetrahydrofuran	154	NE	-	-	-	-	-	-	**460J**	**210**	**250**	**210**	<2	44	<10	35	20	<10	<10	-	-	-	-	-	-	-
Toluene	1,000	50,000	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-
Trichloroethene (TCE)	5	20	**1,400**	**4,100**	**3,100**	**490**	<2	<2	<2	**5**	<2	2	**83**	<2	3	<2	<2	3	4	**12,000**	**3,800**	**470**	**700**	**900**	**700**	**460**
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	-	-	-	<2	<2	<2	<2	2	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-
Vinyl Chloride	2	4	**<10***	**<40***	**<40***	**<20***	**130**	**11**	**20**	**10**	<2	<2	<2	<2	<2	**3**	**13**	**4**	<2	**<100***	**<40***	**<40***	**<200***	**<200***	**<40***	**<10***
Xylene (m,p-)	NE	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-
Xylene (o-)	NE	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-
Xylenes, Total	10,000	17,000	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-
Total VOCs	-	-	9,870	11,770	11,680	4,092	1,060	27	69	240	260	218	94	50	15	133	157.52	15	13	78,800	10,960	6,930	10,000	11,500	7,380	5,530
Low Level VOCs - (ug/L)																										
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	-	-	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	**0.52**	**0.52**	<0.25	<0.25	-	-	-	-	-	-	-

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 2
Historical Groundwater Table
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		BR-2		BR-2		BR-2	BR-2	BR-2D														BR-2 DUP	BR-3		
Sample Date	GW-1 (AGQS)	GW-2	9/10/10	10/20/10	11/10/11	1/25/12	8/17/12	2/7/13	6/18/13	10/24/13	5/7/14	8/29/14	11/21/16	5/23/17	11/21/17	5/23/18	5/22/19	11/26/19	5/19/20	11/23/20	5/25/21	11/22/21	5/24/22	4/22/09	10/30/03	8/17/05	4/21/09
Sampled By			T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	SHA	SHA	SHA	SHA
Field Water Quality Measurements																										
Depth to Water (ft)	NE	NE																				7.8	8.57				
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	0.43	0.55	0	-	-	0.4	-	-	-	-	-	-	-	-	10.4	0.23	0.32	-	-	-	-
pH	NE	NE	-	-	-	-	4.95	4.78	4.75	-	-	5.49	-	-	-	-	-	-	-	-	6.07	6.28	6.26	-	-	-	-
ORP	NE	NE	-	-	-	-	-119.5	-10.8	143	-	-	69.1	-	-	-	-	-	-	-	-	33	-19.2	-7.7	-	-	-	-
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	2,138	0.102	0.087	-	-	0.073	-	-	-	-	-	-	-	-	35.5	52	184	-	-	-	-
VOCs - (ug/L)																											
Acetone	6,000	NE	NA	-	NA	NA	-	-	-	-	-	-	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	-	-	-	-
Benzene	5	2,000	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-
Butylbenzene (n-)	260	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-
Butylbenzene (sec-)	260	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-
Butylbenzene (tert-)	260	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-
Chloroethane	NE	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<300	<50	<50	<5
Chloroform (Trichloromethane)	70	70	<20	-	<20	<2	<20	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<50	<10	<10	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	22	-	<20	<2	<20	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	ND	ND	ND	ND
Dichloroethylene (1,1-)	7	630	**<10***	-	**<10***	<1	**<20***	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	**<50***	**<10***	**<10***	<1
Dichloroethylene (cis-1,2-)	70	NE	**540**	-	**220**	**120**	**2,600**	**120**	**120**	**100**	16	47	37	7	14	3	6	9	6	8	9	13	4	**640**	<10	<10	<2
Dichloroethylene (trans-1,2-)	100	560	<20	-	<20	<2	21	<2	<2	10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<50	<10	<10	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<2	<2	<2	<	<	<	<
Hexanone (2-)	2,000	50,000	-	-	-	-	-	-	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	-	-	-	-
Isopropylbenzene (Cumene)	800	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-	-	-	-
Isopropyltoluene (p-)	260	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-
Butanone (2-) (MEK)	4,000	50,000	-	-	-	-	-	-	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<2	<10	<10	-	-	-	-
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	NA	-	NA	NA	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-
Naphthalene	100[1]	1,700	-	-	-	-	-	-	-	-	-	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	-	-	-	-
Propylbenzene (n-)	260	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-
Ethylbenzene	700	1,500	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-
Tetrachloroethene (PCE)	5	240	**6,200**	-	**2,000**	**6**	**110**	**33**	2	**28**	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	**9,500**	**850**	**810**	3
Tetrahydrofuran	154	NE	-	-	-	-	-	-	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	-	-	-	-
Toluene	1,000	50,000	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-
Trichloroethene (TCE)	5	20	**710**	-	**320**	4	**650**	**71**	**14**	**15**	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	**930**	**<10***	**10**	<2
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-
Vinyl Chloride	2	4	**<20***	-	**<20***	<2	**<5***	<2	<2	**470**	**4**	**6**	**4**	<2	<2	<2	<2	**5**	<2	**4**	<2	**11**	**3**	**<100***	**<20***	**<20***	<2
Xylene (m,p-)	NE	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-
Xylene (o-)	NE	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-
Xylenes, Total	10,000	17,000	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-
Total VOCs	-	-	7,472	0	2,540	130	3,381	224	136	623	20	53	41	7	14	3	6	14	6	12	9	24	7	11,070	850	820	3
Low Level VOCs - (ug/L)																											
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	-	-	-	-	-	-	<0.25	<0.25	0.26	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	-	-	-	-

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 2
Historical Groundwater Table
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		BR-3 (50-55')	BR-3 (89-92')	BR-3	BR-3I (50-55')																BR-3I DUP	
Sample Date	GW-1 (AGQS)	GW-2	5/18/10	5/18/10	9/10/10	6/28/10	9/26/11	1/25/12	10/24/13	1/31/14	5/7/14	8/29/14	11/21/16	5/24/17	11/22/17	5/24/18	5/22/19	11/26/19	5/20/20	11/24/20	5/28/21	11/23/21	5/26/22	9/26/11	1/31/14
Sampled By			T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements																									
Depth to Water (ft)	NE	NE																				3.6	4.21		
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	-	-	-	19.81	-	-	-	-	-	-	-	-	-	-	0.05	0.33	0.32	-	-
pH	NE	NE	-	-	-	-	-	-	-	9.12	-	-	-	-	-	-	-	-	-	-	6.74	6.44	7.07	-	-
ORP	NE	NE	-	-	-	-	-	-	-	262	-	-	-	-	-	-	-	-	-	-	-77	-80	-67	-	-
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	-	-	-	169	-	-	-	-	-	-	-	-	-	-	410	455	249	-	-
VOCs - (ug/L)																									
Acetone	6,000	NE	-	-	-	<50	-	-	-	-	-	-	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	-	-
Benzene	5	2,000	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-
Butylbenzene (n-)	260	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-
Butylbenzene (sec-)	260	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-
Butylbenzene (tert-)	260	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-
Chloroethane	NE	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	2	2	2	3	3	<2	-	-
Chloroform (Trichloromethane)	70	70	<2	<2	<2	<7.5	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	ND	ND	ND	ND	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	3	<2	<2	20	<2	<2	22	6	5	20	**150**	**120**	20	25	6	18	20	<2	14	13	10	<2	6
Dichloroethylene (trans-1,2-)	100	560	<2	<2	<2	<7.5	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<2	<2	<2	<	<
Hexanone (2-)	2,000	50,000	-	-	-	-	-	-	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	-	-
Isopropylbenzene (Cumene)	800	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-	-
Isopropyltoluene (p-)	260	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-
Butanone (2-) (MEK)	4,000	50,000	-	-	-	-	-	-	-	-	-	-	18	<10	<10	<10	<10	<10	<10	<10	<2	<10	<10	-	-
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	-	-	<10	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-
Naphthalene	100[1]	1,700	-	-	-	-	-	-	-	-	-	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	-	-
Propylbenzene (n-)	260	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-
Ethylbenzene	700	1,500	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-
Tetrachloroethene (PCE)	5	240	**48**	4	**91**	**250**	**39**	**30**	**240**	**83**	**62**	**220**	**15**	<2	<2	<2	<2	<2	4	**12**	**23**	**31**	<2	**35**	**77**
Tetrahydrofuran	154	NE	-	-	-	-	-	-	-	-	-	-	**330J**	130	81	54	<10	<10	<10	<10	<10	<10	<10	-	-
Toluene	1,000	50,000	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-
Trichloroethene (TCE)	5	20	<2	<2	<2	**6.8**	<2	<2	**7**	3	2	**7**	3	<2	<2	**5**	<2	<2	**34**	**34**	**48**	**24**	<2	<2	3
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-
Vinyl Chloride	2	4	<2	<2	<2	**<10***	<2	<2	<2	<2	<2	<2	<2	<2	**9**	**4J**	<2	**5**	**2**	<2	<2	<2	<2	<2	<2
Xylene (m,p-)	NE	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-
Xylene (o-)	NE	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-
Xylenes, Total	10,000	17,000	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-
Total VOCs	-	-	51	4	91	276.8	39	30	269	92	69	247	186	250	110	84	6	25	62	48	88	71	10	35	86
Low Level VOCs - (ug/L)																									
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	-	-	-	-	-	-	<0.25	<0.25	<0.25	0.26	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	-	-

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 2
Historical Groundwater Table
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		BR-4S												
Sample Date	GW-1 (AGQS)	GW-2	1/25/12	8/17/12	8/29/14	11/21/16	5/24/17	11/22/17	5/24/18	5/23/19	11/26/19	5/21/20	11/23/20	5/28/21	11/23/21	5/24/22
Sampled By			T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements																
Depth to Water (ft)	NE	NE													4.1	5.02
Dissolved Oxygen (mg/L)	NE	NE	-	0.37	0.35	-	-	-	-	-	-	-	-	0.75	5.32	0.21
pH	NE	NE	-	4.66	6.26	-	-	-	-	-	-	-	-	6.38	6.52	6.51
ORP	NE	NE	-	-215.9	-95.7	-	-	-	-	-	-	-	-	2,444	100	91
Specific Conductance (ms/cm)	NE	NE	-	522	1.589	-	-	-	-	-	-	-	-	127.2	195	140
VOCs - (ug/L)																
Acetone	6,000	NE	-	-	-	160	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Benzene	5	2,000	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (n-)	260	NE	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (sec-)	260	NE	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (tert-)	260	NE	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroethane	NE	NE	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroform (Trichloromethane)	70	70	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	ND	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	<1	**<10***	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	**340**	**1,600**	<2	**75**	**82**	14	15	2	13	<2	2	<2	<2	16
Dichloroethylene (trans-1,2-)	100	560	3	31	4	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<2	<2	<2
Hexanone (2-)	2,000	50,000	-	-	-	11J	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Isopropylbenzene (Cumene)	800	NE	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2
Isopropyltoluene (p-)	260	NE	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butanone (2-) (MEK)	4,000	50,000	-	-	-	210	45	<10	<10	<10	<10	<10	<10	<2	<10	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Naphthalene	100[1]	1,700	-	-	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Propylbenzene (n-)	260	NE	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Ethylbenzene	700	1,500	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrachloroethene (PCE)	5	240	**12**	**12**	<2	<2	<2	**94**	**7**	**48**	**25**	**32**	**13**	**75**	**63**	**44**
Tetrahydrofuran	154	NE	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Toluene	1,000	50,000	-	-	-	9	6	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trichloroethene (TCE)	5	20	<2	**19**	<2	<2	<2	**10**	**10**	**6**	2	<2	<2	4	<2	**16**
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Vinyl Chloride	2	4	**<1,000***	<2	**3**	**42**	**47**	<2	**3J**	<2	**6**	<2	<2	<2	<2	<2
Xylene (m,p-)	NE	NE	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (o-)	NE	NE	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylenes, Total	10,000	17,000	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Total VOCs	-	-	355	1,662	7	496	180	118	32	56	46	32	15	79	63	76
Low Level VOCs - (ug/L)																
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	<0.25	<0.25	0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 2
Historical Groundwater Table
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		BR-4I																			
Sample Date Sampled By	GW-1 (AGQS)	GW-2	6/28/10 T&B	9/10/10 T&B	10/20/10 T&B	1/25/12 T&B	8/17/12 T&B	2/7/13 T&B	6/18/13 T&B	10/24/13 T&B	1/31/14 T&B	8/29/14 T&B	11/21/16 T&B	5/24/17 T&B	11/22/17 T&B	5/24/18 T&B	5/23/19 T&B	11/26/19 T&B	5/21/20 T&B	11/24/20 T&B	5/28/21 T&B	11/23/21 T&B	5/24/22 T&B
Field Water Quality Measurements																							
Depth to Water (ft)	NE	NE																			4.73	5.41
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	0.45	-	0	-	0.35	0.53	-	-	-	-	-	-	-	-	0.02	0.18	0.25
pH	NE	NE	-	-	-	-	4.91	-	6.46	-	6.25	6.10	-	-	-	-	-	-	-	-	6.71	6.63	6.55
ORP	NE	NE	-	-	-	-	-175.4	-	-119	-	-88.6	-93.8	-	-	-	-	-	-	-	-	-96	-99	-82
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	2,513	-	1.21	-	3,253	2.173	-	-	-	-	-	-	-	-	284	370	192
VOCs - (ug/L)																							
Acetone	6,000	NE	<5,000	-	-	-	-	-	-	-	-	-	100	<50	<250	<50	<50	<50	<50	<50	<50	<50	<50
Benzene	5	2,000	-	-	-	-	-	-	-	-	-	-	<2	<2	**<10***	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (n-)	260	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (sec-)	260	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (tert-)	260	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2
Chloroethane	NE	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<10	<2	<2	3	<2	3	<2	<2	<2
Chloroform (Trichloromethane)	70	70	**<750***	**<400***	-	**<400***	**<100***	**<100***	**<100***	**<1,000***	<2	<10	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	ND	<400	-	<400	<100	<100	<100	**<1,000***	<2	<10	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	**<750***	**<200***	-	**<200***	**<50***	**<50***	**<50***	**<500***	<1	<5	<1	<1	<5	<1	<1	<1	<1	3	2	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	**<500***	**510**	-	**680**	**12,000**	**24,000**	**23,000**	**13,000**	47	**220**	**440**	46	36	10	15	15	14	**790**	**240**	2	36
Dichloroethylene (trans-1,2-)	100	560	**<750***	**<400***	-	**<400***	**210**	**380**	**460**	**<1,000***	7	<10	7	<2	<10	7	5	14	10	31	8	6	3
Dichloropropane, 1,2-	50	5	<	<	-	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<2	<2	<2
Hexanone (2-)	2,000	50,000	-	-	-	-	-	-	-	-	-	-	30	<10	<50	<10	<10	<10	<10	<10	<10	<10	<10
Isopropylbenzene (Cumene)	800	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<10	<2	<2	<2	<2	<2	<10	<2	<2
Isopropyltoluene (p-)	260	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2
Butanone (2-) (MEK)	4,000	50,000	-	-	-	-	-	-	-	-	-	-	420	<10	<50	<10	<10	<10	<10	<10	<2	<10	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	<1,000	-	-	-	-	-	-	-	-	-	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2
Naphthalene	100[1]	1,700	-	-	-	-	-	-	-	-	-	-	<5	<5	**<25***	<5	<5	<5	<5	<5	<5	<5	<5
Propylbenzene (n-)	260	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2
Ethylbenzene	700	1,500	-	-	-	-	-	-	-	-	-	-	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2
Tetrachloroethene (PCE)	5	240	**120,000**	**110,000**	-	**72,000**	**200**	**<100***	**<100***	**150,000**	<2	**<10**	**19**	4	**<10***	<2	<2	<2	<2	<2	<2	<2	<2
Tetrahydrofuran	154	NE	-	-	-	-	-	-	-	-	-	-	**390**	21	<50	16	<10	<10	<10	<10	<10	<10	<10
Toluene	1,000	50,000	-	-	-	-	-	-	-	-	-	-	3	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2
Trichloroethene (TCE)	5	20	**840**	**1,000**	-	**1,500**	**2,100**	**<100***	**<100***	**9,000**	<2	<10	**6**	2	**<10***	<2	<2	<2	<2	**56**	**8**	<2	<2
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	-	-	-	-	-	-	-	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	-	-	-	-	-	-	-	2	<2	<10	3	<2	<2	<2	<2	<2	<2	<2
Vinyl Chloride	2	4	**<1,000***	**<400***	-	**<400***	**<25***	**2,900**	**6,000**	**<1,000***	**130**	**800**	**140**	**29**	**15**	**5J**	**12**	**21**	**6**	**400**	**200**	2	**36**
Xylene (m,p-)	NE	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (o-)	NE	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<10	<2	<2	2	2	2	<2	2	<2
Xylenes, Total	10,000	17,000	-	-	-	-	-	-	-	-	-	-	<2	<2	<10	<2	<2	<2	2	2	<2	2	<2
Total VOCs	-	-	120,840	111,510	0	74,180	14,510	27,280	29,460	172,000	184	1,020	1,557	102	51	36	32	55	32	1,287	458	12	75
Low Level VOCs - (ug/L)																							
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	-	-	-	-	-	-	<0.25	0.54J	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	0.29

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 2
Historical Groundwater Table
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		BR-4D																				
Sample Date Sampled By	GW-1 (AGQS)	GW-2	6/28/10 T&B	9/10/10 T&B	10/20/10 T&B	11/10/11 T&B	1/25/12 T&B	8/17/12 T&B	2/7/13 T&B	6/18/13 T&B	10/24/13 T&B	1/31/14 T&B	5/7/14 T&B	8/29/14 T&B	11/21/16 T&B	5/24/17 T&B	11/22/17 T&B	5/24/18 T&B	5/23/19 T&B	11/26/19 T&B	5/21/20 T&B	11/24/20 T&B	5/28/21 T&B	11/22/21 T&B	5/24/22 T&B
Field Water Quality Measurements																									
Depth to Water (ft)	NE	NE																						6.5	6.99
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	-	0.39	2.93	-	-	2.56	-	5.26	-	-	-	-	-	-	-	-	4.4	0.26	0.22
pH	NE	NE	-	-	-	-	-	5.29	7.94	-	-	6.47	-	6.01	-	-	-	-	-	-	-	-	6.45	6.71	9.78
ORP	NE	NE	-	-	-	-	-	-220.7	-67.5	-	-	33	-	72.5	-	-	-	-	-	-	-	-	107.4	-11	-306
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	-	321	0.297	-	-	520	-	0.035	-	-	-	-	-	-	-	-	1,770	242	216
VOCs - (ug/L)																									
Acetone	6,000	NE	<5,000	-	-	-	-	-	-	-	-	-	-	-	<10,000	**<25,000***	**<10,000***	**<10,000***	**<10,000***	**<10,000***	**<25000***	<5000	<5000	<1000	<50
Benzene	5	2,000	-	-	-	-	-	-	-	-	-	-	-	-	<400	**<1,000***	**<400***	**<400***	**<400***	**<400***	**<1000***	**<200***	**<200***	<40	<2
Butylbenzene (n-)	260	NE	-	-	-	-	-	-	-	-	-	-	-	-	<400	**<1,000***	**<400***	**<400***	**<400***	**<400***	**<1000***	<200	<200	<40	<2
Butylbenzene (sec-)	260	NE	-	-	-	-	-	-	-	-	-	-	-	-	<400	**<1,000***	**<400***	**<400***	**<400***	**<400***	**<1000***	<200	<200	<40	<2
Butylbenzene (tert-)	260	NE	-	-	-	-	-	-	-	-	-	-	-	-	<400	**<1,000***	**<400***	**<400***	**<400***	**<400***	**<1000***	<200	<200	<40	<2
Chloroethane	NE	NE	-	-	-	-	-	-	-	-	-	-	-	-	<400	<1,000	<400	<400	<400	<400	<1000	<200	<200	<40	<2
Chloroform (Trichloromethane)	70	70	**<750***	**<400***	-	**<1,000***	**<400***	**<1,000***	**<800***	**<1,000***	**<400***	**<400***	<2	**<1,000***	<400	**<1,000***	**<400***	**<400***	**<400***	**<400***	**<1000***	**<200***	**<200***	<40	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	ND	ND	-	**<1,000***	<400	**<1,000***	**<800***	**<1,000***	**<400**	**<400**	<2	**<1,000***	<400	**<1,000***	<400	<400	<400	<400	<1000	<200	<200	<40	<2
Dichloroethylene (1,1-)	7	630	**<750***	**<200***	-	**<1,000***	**<200***	**<500***	**<400***	**<500***	**<200***	**<200***	<1	**<500***	<200	**<500***	**<200***	**<200***	**<200***	**260**	**<500***	**<100***	**120**	<20	<1
Dichloroethylene (cis-1,2-)	70	NE	**510**	**<400***	-	**<1,000***	**470**	**2,100**	**2,700**	**3,100**	**57,000**	**12,000**	**97**	**<1,000***	**140,000**	**97,000**	**99,000**	**81,000**	**72,000**	**140,000**	**89,000**	**36,000**	**62,000**	**1,600**	**500**
Dichloroethylene (trans-1,2-)	100	560	**<750***	**<400***	-	**<1,000***	**<400***	**<1,000***	**<800***	**<1,000***	**<400***	**<400***	8	**<1,000***	**3,100**	**2,400**	**2,800**	**2,200**	**1,500**	**1,400**	**<1000***	**540**	**1,100**	**160**	38
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<2	<40	<2
Hexanone (2-)	2,000	50,000	-	-	-	-	-	-	-	-	-	-	-	-	<2,000	**<5,000***	**<2,000***	**<2,000***	**<2,000***	**<2,000***	**<5000***	<1000	<1000	<200	<10
Isopropylbenzene (Cumene)	800	NE	-	-	-	-	-	-	-	-	-	-	-	-	<400	**<1,000***	<400	<400	<400	<400	**<1000***	<200	<1000	<40	<2
Isopropyltoluene (p-)	260	NE	-	-	-	-	-	-	-	-	-	-	-	-	<400	**<1,000***	**<400***	**<400***	**<400***	**<400***	**<1000***	<200	<200	<40	<2
Butanone (2-) (MEK)	4,000	50,000	-	-	-	-	-	-	-	-	-	-	-	-	<2,000	**<5,000***	<2,000	<2,000	<2,000	<2,000	<5000	<1000	<200	<200	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	<1,000	-	-	-	-	-	-	-	-	-	-	-	<400	**<1,000***	**<400***	**<400***	**<400***	**<400***	**<1000***	**<200***	**<200***	**<40***	<2
Naphthalene	100[1]	1,700	-	-	-	-	-	-	-	-	-	-	-	-	<1,000	**<2,500***	**<1,000***	**<1,000***	**<1,000***	**<1,000***	**<2500***	**<500***	**<500***	<100	<5
Propylbenzene (n-)	260	NE	-	-	-	-	-	-	-	-	-	-	-	-	<400	**<1,000***	**<400***	**<400***	**<400***	**<400***	**<1000***	<200	<200	<40	<2
Ethylbenzene	700	1,500	-	-	-	-	-	-	-	-	-	-	-	-	<400	**<1,000**	**<400**	**<400**	<400	<400	<1000	<200	<200	<40	<2
Tetrachloroethene (PCE)	5	240	**76,000**	**130,000**	-	**94,000**	**97,000**	**110,000**	**200,000**	**160,000**	**<400***	**140,000**	3	**76,000**	**37,000**	**30,000**	**29,000**	**33,000**	**1,400**	**3,000**	**2,200**	**540**	**<200***	**<40***	**10**
Tetrahydrofuran	154	NE	-	-	-	-	-	-	-	-	-	-	-	-	**63,000J**	**18,000**	**13,000**	**13,000**	**<2,000***	**<2,000***	**<5000***	**<1000***	**<1000***	**<200***	<10
Toluene	1,000	50,000	-	-	-	-	-	-	-	-	-	-	-	-	<400	<1,000	<400	<400	<400	<400	<1000	<200	<200	<40	<2
Trichloroethene (TCE)	5	20	**590**	**700**	-	**2,900**	**1,100**	**1,300**	**2,900**	**3,400**	**<400***	**9,500**	2	**1,200**	**20,000**	**14,000**	**14,000**	**11,000**	**1,800**	**2,300**	**1,500**	**1,300**	**660**	<40	**17**
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	-	-	-	-	-	-	-	-	-	<400	**<1,000***	**<400***	**<400***	**<400***	**<400***	**<1000***	<200	<200	<40	<2
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	-	-	-	-	-	-	-	-	-	<400	**<1,000***	**<400***	**<400***	**<400***	**<400***	**<1000***	<200	<200	<40	<2
Vinyl Chloride	2	4	**<1,000***	**<400***	-	**<1,000***	**<400***	**<250***	**<800***	**<1,000***	**6,700**	**800**	**430**	**<1,000***	**2,800**	**8,200**	**8,900**	**5,400J**	**21,000**	**16,000**	**17,000**	**15,000**	**37,000**	**2,000**	**330**
Xylene (m,p-)	NE	NE	-	-	-	-	-	-	-	-	-	-	-	-	<400	<1,000	<400	<400	<400	<400	<1000	240	<200	<40	<2
Xylene (o-)	NE	NE	-	-	-	-	-	-	-	-	-	-	-	-	<400	<1,000	<400	<400	<400	<400	<1000	<200	<200	<40	<2
Xylenes, Total	10,000	17,000	-	-	-	-	-	-	-	-	-	-	-	-	<400	<1,000	<400	<400	<400	<400	<1000	240	<200	<40	<2
Total VOCs	-	-	77,100	130,700	0	96,900	98,570	113,400	205,600	166,500	63,700	162,300	540	77,200	202,900	169,600	166,700	140,200	97,700	162,960	109,700	53,860	100,880	3,760	895
Low Level VOCs - (ug/L)																									
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	-	-	-	-	-	-	-	-	**16**	<2.5	**<5.0***	**<5.0***	**<5.0***	**<25***	**<12***	**<5***	**<5***	<0.25	<0.25

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 2
Historical Groundwater Table
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		BR-5S																
Sample Date Sampled By	GW-1 (AGQS)	GW-2	6/28/10 T&B	10/20/10 T&B	9/26/11 T&B	1/25/12 T&B	10/24/13 T&B	1/3/14 T&B	5/7/14 T&B	8/29/14 T&B	11/22/16 T&B	5/25/17 T&B	11/21/17 T&B	5/23/18 T&B	5/21/19 T&B	11/25/19 T&B	5/20/20 T&B	11/23/20 T&B	5/25/21 T&B	11/22/21 T&B	5/24/22 T&B
Field Water Quality Measurements																					
Depth to Water (ft)	NE	NE																		9.3	10.17
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	-	-	-	0.35	-	-	-	-	-	-	-	-	0.93	0.23	0.29
pH	NE	NE	-	-	-	-	-	-	-	6.36	-	-	-	-	-	-	-	-	6.30	6.25	6.03
ORP	NE	NE	-	-	-	-	-	-	-	-51.6	-	-	-	-	-	-	-	-	14	-90	-18.5
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	-	-	-	0.268	-	-	-	-	-	-	-	-	1,085	551	568
VOCs - (ug/L)																					
Acetone	6,000	NE	<100	-	-	-	-	-	-	-	210	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Benzene	5	2,000	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (n-)	260	NE	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (sec-)	260	NE	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (tert-)	260	NE	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroethane	NE	NE	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroform (Trichloromethane)	70	70	<15	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	ND	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	**<10***	-	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	**790**	-	**270**	**490**	15	**1,400**	4	3	4	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (trans-1,2-)	100	560	17	-	6	11	<2	25	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<2	<2	<2
Hexanone (2-)	2,000	50,000	-	-	-	-	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Isopropylbenzene (Cumene)	800	NE	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2
Isopropyltoluene (p-)	260	NE	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butanone (2-) (MEK)	4,000	50,000	-	-	-	-	-	-	-	-	100	<10	<10	<10	<10	<10	<10	<10	<2	<10	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	<20	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Naphthalene	100[(1)]	1,700	-	-	-	-	-	-	-	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Propylbenzene (n-)	260	NE	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Ethylbenzene	700	1,500	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrachloroethene (PCE)	5	240	**71**	-	**27**	**13**	<2	2	**9**	**4**	2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrahydrofuran	154	NE	-	-	-	-	-	-	-	-	89	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Toluene	1,000	50,000	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trichloroethene (TCE)	5	20	**80**	-	**31**	**14**	<2	**81**	4	3	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Vinyl Chloride	2	4	**<20***	-	<2	<2	**3**	**66**	<2*	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (m,p-)	NE	NE	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (o-)	NE	NE	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylenes, Total	10,000	17,000	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Total VOCs	-	-	958	0	334	528	18	1,574	17	10	405	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Low Level VOCs - (ug/L)																					
1,4-Dioxane (LL)	0.32[(2)]	NE	-	-	-	-	-	-	-	-	< 0.25	0.31J	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 2
Historical Groundwater Table
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		BR-5I														
Sample Date	GW-1 (AGQS)	GW-2	6/28/10	9/10/10	10/20/10	9/26/11	2/7/13	10/24/13	11/22/16	5/24/17	11/21/17	5/23/18	5/21/19	11/25/19	5/20/20	11/23/20	5/25/21	11/23/21	5/24/22
Sampled By			T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements																			
Depth to Water (ft)	NE	NE																8.1	10.70
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	0.29	-	-	-	-	-	-	-	-	-	0.06	0.04	0.28
pH	NE	NE	-	-	-	-	5.87	-	-	-	-	-	-	-	-	-	6.74	6.91	6.43
ORP	NE	NE	-	-	-	-	-84.7	-	-	-	-	-	-	-	-	-	-100	-128	-36
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	0.639	-	-	-	-	-	-	-	-	-	321	652	404
VOCs - (ug/L)																			
Acetone	6,000	NE	<200	-	-	-	-	-	480	<50	75	<50	<50	<50	<50	<50	<50	<50	<50
Benzene	5	2,000	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (n-)	260	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (sec-)	260	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (tert-)	260	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroethane	NE	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	12	4	4	<2	<2	<2
Chloroform (Trichloromethane)	70	70	<30	<40	-	<20	<20	<20	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	ND	<40	-	<20	<20	<20	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	**<40***	**<20***	-	**<10***	**<10***	**<10***	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	<20	**2,000**	-	**2,000**	**4,100**	**2,600**	**94**	17	39	14	4	56	<2	15	9	8	4
Dichloroethylene (trans-1,2-)	100	560	38	50	-	24	86	48	<2	<2	2	2	<2	16	3	3	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<2	<2	<2
Hexanone (2-)	2,000	50,000	-	-	-	-	-	-	16	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Isopropylbenzene (Cumene)	800	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2
Isopropyltoluene (p-)	260	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butanone (2-) (MEK)	4,000	50,000	-	-	-	-	-	-	450	31	49	44	<10	<10	<10	<10	<2	<10	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	<40	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Naphthalene	100[1]	1,700	-	-	-	-	-	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Propylbenzene (n-)	260	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Ethylbenzene	700	1,500	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrachloroethene (PCE)	5	240	**2,500**	**5,000**	-	**280**	**98**	**26**	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrahydrofuran	154	NE	-	-	-	-	-	-	**1,000J**	**190**	**200**	43	<10	<10	<10	<10	<10	<10	<10
Toluene	1,000	50,000	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trichloroethene (TCE)	5	20	**410**	**860**	-	**280**	**500**	**100**	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Vinyl Chloride	2	4	**<40***	**<40***	-	**<20***	**65**	**24**	**5**	<2	<2	<2	<2	**66**	<2	**6**	**2**	**9**	<2
Xylene (m,p-)	NE	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (o-)	NE	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylenes, Total	10,000	17,000	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Total VOCs	-	-	2,948	7,910	0	2,584	4,849	2,798	1,045	238	365	103	4	150	7	28	11	17	4
Low Level VOCs - (ug/L)																			
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	-	-	**5.5**	<0.25	<0.25	0.26	**<1.2***	**<2.5***	**<1.2***	**<2.5**	<0.25	<0.25	<0.25

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 2
Historical Groundwater Table
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		BR-5D																		
Sample Date	GW-1 (AGQS)	GW-2	6/28/10	9/10/10	10/20/10	9/26/11	2/7/13	10/24/13	1/31/14	5/7/14	8/29/14	11/22/16	5/25/17	11/21/17	5/23/18	5/21/19	11/25/19	5/20/20	11/23/20	5/25/21	11/22/21	5/24/22
Sampled By			T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements																						
Depth to Water (ft)	NE	NE																			13.21	13.83
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	0.45	-	5.2	-	0.41	-	-	-	-	-	-	-	-	0.1	0.20	0.34
pH	NE	NE	-	-	-	-	10.08	-	10.30	-	9.73	-	-	-	-	-	-	-	-	10.50	10.69	10.38
ORP	NE	NE	-	-	-	-	-210.8	-	-114.2	-	-146.9	-	-	-	-	-	-	-	-	-50	-266	-205
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	0.544	-	573	-	0.441	-	-	-	-	-	-	-	-	274	232	1,359
VOCs - (ug/L)																						
Acetone	6,000	NE	<10	-	-	-	-	-	-	-	-	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Benzene	5	2,000	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (n-)	260	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (sec-)	260	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (tert-)	260	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroethane	NE	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	2	6	7	4	3	<2
Chloroform (Trichloromethane)	70	70	<7.5	<20	-	<10	<10	<10	<10	<10	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	ND	<20	-	<10	<10	<10	<10	<10	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	<5	**<10***	-	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1	<1	1	3	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	**440**	**430**	-	**300**	**850**	**960**	**890**	**1,000**	**920**	2	11	31	12	19	**70**	**160**	**670**	**320**	**160**	15
Dichloroethylene (trans-1,2-)	100	560	7.9	<20	-	<10	<10	10	<10	12	11	<2	<2	<2	<2	<2	3	6	7	4	4	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<2	<2	<2
Hexanone (2-)	2,000	50,000	-	-	-	-	-	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Isopropylbenzene (Cumene)	800	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2
Isopropyltoluene (p-)	260	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butanone (2-) (MEK)	4,000	50,000	-	-	-	-	-	-	-	-	-	56	<10	38	<10	<10	<10	<10	15	<2	<10	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	<50	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Naphthalene	100[1]	1,700	-	-	-	-	-	-	-	-	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Propylbenzene (n-)	260	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Ethylbenzene	700	1,500	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrachloroethene (PCE)	5	240	**63**	**1,900**	-	**79**	**480**	**870**	**740**	**650**	**550**	<2	3	<2	<2	**11**	**65**	**200**	4	**35**	**25**	**17**
Tetrahydrofuran	154	NE	-	-	-	-	-	-	-	-	-	**250J**	<10	34	16	<10	42	84	100	81	74	<10
Toluene	1,000	50,000	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trichloroethene (TCE)	5	20	**46**	**320**	-	**820**	**300**	**360**	**450**	**510**	**490**	<2	**6**	<2	<2	**14**	**75**	**200**	**11**	**58**	**34**	**11**
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Vinyl Chloride	2	4	**<10***	**<20***	-	**<10***	**<10***	**<10***	**<10***	**<10***	**<10***	<2	<2	**22**	<2	<2	**7**	**13**	**14**	**10**	**11**	<2
Xylene (m,p-)	NE	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (o-)	NE	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylenes, Total	10,000	17,000	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Total VOCs	-	-	556.9	2,650	0	1,199	1,630	2,200	2,080	2,172	1,971	58	20	125	28	44	264	670	831	512.9	312	43
Low Level VOCs - (ug/L)																						
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	-	-	-	-	-	<0.25	0.62J	0.29	<0.25	<0.25	0.28	**0.92**	**0.46**	**0.9**	**1.1**	<0.25

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 2
Historical Groundwater Table
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		BR-6S									
Sample Date	GW-1 (AGQS)	GW-2	9/26/11	11/21/16	5/23/17	11/21/17	5/23/18	5/21/19	11/25/19	5/19/20	11/24/20	5/25/21	11/22/21	5/26/22
Sampled By			T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements														
Depth to Water (ft)	NE	NE											7.8	8.36
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	-	-	-	-	-	0.48	0.32	0.88
pH	NE	NE	-	-	-	-	-	-	-	-	-	6.26	6.09	6.18
ORP	NE	NE	-	-	-	-	-	-	-	-	-	166	38	35
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	-	-	-	-	-	403.2	269	446
VOCs - (ug/L)														
Acetone	6,000	NE	-	Well	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Benzene	5	2,000	-	Dry	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (n-)	260	NE	-	No	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (sec-)	260	NE	-	Sample	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (tert-)	260	NE	-	Collected	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroethane	NE	NE	-	-	<2	<2	6	<2	2	<2	2	3	<2	2
Chloroform (Trichloromethane)	70	70	<10	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	<10	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	<5	-	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	**330**	-	5	14	49	30	**96**	13	45	**96**	12	**110**
Dichloroethylene (trans-1,2-)	100	560	<10	-	<2	<2	2	<2	3	<2	2	3	<2	3
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<2	<2	<2
Hexanone (2-)	2,000	50,000	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Isopropylbenzene (Cumene)	800	NE	-	-	<2	<2	3	<2	<2	<2	<2	<10	<2	<2
Isopropyltoluene (p-)	260	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butanone (2-) (MEK)	4,000	50,000	-	-	<10	<10	<10	<10	<10	<10	<10	<2	<10	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Naphthalene	100[1]	1,700	-	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Propylbenzene (n-)	260	NE	-	-	<2	<2	3	<2	<2	<2	<2	<2	<2	<2
Ethylbenzene	700	1,500	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrachloroethene (PCE)	5	240	**1,100**	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrahydrofuran	154	NE	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Toluene	1,000	50,000	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trichloroethene (TCE)	5	20	**130**	-	<2	<2	<2	<2	**13**	<2	**5**	<2	<2	<2
Trimethylbenzene (1,2,4-)	330	1,300	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Vinyl Chloride	2	4	**<10***	-	**3**	**8**	**31J**	<2	**48**	**3**	**21**	**36**	**11**	**43**
Xylene (m,p-)	NE	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (o-)	NE	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylenes, Total	10,000	17,000	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Total VOCs	-	-	1,560	0	8	22	63	30	162	16	75	138	23	158
Low Level VOCs - (ug/L)														
1,4-Dioxane (LL)	0.32[2]	NE	-	-	<0.25J	<0.25	<2.5	<0.25	**<2.5***	<0.25	<0.25	<2.5	<0.25	**<12***

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 2
Historical Groundwater Table
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		BR-6I														
Sample Date	GW-1 (AGQS)	GW-2	6/29/10	9/10/10	10/20/10	9/26/11	10/24/13	8/29/14	11/21/16	5/23/17	11/21/17	5/23/18	5/21/19	11/25/19	5/19/20	11/23/20	5/25/21	11/22/21	5/26/22
Sampled By			T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements																			
Depth to Water (ft)	NE	NE																8.85	9.50
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.92	0.27	4.83
pH	NE	NE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.54	6.42	6.48
ORP	NE	NE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	141.7	303	113
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	597	667	562
VOCs - (ug/L)																			
Acetone	6,000	NE	<100	-	-	-	-	-	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Benzene	5	2,000	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (n-)	260	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (sec-)	260	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (tert-)	260	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroethane	NE	NE	-	-	-	-	-	-	4	<2	5J	<2	2	4	<2	3	5	7	2
Chloroform (Trichloromethane)	70	70	<15	<10	-	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	ND	ND	-	<10	<2	<2	<2	<2	<20	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	**<10***	<5	-	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	**280**	**260**	**-**	**390**	**93**	47	**150**	10	55	21	31	50	24	36	44	64	36
Dichloroethylene (trans-1,2-)	100	560	<15	<10	-	<10	2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<2	<2	<2
Hexanone (2-)	2,000	50,000	-	-	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Isopropylbenzene (Cumene)	800	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2
Isopropyltoluene (p-)	260	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butanone (2-) (MEK)	4,000	50,000	-	-	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<2	<10	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	<20	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Naphthalene	100[1]	1,700	-	-	-	-	-	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Propylbenzene (n-)	260	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Ethylbenzene	700	1,500	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrachloroethene (PCE)	5	240	**1,200**	**930**	**-**	**2,200**	**100**	**35**	**12**	**5**	**9**	<2	3	**18**	**7**	**21**	**19**	**30**	**15**
Tetrahydrofuran	154	NE	-	-	**-**	**-**	**-**	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Toluene	1,000	50,000	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trichloroethene (TCE)	5	20	**150**	**120**	**-**	**220**	**59**	**30**	**16**	**6**	**15**	3	**7**	**15**	**11**	**20**	**16**	**25**	**14**
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Vinyl Chloride	2	4	**<20***	**<10***	-	**<10***	**4**	**4**	**7**	<2	<2	<2	<2	<2	<2	<2	**3**	**13**	**3**
Xylene (m,p-)	NE	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (o-)	NE	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylenes, Total	10,000	17,000	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Total VOCs	-	-	1,630	1,310	0	2,810	258	116	189	21	79	24	43	87	42	80	87	141	70
Low Level VOCs - (ug/L)																			
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	-	-	<0.25	<0.25	<0.25J	<0.25J	**<1.2***	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 2
Historical Groundwater Table
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		BR-6D																		BR-6D DUP	Car Wash Well		CC-6
Sample Date	GW-1 (AGQS)	GW-2	6/29/10	9/10/10	10/20/10	9/26/11	2/7/13	10/24/13	1/30/14	5/7/14	8/29/14	11/21/16	5/23/17	11/21/17	5/23/18	5/21/19	11/25/19	5/19/20	11/23/20	5/25/21	11/22/21	5/26/22	9/10/10	10/19/04	8/18/05	11/27/01
Sampled By			T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	SHA	SHA	SHA
Field Water Quality Measurements																										
Depth to Water (ft)	NE	NE																			10.0	10.60				
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	4.5	-	3.44	-	-	-	-	-	-	-	-	-	-	6.05	1.94	5.54	-	-	-	-
pH	NE	NE	-	-	-	-	6.40	-	6.61	-	-	-	-	-	-	-	-	-	-	6.61	6.48	6.65	-	-	-	-
ORP	NE	NE	-	-	-	-	-113.2	-	119.2	-	-	-	-	-	-	-	-	-	-	211.5	116	124	-	-	-	-
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	0.13	-	151	-	-	-	-	-	-	-	-	-	-	308.2	351	329	-	-	-	-
VOCs - (ug/L)																										
Acetone	6,000	NE	<120	-	-	-	-	-	-	-	-	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	-	<10	-	-
Benzene	5	2,000	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<1	-	-
Butylbenzene (n-)	260	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<1	-	-
Butylbenzene (sec-)	260	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<1	-	-
Butylbenzene (tert-)	260	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<1	-	-
Chloroethane	NE	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	3	<2	4	<2	<2	<2	-	<5	<5	<5,000
Chloroform (Trichloromethane)	70	70	<19	<10	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	**<1,000***
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	ND	<10	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	ND	ND	ND
Dichloroethylene (1,1-)	7	630	**<12***	<5	-	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<1	<1	**<1,000***
Dichloroethylene (cis-1,2-)	70	NE	**270**	**290**	**-**	66	14	25	19	<2	6	11	<2	2	6	31	<2	3	2	<2	<2	<2	**300**	<2	<2	**<1,000***
Dichloroethylene (trans-1,2-)	100	560	<19	<10	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	2	<2	<2	<2	<10	<2	<2	**<1,000***
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<2	<2	<2	<	<	<	<
Hexanone (2-)	2,000	50,000	-	-	-	-	-	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	-	<10	-	-
Isopropylbenzene (Cumene)	800	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-	<1	-	-
Isopropyltoluene (p-)	260	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<1	-	-
Butanone (2-) (MEK)	4,000	50,000	-	-	-	-	-	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<2	<10	<10	-	<10	-	-
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	<25	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<5	-	-
Naphthalene	100[1]	1,700	-	-	-	-	-	-	-	-	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	-	<5	-	-
Propylbenzene (n-)	260	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<1	-	-
Ethylbenzene	700	1,500	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<1	-	-
Tetrachloroethene (PCE)	5	240	**1,500**	**1,500**	**-**	**170**	**14**	**55**	**30**	**13**	**21**	**14**	**5**	**9**	<2	**9**	<2	<2	<2	<2	2	<2	**1,600**	<2	<2	**16,000**
Tetrahydrofuran	154	NE	-	-		-	-	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	-	<10	-	-
Toluene	1,000	50,000	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<1	-	-
Trichloroethene (TCE)	5	20	**190**	**200**	**-**	**120**	**24**	**58**	**23**	4	**11**	**8**	<2	4	<2	**13**	<2	**6**	4	2	4	4	**220**	<2	<2	**<1,000***
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<1	-	-
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<1	-	-
Vinyl Chloride	2	4	**<25***	**<10***	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	**7**	<2	<2	<2	<2	<2	<2	**<10***	<2	<2	**<2,000***
Xylene (m,p-)	NE	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<1	-	-
Xylene (o-)	NE	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<1	-	-
Xylenes, Total	10,000	17,000	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	ND	-	-
Total VOCs	-	-	1,960	1,990	0	356	52	138	72	17	38	33	5	15	6	60	3	9	12	2	6	4	2,120	ND	ND	16,000
Low Level VOCs - (ug/L)																										
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	-	-	-	-	-	<0.25	<0.25	<0.25	<0.25	<0.25	**<1.2***	<0.25	**<2.5***	<0.25	<0.25	<0.25	-	-	-	-

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 2
Historical Groundwater Table
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		CC-7			CC-8									CC-8 DUP	JB-1				JB-2		
Sample Date	GW-1 (AGQS)	GW-2	11/27/01	5/15/03	8/17/05	11/27/01	5/15/03	4/21/09	9/26/11	2/7/13	6/18/13	10/25/13	5/7/14	8/29/14	10/25/13	11/27/01	5/15/03	8/16/05	10/24/13	11/27/01	5/15/03	11/10/11
Sampled By			SHA	SHA	SHA	SHA	SHA	SHA	T&B	T&B	T&B	T&B	T&B	T&B	T&B	SHA	SHA	SHA	T&B	SHA	SHA	T&B
Field Water Quality Measurements																						
Depth to Water (ft)	NE	NE																				
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	-	-	-	5.05	1.58	-	-	0.71	-	-	-	-	-	-	-	-
pH	NE	NE	-	-	-	-	-	-	-	5.25	5.88	-	-	5.29	-	-	-	-	-	-	-	-
ORP	NE	NE	-	-	-	-	-	-	-	105.3	256	-	-	-16.9	-	-	-	-	-	-	-	-
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	-	-	-	0.689	0.115	-	-	0.189	-	-	-	-	-	-	-	-
VOCs - (ug/L)																						
Acetone	6,000	NE	-	<10	-	-	<10	-	-	-	-	-	-	-	-	-	<10	-	-	-	<10	-
Benzene	5	2,000	-	<1	-	-	<1	-	-	-	-	-	-	-	-	-	<1	-	-	-	<1	<1
Butylbenzene (n-)	260	NE	-	<1	-	-	<1	-	-	-	-	-	-	-	-	-	<1	-	-	-	<1	-
Butylbenzene (sec-)	260	NE	-	<1	-	-	<1	-	-	-	-	-	-	-	-	-	<1	-	-	-	<1	-
Butylbenzene (tert-)	260	NE	-	<1	-	-	<1	-	-	-	-	-	-	-	-	-	<1	-	-	-	<1	-
Chloroethane	NE	NE	<5	<5	<5	<5	<5	<5	-	-	-	-	-		-	<5	<5	<5	-	<5	<5	<5
Chloroform (Trichloromethane)	70	70	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	ND	ND	ND	ND	ND	ND	<2	<2	<2	<2	<2	<2	<2	ND	ND	ND	<2	ND	ND	<2
Dichloroethylene (1,1-)	7	630	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	4	30	56	**170**	18	**72**	6	43	3	10	<2	8	12	<2	15	10	46	<2	18	<2
Dichloroethylene (trans-1,2-)	100	560	<2	<2	<2	7	<2	3	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
Hexanone (2-)	2,000	50,000	-	<10	-	-	<10	-	-	-	-	-	-	-	-	-	<10	-	-	-	<10	<10
Isopropylbenzene (Cumene)	800	NE	-	<1	-	-	<1	-	-	-	-	-	-	-	-	-	<1	-	-	-	<1	-
Isopropyltoluene (p-)	260	NE	-	<1	-	-	<1	-	-	-	-	-	-	-	-	-	<1	-	-	-	<1	-
Butanone (2-) (MEK)	4,000	50,000	-	<10	-	-	<10	-	-	-	-	-	-	-	-	-	<10	-	-	-	<10	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	<5	-	-	<5	-	-	-	-	-	-	-	-	-	<5	-	-	-	<5	-
Naphthalene	100[1]	1,700	-	<5	-	-	<5	-	-	-	-	-	-	-	-	-	<5	-	-	-	<5	-
Propylbenzene (n-)	260	NE	-	<1	-	-	<1	-	-	-	-	-	-	-	-	-	<1	-	-	-	<1	-
Ethylbenzene	700	1,500	-	<1	-	-	<1	-	-	-	-	-	-	-	-	-	<1	-	-	-	<1	-
Tetrachloroethene (PCE)	5	240	**150**	**3,300**	**580**	**36**	**6**	**50**	3	**13**	<2	3	<2	<2	2	4	**390**	**10**	<2	**64**	**30**	**7**
Tetrahydrofuran	154	NE	-	<10	-	-	<10	-	-	-	-	-	-	-	-	-	<10	-	-	-	<10	<10
Toluene	1,000	50,000	-	<1	-	-	<1	-	-	-	-	-	-	-	-	-	<1	-	-	-	<1	-
Trichloroethene (TCE)	5	20	**10**	**32**	**40**	**68**	3	**26**	3	**10**	<2	4	<2	3	4	<2	**11**	<2	2	4	**9**	<2
Trimethylbenzene (1,2,4-)	330	1,300	-	<1	-	-	<1	-	-	-	-	-	-	-	-	-	<1	-	-	-	<1	-
Trimethylbenzene (1,3,5-)	330	NE	-	<1	-	-	<1	-	-	-	-	-	-	-	-	-	<1	-	-	-	<1	-
Vinyl Chloride	2	4	<2	<2	<2	<2	<2	<2	<2	**2**	<2	<2	<2	<2	<2	<2	<2	<2	**14**	<2	<2	<2
Xylene (m,p-)	NE	NE	-	<1	-	-	<1	-	-	-	-	-	-	-	-	-	<1	-	-	-	<1	-
Xylene (o-)	NE	NE	-	<1	-	-	<1	-	-	-	-	-	-	-	-	-	<1	-	-	-	<1	-
Xylenes, Total	10,000	17,000	-	ND	-	-	ND	-	-	-	-	-	-	-	-	-	ND	-	-	-	ND	-
Total VOCs	-	-	164	3,362	676	281	27	151	12	68	3	17	0	11	18	4	416	20	62	68	57	7
Low Level VOCs - (ug/L)																						
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 2
Historical Groundwater Table
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		JB-3							JB-3 DUP	MW-1		MW-02R										MW-4S	MW-7	MW-13	
Sample Date	GW-1 (AGQS)	GW-2	11/27/01	5/15/03	8/16/05	4/22/09	11/10/11	1/25/12	2/7/13	5/15/03	9/28/11	1/31/14	11/22/16	5/26/17	11/22/17	5/23/18	5/22/19	11/25/19	5/20/20	11/24/20	5/26/21	11/23/21	5/27/22	10/24/13	9/28/11	9/30/11	10/24/13
Sampled By			SHA	SHA	SHA	SHA	T&B	T&B	T&B	SHA	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements																										
Depth to Water (ft)	NE	NE																			3.85	4.48				
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	-	-	0.36	-	-	6.39	-	-	-	-	-	-	-	-	0.55	0.04	0.25	-	-	-	-
pH	NE	NE	-	-	-	-	-	-	6.51	-	-	5.92	-	-	-	-	-	-	-	-	6.26	6.28	6.23	-	-	-	-
ORP	NE	NE	-	-	-	-	-	-	-36.8	-	-	240.3	-	-	-	-	-	-	-	-	193	-101	26	-	-	-	-
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	-	-	0.188	-	-	757	-	-	-	-	-	-	-	-	417.9	395	270	-	-	-	-
VOCs - (ug/L)																										
Acetone	6,000	NE	-	<50	-	-	-	-	-	<50	-	-	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	-	-	-	-
Benzene	5	2,000	-	<5	-	-	-	-	-	<5	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-
Butylbenzene (n-)	260	NE	-	<5	-	-	-	-	-	<5	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-
Butylbenzene (sec-)	260	NE	-	<5	-	-	-	-	-	<5	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-
Butylbenzene (tert-)	260	NE	-	<5	-	-	-	-	-	<5	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-
Chloroethane	NE	NE	<500	<30	<5	<30	<30	<30	-	<30	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-
Chloroform (Trichloromethane)	70	70	**<100***	<5	<2	<5	<10	<2	<2	<5	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	ND	ND	ND	ND	ND	<2	<2	ND	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2
Dichloroethylene (1,1-)	7	630	**<100***	<5	1	<5	<5	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<1
Dichloroethylene (cis-1,2-)	70	NE	**8,200**	**180**	**5,200**	42	45	**160**	**160**	**180**	36	<2	<2	7	6	9	11	3	6	8	8	9	3	**290**	<2	**810**	**290**
Dichloroethylene (trans-1,2-)	100	560	**300**	7	**180**	<5	<10	4	<2	7	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	8	<2	11J	6
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<2	<2	<2	<	<	<	<
Hexanone (2-)	2,000	50,000	-	<50	-	-	-	-	-	<50	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	-	-	-	-
Isopropylbenzene (Cumene)	800	NE	-	<5	-	-	-	-	-	<5	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-	-	-	-
Isopropyltoluene (p-)	260	NE	-	<5	-	-	-	-	-	<5	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-
Butanone (2-) (MEK)	4,000	50,000	-	<50		-	-	-	-	<50	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<2	<10	<10	-	-	-	-
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	<5	-	-	-	-	-	<5	-	-	<2	<2	3	2	3	<2	<2	<2	<2	<2	<2	-	-	-	-
Naphthalene	100[1]	1,700	-	**<30***	-	-	-	-	-	**<30***	-	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	-	-	-	-
Propylbenzene (n-)	260	NE	-	<5	-	-	-	-	-	<5	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-
Ethylbenzene	700	1,500	-	<2	-	-	-	-	-	<2	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-
Tetrachloroethene (PCE)	5	240	**100**	**490**	**73**	**660**	**650**	**400**	**110**	**470**	**14**	<2	**9**	**39**	**40**	**52**	**72**	**19**	**21**	**10**	**17**	**15**	**20**	2	<2	**810**	2
Tetrahydrofuran	154	NE	-	<50	-	-	-	-	-	<50	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	-	-	-	-
Toluene	1,000	50,000	-	<5	-	-	-	-	-	<5	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-
Trichloroethene (TCE)	5	20	**500**	**38**	**87**	**16**	**20**	**29**	**18**	**37**	**11**	<2	3	**18**	**11**	**19**	**21**	**5**	**9**	**8**	**19**	**9**	**6**	**7**	<2	**430**	<2
Trimethylbenzene (1,2,4-)	330	1,300	-	<5	-	-	-	-	-	<5	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-
Trimethylbenzene (1,3,5-)	330	NE	-	<5	-	-	-	-	-	<5	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-
Vinyl Chloride	2	4	**<200***	**<10***	**<40***	**<10***	**<10***	**16**	**6**	**<10***	<2	<2	<2	**8**	<2	**4J**	<2	**3**	**4**	**10**	**9**	**23**	2	**120**	<2	**<10***	**41**
Xylene (m,p-)	NE	NE	-	<5	-	-	-	-	-	<5	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-
Xylene (o-)	NE	NE	-	<5	-	-	-	-	-	<5	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-
Xylenes, Total	10,000	17,000	-	ND	-	-	-	-	-	ND	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-
Total VOCs	-	-	9,100	715	5,541	718	715	609	294	694	61	ND	12	72	60	82	107	30	40	36	53	56	31	427	ND	2,050	339
Low Level VOCs - (ug/L)																											
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	-	-	-	-	-	-	<0.25	<0.25	<0.25	<0.25	**<1.2***	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	-	-	-	-

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 2
Historical Groundwater Table
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		MW-14												
Sample Date	GW-1 (AGQS)	GW-2	9/26/11	2/7/13	10/24/13	8/29/14	11/21/16	5/23/17	11/22/17	5/23/18	5/22/19	11/26/19	5/19/20	11/23/2020	5/25/21	11/23/21	5/24/22
Sampled By			T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements																	
Depth to Water (ft)	NE	NE														7.5	8.26
Dissolved Oxygen (mg/L)	NE	NE	-	0.51	-	0.25	-	-	-	-	-	-	-	-	0.53	0.28	0.15
pH	NE	NE	-	6.52	-	6.49	-	-	-	-	-	-	-	-	6.52	6.53	6.59
ORP	NE	NE	-	-87.6	-	-121.2	-	-	-	-	-	-	-	-	121	-73	-63
Specific Conductance (ms/cm)	NE	NE	-	0.496	-	0.851	-	-	-	-	-	-	-	-	180.7	238	148
VOCs - (ug/L)																	
Acetone	6,000	NE	-	-	-	-	<50	<50	<50	<250	<250	<250	<250	<250	<50	<50	<250
Benzene	5	2,000	-	-	-	-	<2	<2	<2	**<10***	**<10***	**<10***	**<10***	**<10***	<2	<2	**<10***
Butylbenzene (n-)	260	NE	-	-	-	-	<2	<2	<2	<10	<10	<10	<10	<10	<2	<2	<10
Butylbenzene (sec-)	260	NE	-	-	-	-	3	2	2	<10	<10	<10	<10	<10	<2	<2	<10
Butylbenzene (tert-)	260	NE	-	-	-	-	<2	<2	<2	<10	<10	<10	<10	<10	<2	<2	<10
Chloroethane	NE	NE	-	-	-	-	<2	<2	2	<10	<10	<10	<10	<10	<2	<2	<10
Chloroform (Trichloromethane)	70	70	<20	<2	<2	<2	<2	<2	<2	<10	<10	<10	<10	<10	<2	<2	<10
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	<20	<2	<2	<2	<2	<2	<2	<10	<10	<10	<10	<10	<2	<2	<10
Dichloroethylene (1,1-)	7	630	<10	<1	<1	<1	<1	<1	4	<5	<5	**11**	<5	**12**	1	4	<5
Dichloroethylene (cis-1,2-)	70	NE	**2,000**	**480**	17	<2	36	**460**	**920**	**660**	**1,400**	**1,200**	**1,600**	**970**	**320**	**1,400**	**1,300**
Dichloroethylene (trans-1,2-)	100	560	49	25	26	2	12	8	17	14	22	22	24	23	7	22	19
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<	<2	<2	**<10***
Hexanone (2-)	2,000	50,000	-	-	-	-	<10	<10	<10	<50	<50	<50	<50	<50	<10	<10	<50
Isopropylbenzene (Cumene)	800	NE	-	-	-	-	2	<2	<2	<10	<10	<10	<10	<10	<10	<2	<10
Isopropyltoluene (p-)	260	NE	-	-	-	-	5	4	4	<10	<10	<10	<10	<10	<2	<2	<10
Butanone (2-) (MEK)	4,000	50,000	-	-	-	-	<10	<10	<10	<50	<50	<50	<50	<50	<2	<10	<50
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	-	-	-	<2	<2	<2	<10	<10	<10	<10	<10	<2	<2	<10
Naphthalene	100[1]	1,700	-	-	-	-	<5	<5	<5	<25	<25	<25	<25	<25	<5	<5	**<25***
Propylbenzene (n-)	260	NE	-	-	-	-	4	2	3	<10	<10	<10	<10	<10	<2	<2	<10
Ethylbenzene	700	1,500	-	-	-	-	<2	<2	<2	<10	<10	<10	<10	<10	<2	<2	<10
Tetrachloroethene (PCE)	5	240	**4,600**	<2	<2	<2	<2	<2	<2	**<10***	**<10***	**<10***	**<10***	**<10***	<2	<2	**<10***
Tetrahydrofuran	154	NE	-	-	-	-	<10	<10	<10	<50	<50	<50	<50	<50	<10	<10	<50
Toluene	1,000	50,000	-	-	-	-	<2	<2	<2	<10	<10	<10	<10	<10	<2	<2	<10
Trichloroethene (TCE)	5	20	**1,100**	3	<2	<2	<2	2	**260**	**<10***	**<10***	**190**	**<10***	**190**	3	**67**	**20**
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	-	48	27	39	17	<10	<10	<10	<10	<2	<2	<10
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	-	5	<2	<2	<10	<10	<10	<10	<10	<2	<2	<10
Vinyl Chloride	2	4	**<20***	**260**	**65**	<2	**68**	**260**	**230**	**230J**	**360**	**490**	**170**	**440**	**140**	**240**	**160**
Xylene (m,p-)	NE	NE	-	-	-	-	<2	<2	<2	<10	<10	<10	<10	<10	<2	<2	<10
Xylene (o-)	NE	NE	-	-	-	-	3	<2	2	<10	<10	<10	<10	<10	<2	<2	<10
Xylenes, Total	10,000	17,000	-	-	-	-	3	<2	2	<10	<10	<10	<10	<10	<2	<2	<10
Total VOCs	-	-	7,749	768	108	2	189	765	1,485	691	1,782	1,913	1,794	1,635	471	1,733	1,499
Low Level VOCs - (ug/L)																	
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	2.0J	0.43J	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 2
Historical Groundwater Table
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		MW-15S												MW-15S DUP
Sample Date	GW-1 (AGQS)	GW-2	9/28/11	6/18/13	11/22/16	5/23/17	11/21/17	5/22/18	5/21/19	11/25/19	5/19/20	11/24/2020	5/26/21	11/22/21	5/24/22	9/28/11
Sampled By			T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements																
Depth to Water (ft)	NE	NE												1.53	1.82	
Dissolved Oxygen (mg/L)	NE	NE	-	0	-	-	-	-	-	-	-	-	1.11	0.10	0.31	-
pH	NE	NE	-	5.95	-	-	-	-	-	-	-	-	5.84	5.83	5.88	-
ORP	NE	NE	-	150	-	-	-	-	-	-	-	-	73	-121	47	-
Specific Conductance (ms/cm)	NE	NE	-	0.839	-	-	-	-	-	-	-	-	1,042	999	994	-
VOCs - (ug/L)																
Acetone	6,000	NE	-	-	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	-
Benzene	5	2,000	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Butylbenzene (n-)	260	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Butylbenzene (sec-)	260	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Butylbenzene (tert-)	260	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Chloroethane	NE	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Chloroform (Trichloromethane)	70	70	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	**110**	**89**	15	17	19	10	14	4	5	4	6	6	7	**110**
Dichloroethylene (trans-1,2-)	100	560	4J	3	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	4J
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<2	<2	<2	<
Hexanone (2-)	2,000	50,000	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	-
Isopropylbenzene (Cumene)	800	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-
Isopropyltoluene (p-)	260	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Butanone (2-) (MEK)	4,000	50,000	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<2	<10	<10	-
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Naphthalene	100[1]	1,700	-	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	-
Propylbenzene (n-)	260	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Ethylbenzene	700	1,500	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Tetrachloroethene (PCE)	5	240	**82**	**51**	<2	**10**	**9**	**6**	**6**	<2	4	<2	3	<2	<2	**77**
Tetrahydrofuran	154	NE	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	-
Toluene	1,000	50,000	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Trichloroethene (TCE)	5	20	**28**	**20**	**5**	4	4	3	4	<2	<2	<2	<2	<2	<2	**26**
Trimethylbenzene (1,2,4-)	330	1,300	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Trimethylbenzene (1,3,5-)	330	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Vinyl Chloride	2	4	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (m,p-)	NE	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Xylene (o-)	NE	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Xylenes, Total	10,000	17,000	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Total VOCs	-	-	220	163	20	31	32	19	24	4	9	4	9	6	7	213
Low Level VOCs - (ug/L)																
1,4-Dioxane (LL)	0.32[2]	NE	-	-	<0.25	0.49J	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	-

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 2
Historical Groundwater Table
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		MW-15I										
Sample Date	GW-1 (AGQS)	GW-2	9/26/11	6/18/13	11/22/16	5/23/17	11/21/17	5/22/18	5/21/19	11/25/19	5/19/20	11/24/2020	5/26/21	11/22/21	5/24/22
Sampled By			T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements															
Depth to Water (ft)	NE	NE												1.07	1.42
Dissolved Oxygen (mg/L)	NE	NE	-	0	-	-	-	-	-	-	-	-	1.85	0.04	0.17
pH	NE	NE	-	5.97	-	-	-	-	-	-	-	-	5.90	5.84	5.98
ORP	NE	NE	-	136	-	-	-	-	-	-	-	-	188	-134	133
Specific Conductance (ms/cm)	NE	NE	-	1.19	-	-	-	-	-	-	-	-	932	1,023	924
VOCs - (ug/L)															
Acetone	6,000	NE	-	-	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Benzene	5	2,000	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (n-)	260	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (sec-)	260	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (tert-)	260	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroethane	NE	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroform (Trichloromethane)	70	70	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	**320**	**290**	**110**	37	3	34	27	29	23	27	26	23	24
Dichloroethylene (trans-1,2-)	100	560	10	10	4	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<2	<2	<2
Hexanone (2-)	2,000	50,000	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Isopropylbenzene (Cumene)	800	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2
Isopropyltoluene (p-)	260	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butanone (2-) (MEK)	4,000	50,000	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<2	<10	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Naphthalene	100[1]	1,700	-	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Propylbenzene (n-)	260	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Ethylbenzene	700	1,500	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrachloroethene (PCE)	5	240	**210**	**170**	**63**	**37**	**14**	**34**	**28**	**27**	**31**	**21**	**24**	**18**	**17**
Tetrahydrofuran	154	NE	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Toluene	1,000	50,000	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trichloroethene (TCE)	5	20	**75**	**64**	**25**	**12**	<2	**11**	**10**	**9**	**9**	**8**	**9**	**6**	**6**
Trimethylbenzene (1,2,4-)	330	1,300	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Vinyl Chloride	2	4	**4**	**4**	**3**	<2	<2	<2	<2	<2	<2	<2	<2	2	<2
Xylene (m,p-)	NE	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (o-)	NE	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylenes, Total	10,000	17,000	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Total VOCs	-	-	619	538	205	86	17	79	65	65	63	56	59	49	47
Low Level VOCs - (ug/L)															
1,4-Dioxane (LL)	0.32[2]	NE	-	-	<0.25	0.51J	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 2
Historical Groundwater Table
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		MW-15D											MW-16S
Sample Date	GW-1 (AGQS)	GW-2	9/26/11	6/18/13	11/22/16	5/23/17	11/21/17	5/22/18	5/21/19	11/25/19	5/19/20	11/24/2020	5/26/21	11/22/21	5/24/22	9/28/11
Sampled By			T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements																
Depth to Water (ft)	NE	NE												0.55	0.92	
Dissolved Oxygen (mg/L)	NE	NE	-	0	-	-	-	-	-	-	-	-	1.1	0.04	0.23	-
pH	NE	NE	-	6.50	-	-	-	-	-	-	-	-	6.07	5.98	5.97	-
ORP	NE	NE	-	157	-	-	-	-	-	-	-	-	174	-129	68	-
Specific Conductance (ms/cm)	NE	NE	-	0.458	-	-	-	-	-	-	-	-	508	635	661	-
VOCs - (ug/L)																
Acetone	6,000	NE	-	-	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	-
Benzene	5	2,000	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Butylbenzene (n-)	260	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Butylbenzene (sec-)	260	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Butylbenzene (tert-)	260	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Chloroethane	NE	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Chloroform (Trichloromethane)	70	70	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (trans-1,2-)	100	560	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<2	<2	<2	<
Hexanone (2-)	2,000	50,000	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	-
Isopropylbenzene (Cumene)	800	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-
Isopropyltoluene (p-)	260	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Butanone (2-) (MEK)	4,000	50,000	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<2	<10	<10	-
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Naphthalene	100[1]	1,700	-	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	-
Propylbenzene (n-)	260	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Ethylbenzene	700	1,500	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Tetrachloroethene (PCE)	5	240	<2	**6**	3	**7**	**5**	**6**	**6**	<2	**6**	<2	**5**	**5**	4	<2
Tetrahydrofuran	154	NE	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	-
Toluene	1,000	50,000	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Trichloroethene (TCE)	5	20	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,2,4-)	330	1,300	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Trimethylbenzene (1,3,5-)	330	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Vinyl Chloride	2	4	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (m,p-)	NE	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Xylene (o-)	NE	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Xylenes, Total	10,000	17,000	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Total VOCs	-	-	ND	6	3	7	5	6	6	ND	6	ND	5	5	4	ND
Low Level VOCs - (ug/L)																
1,4-Dioxane (LL)	0.32[2]	NE	-	-	<0.25	<0.25J	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	-

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 2
Historical Groundwater Table
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		MW-16D											MW-17							MW-17 DUP
Sample Date Sampled By	GW-1 (AGQS)	GW-2	9/28/11 T&B	11/21/16 T&B	5/23/17 T&B	11/21/17 T&B	5/23/18 T&B	5/21/19 T&B	11/25/19 T&B	5/19/20 T&B	11/24/2020 T&B	5/26/21 T&B	11/22/21 T&B	5/26/22 T&B	9/28/11 T&B	5/23/17 T&B	5/23/18 T&B	5/22/19 T&B	5/20/20 T&B	5/26/21 T&B	5/26/22 T&B	9/28/11 T&B
Field Water Quality Measurements																						
Depth to Water (ft)	NE	NE											7.27	7.38							9.25	
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	-	-	-	-	-	5.1	0.32	5.72	-	-	-	-	-	3.97	3.91	-
pH	NE	NE	-	-	-	-	-	-	-	-	-	10.98	11.57	11.23	-	-	-	-	-	6.44	6.56	-
ORP	NE	NE	-	-	-	-	-	-	-	-	-	58	-124	-14.2	-	-	-	-	-	267	121	-
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	-	-	-	-	-	2,355	4,123	1,292	-	-	-	-	-	158.6	154	-
VOCs - (ug/L)																						
Acetone	6,000	NE	-	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	-	<50	<50	<50	<50	<50	<50	-
Benzene	5	2,000	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2	-
Butylbenzene (n-)	260	NE	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2	-
Butylbenzene (sec-)	260	NE	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2	-
Butylbenzene (tert-)	260	NE	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2	-
Chloroethane	NE	NE	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2	-
Chloroform (Trichloromethane)	70	70	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	23	9	3	2	2	2	<2	<2	3	<2	2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (trans-1,2-)	100	560	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<2	<2	<2	<	<	<	<	<	<2	<2	<
Hexanone (2-)	2,000	50,000	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	-	<10	<10	<10	<10	<10	<10	-
Isopropylbenzene (Cumene)	800	NE	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-	<2	<2	<2	<2	<10	<2	-
Isopropyltoluene (p-)	260	NE	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2	-
Butanone (2-) (MEK)	4,000	50,000	-	<10	<10	<10	<10	<10	<10	<10	<10	<2	<10	<10	-	<10	<10	<10	<10	<2	<10	-
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2	-
Naphthalene	100[1]	1,700	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	-	<5	<5	<5	<5	<5	<5	-
Propylbenzene (n-)	260	NE	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2	-
Ethylbenzene	700	1,500	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2	-
Tetrachloroethene (PCE)	5	240	**54**	**20**	**10**	**7**	**6**	**6**	**5**	**6**	**7**	**6**	**6**	<2	<2	**5**	<2	<2	<2	<2	<2	<2
Tetrahydrofuran	154	NE	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	-	<10	<10	<10	<10	<10	<10	-
Toluene	1,000	50,000	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2	-
Trichloroethene (TCE)	5	20	**10**	**5**	2	<2	<2	<2	<2	<2	2	<2	2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,2,4-)	330	1,300	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2	-
Trimethylbenzene (1,3,5-)	330	NE	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2	-
Vinyl Chloride	2	4	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (m,p-)	NE	NE	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2	-
Xylene (o-)	NE	NE	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2	-
Xylenes, Total	10,000	17,000	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2	-
Total VOCs	-	-	87	34	15	9	8	8	5	6	12	6	10	ND	ND	5	ND	ND	ND	ND	ND	ND
Low Level VOCs - (ug/L)																						
1,4-Dioxane (LL)	0.32[2]	NE	-	<0.25	<0.25J	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	-	<0.25J	<0.25	<0.25	<0.25	<0.25	<0.25	-

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 2
Historical Groundwater Table
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		MW-18							MW-19						
Sample Date Sampled By	GW-1 (AGQS)	GW-2	9/28/11 T&B	5/25/17 T&B	5/23/18 T&B	5/22/19 T&B	5/20/20 T&B	5/26/21 T&B	5/26/22 T&B	9/28/11 T&B	5/24/17 T&B	5/22/18 T&B	5/22/19 T&B	5/20/20 T&B	5/26/21 T&B	5/26/22 T&B
Field Water Quality Measurements																
Depth to Water (ft)	NE	NE							8.23							4.39
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	-	2.38	2.84	-	-	-	-	-	3.53	0.16
pH	NE	NE	-	-	-	-	-	6.50	6.43	-	-	-	-	-	7.23	6.91
ORP	NE	NE	-	-	-	-	-	256	125	-	-	-	-	-	230	73.4
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	-	161.1	167	-	-	-	-	-	86.5	139
VOCs - (ug/L)																
Acetone	6,000	NE	-	<50	<50	<50	<50	<50	<50	-	<50	<50	<50	<50	<50	<50
Benzene	5	2,000	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Butylbenzene (n-)	260	NE	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Butylbenzene (sec-)	260	NE	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Butylbenzene (tert-)	260	NE	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Chloroethane	NE	NE	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Chloroform (Trichloromethane)	70	70	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	<2	7	9	5	3	6	6	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (trans-1,2-)	100	560	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<2	<2	<	<	<	<	<	<2	<2
Hexanone (2-)	2,000	50,000	-	<10	<10	<10	<10	<10	<10	-	<10	<10	<10	<10	<10	<10
Isopropylbenzene (Cumene)	800	NE	-	<2	<2	<2	<2	<10	<2	-	<2	<2	<2	<2	<10	<2
Isopropyltoluene (p-)	260	NE	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Butanone (2-) (MEK)	4,000	50,000	-	<10	<10	<10	<10	<2	<10	-	<10	<10	<10	<10	<2	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Naphthalene	100[(1)]	1,700	-	<5	<5	<5	<5	<5	<5	-	<5	<5	<5	<5	<5	<5
Propylbenzene (n-)	260	NE	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Ethylbenzene	700	1,500	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Tetrachloroethene (PCE)	5	240	**5**	**15**	**21**	**8**	**9**	**15**	**17**	4	<2	<2	<2	<2	<2	<2
Tetrahydrofuran	154	NE	-	<10	<10	<10	<10	<10	<10	-	<10	<10	<10	<10	<10	<10
Toluene	1,000	50,000	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Trichloroethene (TCE)	5	20	<2	<2	2	<2	<2	<2	2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,2,4-)	330	1,300	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Vinyl Chloride	2	4	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (m,p-)	NE	NE	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Xylene (o-)	NE	NE	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Xylenes, Total	10,000	17,000	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Total VOCs	-	-	5	22	32	13	12	21	25	4	ND	ND	ND	ND	ND	ND
Low Level VOCs - (ug/L)																
1,4-Dioxane (LL)	0.32[(2)]	NE	-	0.7J	<0.25	<0.25	<0.25	<0.25	<0.25	-	0.63J	<0.25	<0.25	<0.25	<0.25	<0.25

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 2
Historical Groundwater Table
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		MW-20														
Sample Date	GW-1 (AGQS)	GW-2	9/28/11	8/17/12	2/7/13	1/31/14	5/7/14	8/29/14	11/22/16	5/26/17	11/22/17	5/24/18	5/23/19	11/26/19	5/21/20	11/24/2020	5/28/21	11/23/21	5/27/22
Sampled By			T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements																			
Depth to Water (ft)	NE	NE																4.65	5.25
Dissolved Oxygen (mg/L)	NE	NE	-	1.44	-	3.09	3.09	0.34	-	-	-	-	-	-	-	-	1.29	0.06	0.14
pH	NE	NE	-	6.15	-	6.76	6.76	6.60	-	-	-	-	-	-	-	-	6.14	6.43	6.47
ORP	NE	NE	-	-172.1	-	152.8	152.8	-12.1	-	-	-	-	-	-	-	-	-71	-106	-109
Specific Conductance (ms/cm)	NE	NE	-	203	-	349	349	324	-	-	-	-	-	-	-	-	1,479	1,650	1,929
VOCs - (ug/L)																			
Acetone	6,000	NE	-	-	-	-	-	-	<2,500	<2,500	<50	<50	<50	<50	<50	<50	<50	<50	<50
Benzene	5	2,000	-	-	-	-	-	-	**<100***	**<100***	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (n-)	260	NE	-	-	-	-	-	-	<100	<100	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (sec-)	260	NE	-	-	-	-	-	-	<100	<100	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (tert-)	260	NE	-	-	-	-	-	-	<100	<100	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroethane	NE	NE	-	-	-	-	-	-	<100	<100	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroform (Trichloromethane)	70	70	<20	<20	<10	<10	<10	<10	**<100***	**<100***	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	<20	<20	<10	<10	<10	<10	<100	<100	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	**<10***	**<20***	<5	<5	<5	<5	**<50***	**<50***	<2	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	**450**	**630**	**520**	**800**	**1,300**	**1,000**	**<100***	**<100***	46	6	11	17	8	5	4	3	3
Dichloroethylene (trans-1,2-)	100	560	<20	<20	14	19	36	28	<100	<100	3	<2	<2	<2	<2	<2	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<2	<2	<2
Hexanone (2-)	2,000	50,000	-	-	-	-	-	-	<500	<500	<10	<10	40	15	<10	<10	<10	<10	<10
Isopropylbenzene (Cumene)	800	NE	-	-	-	-	-	-	<100	<100	<2	<2	<2	<2	<2	<2	<10	<2	<2
Isopropyltoluene (p-)	260	NE	-	-	-	-	-	-	<100	<100	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butanone (2-) (MEK)	4,000	50,000	-	-	-	-	-	-	640	2,000	770	18	60	30	<10	<10	<2	<10	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	-	-	-	-	-	**<100***	**<100***	<2	<2	<2	<2	<2	<2	<2	<2	<2
Naphthalene	100[1]	1,700	-	-	-	-	-	-	**<250***	**<250***	<5	<5	<5	<5	<5	<5	<5	<5	<5
Propylbenzene (n-)	260	NE	-	-	-	-	-	-	<100	<100	<2	<2	<2	<2	<2	<2	<2	<2	<2
Ethylbenzene	700	1,500	-	-	-	-	-	-	<100	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrachloroethene (PCE)	5	240	**3,000**	**2,500**	**1,900**	**<10***	**17**	**<10***	**<100***	**<100***	**9**	**6**	3	<2	<2	<2	<2	<2	<2
Tetrahydrofuran	154	NE	-	-	-	-	-	-	**<500***	**<500***	120	<10	18	20	<10	<10	<10	<10	<10
Toluene	1,000	50,000	-	-	-	-	-	-	<100	<100	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trichloroethene (TCE)	5	20	**360**	**380**	**970**	**170**	**460**	**470**	**<100***	**<100***	**13**	3	**5**	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	-	-	-	<100	<100	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	-	-	-	<100	<100	<2	<2	<2	<2	<2	<2	<2	<2	<2
Vinyl Chloride	2	4	**<20***	**<5***	**<10***	**98**	**94**	**120**	**<100***	**<100***	**4**	<2	<2	**3**	<2	<2	<2	<2	<2
Xylene (m,p-)	NE	NE	-	-	-	-	-	-	<100	<100	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (o-)	NE	NE	-	-	-	-	-	-	<100	<100	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylenes, Total	10,000	17,000	-	-	-	-	-	-	<100	<100	<2	<2	<2	<2	<2	<2	<2	<2	<2
Total VOCs	-	-	3,810	3,510	3,404	1,087	1,907	1,618	640	2,000	965	33	137	85	8	5	4.26	3	3
Low Level VOCs - (ug/L)																			
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	-	-	**<12***	<2.5	<2.5	<0.25	<0.25	**0.40**	**0.38**	**0.42**	0.26	<0.25	0.3

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 2
Historical Groundwater Table
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		MW-21													
Sample Date	GW-1 (AGQS)	GW-2	9/26/11	1/25/12	2/7/13	10/24/13	11/21/16	5/23/17	11/21/17	5/23/18	5/21/19	11/25/19	5/19/20	11/23/2020	5/25/21	11/22/21	5/24/22
Sampled By			T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements																	
Depth to Water (ft)	NE	NE														10.89	11.67
Dissolved Oxygen (mg/L)	NE	NE	-	-	0.89	-	-	-	-	-	-	-	-	-	0.07	0.41	0.21
pH	NE	NE	-	-	5.07	-	-	-	-	-	-	-	-	-	8.54	9.91	7.75
ORP	NE	NE	-	-	-255	-	-	-	-	-	-	-	-	-	-55	-87	-116
Specific Conductance (ms/cm)	NE	NE	-	-	0.941	-	-	-	-	-	-	-	-	-	95	156	134
VOCs - (ug/L)																	
Acetone	6,000	NE	-	-	-	-	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Benzene	5	2,000	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (n-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (sec-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (tert-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroethane	NE	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroform (Trichloromethane)	70	70	<2	<20	<10	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	<2	<20	<10	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	<1	**<10***	**<10***	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	**130**	**2,500**	**430**	**680**	24	2	12	8	8	<2	4	<2	4	7	2
Dichloroethylene (trans-1,2-)	100	560	5	53	25	31	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<	<2	<2	<2
Hexanone (2-)	2,000	50,000	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Isopropylbenzene (Cumene)	800	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2
Isopropyltoluene (p-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butanone (2-) (MEK)	4,000	50,000	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<2	<10	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Naphthalene	100[(1)]	1,700	-	-	-	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Propylbenzene (n-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Ethylbenzene	700	1,500	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrachloroethene (PCE)	5	240	**66**	**33**	**<10***	**190**	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrahydrofuran	154	NE	-	-	-	-	18 J	<10	<10	<10	24	41	<10	38	<10	13	<10
Toluene	1,000	50,000	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trichloroethene (TCE)	5	20	**13**	**540**	**13**	**92**	<2	<2	2	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Vinyl Chloride	2	4	<2	**<20***	**850**	**770**	**8**	<2	**7**	**3J**	**5**	<2	<2	<2	<2	**6**	<2
Xylene (m,p-)	NE	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (o-)	NE	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylenes, Total	10,000	17,000	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Total VOCs	-	-	214	3,126	1,318	1,763	32	2	21	8	37	41	4	38	4	26	2
Low Level VOCs - (ug/L)																	
1,4-Dioxane (LL)	0.32[(2)]	NE	-	-	-	-	<0.25	0.53J	<0.25	<0.25	<0.25	**<1.2***	<0.25	**<1.2***	<0.25	<0.25	<0.25

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 2
Historical Groundwater Table
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		MW-22S										
Sample Date	GW-1 (AGQS)	GW-2	9/26/11	11/21/16	5/24/17	11/22/17	5/23/18	5/21/19	11/25/19	5/19/20	11/23/2020	5/25/21	11/22/21	5/24/22
Sampled By			T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements														
Depth to Water (ft)	NE	NE											7.6	8.41
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	-	-	-	-	-	0.14	0.29	0.32
pH	NE	NE	-	-	-	-	-	-	-	-	-	6.63	6.65	6.79
ORP	NE	NE	-	-	-	-	-	-	-	-	-	-49	-78	-95
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	-	-	-	-	-	304	380	334
VOCs - (ug/L)														
Acetone	6,000	NE	-	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Benzene	5	2,000	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (n-)	260	NE	-	<2	<2	<2	2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (sec-)	260	NE	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (tert-)	260	NE	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroethane	NE	NE	-	7	<2	3	5	5	7	6	9	7	7	5
Chloroform (Trichloromethane)	70	70	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	<5	2	<1	<1	<1	1	<1	<1	1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	**540**	**71**	19	32	42	**150**	**80**	55	66	**160**	28	**110**
Dichloroethylene (trans-1,2-)	100	560	16	2	<2	<2	3	6	4	3	3	6	2	4
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<2	<2	<2
Hexanone (2-)	2,000	50,000	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Isopropylbenzene (Cumene)	800	NE	-	<2	3	2	3	2	<2	2	<2	<10	<2	2
Isopropyltoluene (p-)	260	NE	-	<2	<2	<2	<2	<2	<2	<2	<2	3	<2	<2
Butanone (2-) (MEK)	4,000	50,000	-	<10	<10	<10	<10	<10	<10	<10	<10	<2	<10	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Naphthalene	100[1]	1,700	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Propylbenzene (n-)	260	NE	-	<2	6	4	6	3	<2	3	<2	3	<2	<2
Ethylbenzene	700	1,500	-	<2	<2	3	5	3	<2	3	<2	<2	<2	<2
Tetrachloroethene (PCE)	5	240	**1,900**	<2	<2	<2	3	**9**	**6**	**10**	**9**	**9**	**6**	2
Tetrahydrofuran	154	NE	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Toluene	1,000	50,000	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trichloroethene (TCE)	5	20	**170**	**51**	**18**	**27**	**38**	**36**	**40**	**35**	**41**	**30**	**18**	**25**
Trimethylbenzene (1,2,4-)	330	1,300	-	7	29	9	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	-	<2	<2	<2	2	<2	<2	<2	<2	<2	<2	<2
Vinyl Chloride	2	4	**<10***	**23**	**16**	**14**	**29J**	**110**	**66**	**31**	**40**	**110**	**50**	**88**
Xylene (m,p-)	NE	NE	-	<2	7	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (o-)	NE	NE	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylenes, Total	10,000	17,000	-	<2	7	<2	<2	<2	<2	<2	<2	<2	<2	<2
Total VOCs	-	-	2,626	163	105	94	109	325	203	148	169	328	111	236
Low Level VOCs - (ug/L)														
1,4-Dioxane (LL)	0.32[2]	NE	-	<5.0J	**3.3J**	**0.47J**	<2.5	**<5.0***	**<2.5***	**<1.2***	<0.25	**<5***	**<5***	**<5***

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 2
Historical Groundwater Table
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		MW-22D													
Sample Date	GW-1 (AGQS)	GW-2	9/26/11	1/25/12	2/7/13	10/24/13	11/21/16	5/23/17	11/21/17	5/23/18	5/21/19	11/25/19	5/19/20	11/23/2020	5/25/21	11/22/21	5/24/22
Sampled By			T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements																	
Depth to Water (ft)	NE	NE														8.2	8.73
Dissolved Oxygen (mg/L)	NE	NE	-	-	0.37	-	-	-	-	-	-	-	-	-	5.16	0.31	0.41
pH	NE	NE	-	-	6.03	-	-	-	-	-	-	-	-	-	6.50	6.52	6.63
ORP	NE	NE	-	-	-33.4	-	-	-	-	-	-	-	-	-	165	13	55.5
Specific Conductance (ms/cm)	NE	NE	-	-	0.182	-	-	-	-	-	-	-	-	-	86.3	60.6	71.3
VOCs - (ug/L)																	
Acetone	6,000	NE	-	-	-	-	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Benzene	5	2,000	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (n-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (sec-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (tert-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroethane	NE	NE	-	-	-	-	<2	<2	<2	<2	<2	4	<2	<2	<2	<2	<2
Chloroform (Trichloromethane)	70	70	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	<5	<1	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	**300**	**160**	10	**130**	4	<2	<2	<2	21	14	<2	<2	<2	<2	<2
Dichloroethylene (trans-1,2-)	100	560	<10	3	<2	3	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<	<2	<2	<2
Hexanone (2-)	2,000	50,000	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Isopropylbenzene (Cumene)	800	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2
Isopropyltoluene (p-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butanone (2-) (MEK)	4,000	50,000	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<2	<10	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Naphthalene	100[(1)]	1,700	-	-	-	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Propylbenzene (n-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Ethylbenzene	700	1,500	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrachloroethene (PCE)	5	240	**1,800**	**440**	**52**	**8**	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrahydrofuran	154	NE	-	-	-	-	22J	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Toluene	1,000	50,000	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trichloroethene (TCE)	5	20	**140**	**63**	**8**	**16**	<2	<2	<2	<2	<2	2	<2	<2	<2	<2	<2
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Vinyl Chloride	2	4	**<10***	<2	**9**	**30**	**2**	<2	<2	<2	**12**	**12**	<2	<2	<2	<2	<2
Xylene (m,p-)	NE	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (o-)	NE	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylenes, Total	10,000	17,000	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Total VOCs	-	-	2,240	666	79	187	6	ND	ND	ND	33	32	ND	ND	ND	ND	ND
Low Level VOCs - (ug/L)																	
1,4-Dioxane (LL)	0.32[(2)]	NE	-	-	-	-	<0.25	<0.25	<0.25	<0.25	**<1.2***	**<5.0***	<0.25	<0.25	<0.25	<0.25	<0.25

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 2
Historical Groundwater Table
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		MW-23														MW-24						MW-25				
Sample Date	GW-1 (AGQS)	GW-2	9/26/11	10/24/13	1/31/14	8/29/14	11/21/16	5/23/17	11/21/17	5/23/18	5/21/19	11/25/19	5/19/20	11/23/20	5/25/21	11/22/21	5/24/22	5/16/12	5/24/18	5/22/19	5/20/20	5/25/21	5/26/22	5/16/12	5/23/18	5/19/20	5/25/21	5/26/22
Sampled By			T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements																												
Depth to Water (ft)	NE	NE														9.1	9.79						3.85					2.87
Dissolved Oxygen (mg/L)	NE	NE	-	-	10.19	-	-	-	-	-	-	-	-	-	0.95	1.08	2.89	-	-	-	-	1.5	3.03	-	-	-	0.46	0.28
pH	NE	NE	-	-	7.31	-	-	-	-	-	-	-	-	-	6.71	11.60	7.03	-	-	-	-	5.76	5.57	-	-	-	6.28	5.92
ORP	NE	NE	-	-	163.3	-	-	-	-	-	-	-	-	-	81	-35	50.5	-	-	-	-	272	102	-	-	-	172.5	80
Specific Conductance (ms/cm)	NE	NE	-	-	586	-	-	-	-	-	-	-	-	-	418	510	467	-	-	-	-	1,452	1,422	-	-	-	1,224	4,831
VOCs - (ug/L)																												
Acetone	6,000	NE	-	-	-	-	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	-	<50	<50	<50	<50	<50	-	<50	<50	<50	<50
Benzene	5	2,000	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	-	<2	<2	<2	<2
Butylbenzene (n-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	-	<2	<2	<2	<2
Butylbenzene (sec-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	-	<2	<2	<2	<2
Butylbenzene (tert-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	-	<2	<2	<2	<2
Chloroethane	NE	NE	-	-	-	-	<2	<2	<2	<2	<2	8	<2	6	<2	5	<2	-	<2	<2	<2	<2	<2	-	<2	<2	<2	<2
Chloroform (Trichloromethane)	70	70	<10	<10	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	<10	<10	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	<5	<5	<10	<1	1	3	4	3	2	6	3	**7**	4	5	3	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	**1,000**	**1,900**	**820**	**430**	38	**70**	**87**	**55**	**84**	**230**	**200**	**250**	**190**	**220**	**210**	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (trans-1,2-)	100	560	20	38	13	12	5	4	4	3	3	8	10	8	5	6	4	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<	<2	<2	<2	<	<	<	<	<2	<2	<	<	<	<2	<2
Hexanone (2-)	2,000	50,000	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	-	<10	<10	<10	<10	<10	-	<10	<10	<10	<10
Isopropylbenzene (Cumene)	800	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-	<2	<2	<2	<10	<2	-	<2	<2	<10	<2
Isopropyltoluene (p-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	-	<2	<2	<2	<2
Butanone (2-) (MEK)	4,000	50,000	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<2	<10	<10	-	<10	<10	<10	<2	<10	-	<10	<10	<2	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	-	<2	<2	<2	<2
Naphthalene	100[1]	1,700	-	-	-	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	-	<5	<5	<5	<5	<5	-	<5	<5	<5	<5
Propylbenzene (n-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	-	<2	<2	<2	<2
Ethylbenzene	700	1,500	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	-	<2	<2	<2	<2
Tetrachloroethene (PCE)	5	240	**1,600**	**280**	**140**	**95**	**22**	**33**	**33**	**22**	**16**	**63**	**94**	**42**	**43**	**46**	**23**	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrahydrofuran	154	NE	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	-	<10	<10	<10	<10	<10	-	<10	<10	<10	<10
Toluene	1,000	50,000	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	-	<2	<2	<2	<2
Trichloroethene (TCE)	5	20	**510**	**260**	**54**	**35**	**28**	**72**	**82**	**64**	**64**	**170**	**170**	**250**	**210**	**210**	**130**	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	-	<2	<2	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	-	<2	<2	<2	<2
Vinyl Chloride	2	4	**<10***	**<10***	**<10***	<2	**5**	<2	<2	<2	<2	**69**	<2	**33**	<2	**47**	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (m,p-)	NE	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	-	<2	<2	<2	<2
Xylene (o-)	NE	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	-	<2	<2	<2	<2
Xylenes, Total	10,000	17,000	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	-	<2	<2	<2	<2
Total VOCs	-	-	3,130	2,478	1,027	572	99	182	210	147	169	554	477	596	452.38	539	370	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Low Level VOCs - (ug/L)																												
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	0.29	1.2J	0.43	0.78	<0.25	**<1.2***	**0.35**	<0.25	**0.38**	<0.25	<0.25	-	<0.25	<0.25	<0.25	<0.25	<0.25	-	<0.25	<0.25	<0.25	<0.25

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 2
Historical Groundwater Table
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		MW-26							MW-27						
Sample Date Sampled By	GW-1 (AGQS)	GW-2	5/16/12 T&B	5/23/17 T&B	5/22/18 T&B	5/21/19 T&B	5/19/20 T&B	5/26/21 T&B	5/24/22 T&B	5/16/12 T&B	5/23/17 T&B	5/22/18 T&B	5/21/19 T&B	5/19/20 T&B	5/26/21 T&B	5/24/22 T&B
Field Water Quality Measurements																
Depth to Water (ft)	NE	NE							10.36							9.39
Dissolved Oxygen (mg/L)	NE	NE	3.86	-	-	-	-	5.93	4.90	-	-	-	-	-	1.75	5.62
pH	NE	NE	5.36	-	-	-	-	5.33	3.41	-	-	-	-	-	6.07	6.51
ORP	NE	NE	130.3	-	-	-	-	315	301	-	-	-	-	-	162	118
Specific Conductance (ms/cm)	NE	NE	305	-	-	-	-	437	672	-	-	-	-	-	479	301
VOCs - (ug/L)																
Acetone	6,000	NE	-	<50	<50	<50	<50	<50	<50	-	<50	<50	<50	<50	<50	<50
Benzene	5	2,000	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Butylbenzene (n-)	260	NE	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Butylbenzene (sec-)	260	NE	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Butylbenzene (tert-)	260	NE	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Chloroethane	NE	NE	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Chloroform (Trichloromethane)	70	70	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (trans-1,2-)	100	560	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<2	<2	<	<	<	<	<	<2	<2
Hexanone (2-)	2,000	50,000	-	<10	<10	<10	<10	<10	<10	-	<10	<10	<10	<10	<10	<10
Isopropylbenzene (Cumene)	800	NE	-	<2	<2	<2	<2	<10	<2	-	<2	<2	<2	<2	<10	<2
Isopropyltoluene (p-)	260	NE	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Butanone (2-) (MEK)	4,000	50,000	-	<10	<10	<10	<10	<2	<10	-	<10	<10	<10	<10	<2	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Naphthalene	100[1]	1,700	-	<5	<5	<5	<5	<5	<5	-	<5	<5	<5	<5	<5	<5
Propylbenzene (n-)	260	NE	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Ethylbenzene	700	1,500	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Tetrachloroethene (PCE)	5	240	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrahydrofuran	154	NE	-	<10	<10	<10	<10	<10	<10	-	<10	<10	<10	<10	<10	<10
Toluene	1,000	50,000	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Trichloroethene (TCE)	5	20	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,2,4-)	330	1,300	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Vinyl Chloride	2	4	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (m,p-)	NE	NE	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Xylene (o-)	NE	NE	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Xylenes, Total	10,000	17,000	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Total VOCs	-	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Low Level VOCs - (ug/L)																
1,4-Dioxane (LL)	0.32[2]	NE	-	**0.98J**	<0.25	<0.25	<0.25	<0.25	<0.25	-	**0.48J**	<0.25	<0.25	<0.25	<0.25	<0.25

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 2
Historical Groundwater Table
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		MW-28													MW-29						
Sample Date / Sampled By	GW-1 (AGQS)	GW-2	5/16/12 T&B	9/25/12 T&B	5/7/14 T&B	11/22/16 T&B	5/23/17 T&B	11/21/17 T&B	5/22/18 T&B	5/23/19 T&B	11/26/19 T&B	5/21/20 T&B	11/24/2020 T&B	5/28/21 T&B	11/22/21 T&B	5/26/22 T&B	9/25/12 T&B	5/23/17 T&B	5/22/18 T&B	5/23/19 T&B	5/21/20 T&B	5/28/21 T&B	5/26/22 T&B
Field Water Quality Measurements																							
Depth to Water (ft)	NE	NE													30.49	21.03							7.17
Dissolved Oxygen (mg/L)	NE	NE	0.82	-	-	-	-	-	-	-	-	-	-	0.65	0.31	4.25	-	-	-	-	-	2.2	2.05
pH	NE	NE	5.87	6.65	6.65	-	-	-	-	-	-	-	-	6.22	5.95	6.55	6.84	-	-	-	-	6.22	6.21
ORP	NE	NE	99.1	0.7	0.7	-	-	-	-	-	-	-	-	46	-80	103	95.0	-	-	-	-	256.6	86
Specific Conductance (ms/cm)	NE	NE	1,958	1,641	1,641	-	-	-	-	-	-	-	-	2,548	3,032	1,805	629	-	-	-	-	1,344	1,231
VOCs - (ug/L)																							
Acetone	6,000	NE	-	-	-	<50	<50	<50	<50	<50	<50	<50	<50	<250	<50	<50	-	<50	<50	<50	<50	<50	<50
Benzene	5	2,000	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	**<10***	<2	<2	-	<2	<2	<2	<2	<2	<2
Butylbenzene (n-)	260	NE	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-	<2	<2	<2	<2	<2	<2
Butylbenzene (sec-)	260	NE	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-	<2	<2	<2	<2	<2	<2
Butylbenzene (tert-)	260	NE	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-	<2	<2	<2	<2	<2	<2
Chloroethane	NE	NE	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-	<2	<2	<2	<2	<2	<2
Chloroform (Trichloromethane)	70	70	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	35	24	14	11	7	9	3	<2	24	30	33	**79**	28	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (trans-1,2-)	100	560	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<10	<2	<2	<	<	<	<	<	<2	<2
Hexanone (2-)	2,000	50,000	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<50	<10	<10	-	<10	<10	<10	<10	<10	<10
Isopropylbenzene (Cumene)	800	NE	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<50	<2	<2	-	<2	<2	<2	<2	<10	<2
Isopropyltoluene (p-)	260	NE	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-	<2	<2	<2	<2	<2	<2
Butanone (2-) (MEK)	4,000	50,000	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	-	<10	<10	<10	<10	<2	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	-	-	7	<2	<2	<2	<2	8	10	7	12	8	<2	-	<2	<2	<2	<2	<2	<2
Naphthalene	100[1]	1,700	-	-	-	<5	<5	<5	<5	<5	<5	<5	<5	<25	<5	<5	-	<5	<5	<5	<5	<5	<5
Propylbenzene (n-)	260	NE	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-	<2	<2	<2	<2	<2	<2
Ethylbenzene	700	1,500	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrachloroethene (PCE)	5	240	**460**	**240**	**100**	**150**	**73**	**80**	**51**	**7**	**260**	**290**	**300**	**680**	**200**	**21**	<2	2	4	**5**	2	3	2
Tetrahydrofuran	154	NE	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<50	<10	<10	-	<10	<10	<10	<10	<10	<10
Toluene	1,000	50,000	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-	<2	<2	<2	<2	<2	<2
Trichloroethene (TCE)	5	20	**43**	**26**	**13**	**15**	**8**	**10**	**5**	<2	**31**	**37**	**43**	**200**	**56**	**5**	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-	<2	<2	<2	<2	<2	<2
Vinyl Chloride	2	4	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	**<10***	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (m,p-)	NE	NE	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-	<2	<2	<2	<2	<2	<2
Xylene (o-)	NE	NE	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-	<2	<2	<2	<2	<2	<2
Xylenes, Total	10,000	17,000	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-	<2	<2	<2	<2	<2	<2
Total VOCs	-	-	538	290	127	183	88	99	59	7	323	367	383	971.33	292	26	ND	2	4	5	2	3	2
Low Level VOCs - (ug/L)																							
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	<0.25	<0.25J	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	**0.33**	<0.25	<0.25	-	<0.25J	<0.25	<0.25	<0.25	<0.25	<0.25

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 2
Historical Groundwater Table
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		MW-30							SW-1			SW-2			SW-3			Trip Blank 1	Trip Blank 2	Trip Blank 3	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank-1	Trip Blank-2	Trip Blank	Trip Blank
Sample Date	GW-1 (AGQS)	GW-2	9/25/12	5/26/17	5/23/18	5/23/19	5/21/20	5/28/21	5/26/22	8/18/05	10/25/13	5/7/14	8/18/05	10/25/13	5/7/14	8/18/05	10/25/13	5/7/14	9/26/11	9/27/11	9/28/11	11/10/11	1/25/12	8/17/12	9/25/12	10/25/13	10/25/13	1/30/14	11/21/16
Sampled By			T&B	T&B	T&B	T&B	T&B	T&B	T&B	SHA	T&B	T&B	SHA	T&B	T&B	SHA	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements																													
Depth to Water (ft)	NE	NE							10.10																				
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	-	0.7	0.35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
pH	NE	NE	6.78	-	-	-	-	6.00	6.82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ORP	NE	NE	179.1	-	-	-	-	251.1	-35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Specific Conductance (ms/cm)	NE	NE	1,486	-	-	-	-	1,798	137	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VOCs - (ug/L)																													
Acetone	6,000	NE	-	<50	<50	<50	<50	<50	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<50
Benzene	5	2,000	-	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<2
Butylbenzene (n-)	260	NE	-	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<2
Butylbenzene (sec-)	260	NE	-	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<2
Butylbenzene (tert-)	260	NE	-	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<2
Chloroethane	NE	NE	-	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<2
Chloroform (Trichloromethane)	70	70	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	<2	<2	<2	<2	<2	<2	<2	<1	<2	<2	<1	<2	<2	<1	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (trans-1,2-)	100	560	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<2	<2	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
Hexanone (2-)	2,000	50,000	-	<10	<10	<10	<10	<10	<10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<10
Isopropylbenzene (Cumene)	800	NE	-	<2	<2	<2	<2	<10	<2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<2
Isopropyltoluene (p-)	260	NE	-	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<2
Butanone (2-) (MEK)	4,000	50,000	-	<10	<10	<10	<10	<2	<10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<2
Naphthalene	100[1]	1,700	-	<5	<5	<5	<5	<5	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<5
Propylbenzene (n-)	260	NE	-	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<2
Ethylbenzene	700	1,500	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<2
Tetrachloroethene (PCE)	5	240	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrahydrofuran	154	NE	-	<10	<10	<10	<10	<10	<10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<10
Toluene	1,000	50,000	-	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<2
Trichloroethene (TCE)	5	20	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,2,4-)	330	1,300	-	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<2
Trimethylbenzene (1,3,5-)	330	NE	-	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<2
Vinyl Chloride	2	4	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<0.5	<2	<2	<2	<2	<2
Xylene (m,p-)	NE	NE	-	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<2
Xylene (o-)	NE	NE	-	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<2
Xylenes, Total	10,000	17,000	-	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<2
Total VOCs	-	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Low Level VOCs - (ug/L)																													
1,4-Dioxane (LL)	0.32[2]	NE	-	0.53J	<0.25	<0.25	<0.25	<0.25	<0.25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 2
Historical Groundwater Table
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank
Sample Date	GW-1 (AGQS)	GW-2	5/23/17	11/22/17	5/22/18	5/21/19	11/26/19	5/19/20	11/23/20	5/25/21	11/22/21	5/27/22
Sampled By			T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements												
Depth to Water (ft)	NE	NE										
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	-	-	-	-	-	
pH	NE	NE	-	-	-	-	-	-	-	-	-	
ORP	NE	NE	-	-	-	-	-	-	-	-	-	
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	-	-	-	-	-	
VOCs - (ug/L)												
Acetone	6,000	NE	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Benzene	5	2,000	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (n-)	260	NE	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (sec-)	260	NE	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (tert-)	260	NE	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroethane	NE	NE	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroform (Trichloromethane)	70	70	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (trans-1,2-)	100	560	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<2	<2	<2
Hexanone (2-)	2,000	50,000	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Isopropylbenzene (Cumene)	800	NE	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Isopropyltoluene (p-)	260	NE	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butanone (2-) (MEK)	4,000	50,000	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Naphthalene	100[1]	1,700	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Propylbenzene (n-)	260	NE	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Ethylbenzene	700	1,500	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrachloroethene (PCE)	5	240	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrahydrofuran	154	NE	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Toluene	1,000	50,000	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trichloroethene (TCE)	5	20	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,2,4-)	330	1,300	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Vinyl Chloride	2	4	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (m,p-)	NE	NE	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (o-)	NE	NE	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylenes, Total	10,000	17,000	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Total VOCs	-	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Low Level VOCs - (ug/L)												
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	-	<0.25	<50	<50	-	-

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 3
Overburden Groundwater Analytical Results
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		SH-1S											SH-1D										SH-2
Sample Date	GW-1 (AGQS)	GW-2	5/15/03	8/18/05	9/27/11	10/24/13	5/7/14	8/29/14	5/24/17	5/22/18	5/23/19	5/20/20	5/26/21	5/27/22	11/27/01	5/15/03	8/18/05	9/27/11	10/24/13	5/7/14	8/29/14	5/24/17	5/22/18	5/23/19	5/20/20	5/15/03
Sampled By			SHA	SHA	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	SHA	SHA	SHA	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	SHA
Field Water Quality Measurements																										
Depth to Water (ft)	NE	NE												11.52												
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	-	-	-	-	-	-	6.41	7.38	-	-	-	-	-	-	4.72	-	-	-	-	-
pH	NE	NE	-	-	-	-	-	-	-	-	-	-	5.73	5.45	-	-	-	-	-	-	5.55	-	-	-	-	-
ORP	NE	NE	-	-	-	-	-	-	-	-	-	-	218	193	-	-	-	-	-	-	-6.7	-	-	-	-	-
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	-	-	-	-	-	-	836	2,066	-	-	-	-	-	-	0.598	-	-	-	-	-
VOCs - (ug/L)																										
Acetone	6,000	NE	<10	-	-	-	-	-	<50	<50	<50	<50	<50	<50	<10	<10	-	-	-	-	-	<50	<50	<50	No	<10
Benzene	5	2,000	<1	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<1	<1	-	-	-	-	-	<2	<2	<2	Sample	<1
Butylbenzene (n-)	260	NE	<1	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<1	<1	-	-	-	-	-	<2	<2	<2	Collected	<1
Butylbenzene (sec-)	260	NE	<1	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<1	<1	-	-	-	-	-	<2	<2	<2		<1
Butylbenzene (tert-)	260	NE	<1	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<1	<1	-	-	-	-	-	<2	<2	<2	Well	<1
Chloroethane	NE	NE	<5	<5	-	-	-	-	<2	<2	<2	<2	<2	<2	<5	<5	<5	-	-	-	-	<2	<2	<2	Destroyed	<5
Chloroform (Trichloromethane)	70	70	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	9	<2	<2	<2	<2	<2	<2	<2	<2	<2		<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	ND	ND	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	ND	ND	ND	<2	<2	<2	<2	<2	<2	<2		ND
Dichloroethylene (1,1-)	7	630	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1		<1
Dichloroethylene (cis-1,2-)	70	NE	**70**	**240**	55	2	<2	<2	<2	<2	<2	<2	<2	<2	**150**	**270**	**320**	**120**	9	<2	<2	<2	<2	<2		**1,400**
Dichloroethylene (trans-1,2-)	100	560	2	5	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	5	11	9	3	<2	<2	<2	<2	<2	<2		51
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<2	<2	<	<	<	<	<	<	<	<	<	<		<
Hexanone (2-)	2,000	50,000	<10	-	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	-	-	-	-	-	<10	<10	<10		<10
Isopropylbenzene (Cumene)	800	NE	<1	-	-	-	-	-	<2	<2	<2	<2	<10	<2	<1	<1	-	-	-	-	-	<2	<2	<2		<1
Isopropyltoluene (p-)	260	NE	<1	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<1	<1	-	-	-	-	-	<2	<2	<2		<1
Butanone (2-) (MEK)	4,000	50,000	<10	-	-	-	-	-	<10	<10	<10	<10	<2	<10	<10	<10	-	-	-	-	-	<10	<10	<10		<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	<5	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<5	<5	-	-	-	-	-	<2	<2	<2		<5
Naphthalene	100[1]	1,700	<5	-	-	-	-	-	<5	<5	<5	<5	<5	<5	<5	<5	-	-	-	-	-	<5	<5	<5		<5
Propylbenzene (n-)	260	NE	<1	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<1	<1	-	-	-	-	-	<2	<2	<2		<1
Ethylbenzene	700	1,500	<1	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<1	<1	-	-	-	-	-	<2	<2	<2		<1
Tetrachloroethene (PCE)	5	240	**23**	**23**	**12**	<2	<2	<2	<2	<2	<2	<2	<2	<2	**18**	**92**	**53**	**27**	3	<2	<2	<2	<2	<2		**150**
Tetrahydrofuran	154	NE	<10	-	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	-	-	-	-	-	<10	<10	<10		<10
Toluene	1,000	50,000	<1	-	-	-	-	-	95	<2	<2	<2	<2	<2	<1	<1	-	-	-	-	-	<2	<2	<2		<1
Trichloroethene (TCE)	5	20	**28**	**44**	**10**	<2	<2	<2	<2	<2	<2	<2	<2	<2	**26**	**110**	**76**	**25**	<2	<2	<2	<2	<2	<2		**300**
Trimethylbenzene (1,2,4-)	330	1,300	<1	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<1	<1	-	-	-	-	-	<2	<2	<2		<1
Trimethylbenzene (1,3,5-)	330	NE	<1	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<1	<1	-	-	-	-	-	<2	<2	<2		<1
Vinyl Chloride	2	4	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2		<2
Xylene (m,p-)	NE	NE	<1	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<1	<1	-	-	-	-	-	<2	<2	<2		<1
Xylene (o-)	NE	NE	<1	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<1	<1	-	-	-	-	-	<2	<2	<2		<1
Xylenes, Total	10,000	17,000	ND	-	-	-	-	-	<2	<2	<2	<2	<2	<2	ND	ND	-	-	-	-	-	<2	<2	<2		ND
Total VOCs	-	-	123	312	77	2	ND	ND	95	ND	ND	ND	ND	ND	208	483	458	175	12	ND	ND	ND	ND	ND		1,901
Low Level VOCs - (ug/L)																										
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	-	-	0.47J	<0.25	<0.25	<0.25	<0.25	<0.25	-	-	-	-	-	-	-	0.64J	<0.25	<0.25		-

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 3
Overburden Groundwater Analytical Results
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		SH-3					SH-4																				
Sample Date	GW-1 (AGQS)	GW-2	11/27/01	5/15/03	8/16/05	9/27/11	10/24/13	11/27/01	11/27/01	5/15/03	8/16/05	4/22/09	9/27/11	11/10/11	8/17/12	2/7/13	6/18/13	10/24/13	1/30/14	5/7/14	8/29/14	11/21/16	5/23/17	11/22/17	5/23/18	5/22/19	11/26/19	5/19/20	11/23/20
Sampled By			SHA	SHA	SHA	T&B	T&B	SHA	SHA	SHA	SHA	SHA	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
									DUP																				
Field Water Quality Measurements																													
Depth to Water (ft)	NE	NE																											
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	-	-	-	-	-	-	-	-	0.4	2.5	3.81	-	0.78	-	0.48	-	-	-	-	-	-	-	-
pH	NE	NE	-	-	-	-	-	-	-	-	-	-	-	-	5.88	5.74	6.49	-	6.20	-	6.43	-	-	-	-	-	-	-	-
ORP	NE	NE	-	-	-	-	-	-	-	-	-	-	-	-	-225.9	-113	38	-	-11.6	-	-80.1	-	-	-	-	-	-	-	-
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	-	-	-	-	-	-	-	-	1,100	0.183	0.181	-	939	-	1.588	-	-	-	-	-	-	-	-
VOCs - (ug/L)																													
Acetone	6,000	NE	<100	<20	-	-	-	-	-	<500	-	-	-	-	-	-	-	-	-	-	-	<50	<250	<500	<500	<50	<50	<250	<500
Benzene	5	2,000	<10	<2	-	-	-	-	-	<50	-	-	-	-	-	-	-	-	-	-	-	<2	**<10***	**<20***	**<20***	<2	<2	**<10***	**<20**
Butylbenzene (n-)	260	NE	<10	<2	-	-	-	-	-	<50	-	-	-	-	-	-	-	-	-	-	-	<2	<10	<20	<20	<2	<2	<10	<20
Butylbenzene (sec-)	260	NE	<10	<2	-	-	-	-	-	<50	-	-	-	-	-	-	-	-	-	-	-	<2	<10	<20	<20	<2	<2	<10	<20
Butylbenzene (tert-)	260	NE	<10	<2	-	-	-	-	-	<50	-	-	-	-	-	-	-	-	-	-	-	<2	<10	<20	<20	<2	<2	<10	<20
Chloroethane	NE	NE	<50	<10	<10	-	-	<5,000	<5,000	<300	<300	<300	-	-	-	-	-	-	-	-	-	2	<10	<20	<20	<2	<2	<10	<20
Chloroform (Trichloromethane)	70	70	<10	<2	<2	<2	<2	**<1,000***	**<1,000***	<50	<50	<50	<40	<40	**<100***	<20	<20	<10	<10	<10	<2	<2	<10	<20	<20	<2	<2	<10	<20
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	ND	ND	ND	<2	<2	ND	ND	ND	ND	ND	<40	<40	<100*	<20	<20	<10	<10	<10	<2	<2	<10	<20	<20	<2	<2	<10	<20
Dichloroethylene (1,1-)	7	630	<10	<2	<2	<1	<1	**<1,000***	**<1,000***	**<50***	**<50***	**<50***	**<20***	**<20***	**<50***	**<10***	**<10***	<5	<5	<5	<1	6	<5	**<10***	**<10***	<1	3	<5	**16**
Dichloroethylene (cis-1,2-)	70	NE	**1,100**	**310**	**350**	**300**	34	**<1,000***	**<1,000***	<50	**170**	<50	**360**	**86**	**13,000**	**2,100**	**1,900**	**490**	**930**	**590**	31	**1,300**	**580**	**1,400**	**290**	**320**	**960**	**110**	**1,500**
Dichloroethylene (trans-1,2-)	100	560	20	11	8	7	<2	**<1,000***	**<1,000***	<50	<50	<50	<40	<40	**250**	43	37	46	44	43	13	25	12	<20	<20	5	11	<10	31
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
Hexanone (2-)	2,000	50,000	<100	<20	-	-	-	-	-	<500	-	-	-	-	-	-	-	-	-	-	-	<10	<50	<100	<100	<10	<10	<50	<100
Isopropylbenzene (Cumene)	800	NE	<10	<2	-	-	-	-	-	<50	-	-	-	-	-	-	-	-	-	-	-	<2	<10	<20	<20	<2	<2	<10	<20
Isopropyltoluene (p-)	260	NE	<10	<2	-	-	-	-	-	<50	-	-	-	-	-	-	-	-	-	-	-	<2	<10	<20	<20	<2	<2	<10	<20
Butanone (2-) (MEK)	4,000	50,000	<100	<20	-	-	-	-	-	<500	-	-	-	-	-	-	-	-	-	-	-	<10	<50	<100	<100	<10	<10	<50	<100
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	<10	<5	-	-	-	-	-	<50	-	-	-	-	-	-	-	-	-	-	-	<2	<10	**<20***	**<20***	<2	<2	<10	<20
Naphthalene	100[1]	1,700	**<50***	<10	-	-	-	-	-	**<300***	-	-	-	-	-	-	-	-	-	-	-	<5	**<25***	**<50***	**<50***	<5	<5	**<25***	**<50***
Propylbenzene (n-)	260	NE	<10	<2	-	-	-	-	-	<50	-	-	-	-	-	-	-	-	-	-	-	<2	<10	<20	<20	<2	<2	<10	<20
Ethylbenzene	700	1,500	<10	<2	-	-	-	-	-	<50	-	-	-	-	-	-	-	-	-	-	-	<2	<10	<20	<20	<2	<2	11	<20
Tetrachloroethene (PCE)	5	240	**80**	**62**	**33**	**35**	4	**49,000**	**50,000**	**7,600**	**6,200**	**6,100**	**8,400**	**5,700**	**<100***	**2,800**	**870**	**<10***	**<10***	**22**	**<2**	<2	**470**	**3,100**	**910**	**410**	**1,600**	**1,600**	**1,000**
Tetrahydrofuran	154	NE	<100	<20	-	-	-	-	-	<500	-	-	-	-	-	-	-	-	-	-	-	<10	<50	<100	<100	<10	<10	<50	<100
Toluene	1,000	50,000	<10	<2	-	-	-	-	-	<50	-	-	-	-	-	-	-	-	-	-	-	<2	<10	<20	<20	<2	<2	<10	<20
Trichloroethene (TCE)	5	20	**90**	**110**	**89**	**35**	3	**<1,000***	**<1,000***	**<50***	**190**	**<50***	**290**	**83**	**<100***	**660**	**77**	**<10***	**<10***	**30**	<2	<2	**68**	**550**	**320**	**95**	**320**	**110**	**640**
Trimethylbenzene (1,2,4-)	330	1,300	<10	<2	-	-	-	-	-	<50	-	-	-	-	-	-	-	-	-	-	-	<2	<10	<20	<20	<2	<2	<10	<20
Trimethylbenzene (1,3,5-)	330	NE	<10	<2	-	-	-	-	-	<50	-	-	-	-	-	-	-	-	-	-	-	<2	<10	<20	<20	<2	<2	<10	<20
Vinyl Chloride	2	4	**<20***	**<4***	**<4***	<2	**4**	**<2,000***	**<2,000***	**<100***	**<100***	**<100***	**<40***	**<40***	**<25***	**<25***	**50**	**2,100**	**1,600**	**2,100**	**35**	<2	**380**	**200**	**<20**	**12**	**130**	**<10***	**460**
Xylene (m,p-)	NE	NE	<10	<2	-	-	-	-	-	<50	-	-	-	-	-	-	-	-	-	-	-	<2	<10	<20	<20	<2	<2	<10	<20
Xylene (o-)	NE	NE	<10	<2	-	-	-	-	-	<50	-	-	-	-	-	-	-	-	-	-	-	<2	<10	<20	<20	<2	<2	<10	<20
Xylenes, Total	10,000	17,000	ND	ND	-	-	-	-	-	ND	-	-	-	-	-	-	-	-	-	-	-	<2	<10	<20	<20	<2	<2	<10	<20
Total VOCs	-	-	1,290	493	480	377	45	49,000	50,000	7,600	6,560	6,100	9,050	5,869	13,250	5,603	2,934	2,636	2,574	2,785	79	1,333	1,510	5,250	1,520	842	3,024	1,831	3,647
Low Level VOCs - (ug/L)																													
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.25	0.84J	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 3
Overburden Groundwater Analytical Results
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		SH-4			SH-5					SH-6						SH-7											
Sample Date	GW-1 (AGQS)	GW-2	5/25/21	11/23/21	5/24/22	11/27/01	5/15/03	4/21/09	9/26/11	10/24/13	11/27/01	5/15/03	8/17/05	4/21/09	9/26/11	10/24/13	10/30/03	10/30/03	8/16/05	5/13/09	10/20/10	9/26/11	11/10/11	1/25/12	8/17/12	2/7/13	10/24/13	5/7/14	8/29/14
Sampled By			T&B	T&B	T&B	SHA	SHA	SHA	T&B	T&B	SHA	SHA	SHA	SHA	T&B	T&B	SHA	SHA	SHA	SHA	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements																		DUP											
Depth to Water (ft)	NE	NE		9.5	10.25																								
Dissolved Oxygen (mg/L)	NE	NE	2.34	2.90	4.05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.52	0.62	-	-	0.38
pH	NE	NE	5.46	5.56	5.79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.11	6.48	-	-	6.49
ORP	NE	NE	280	162	117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-227.3	-91.9	-	-	-94.1
Specific Conductance (ms/cm)	NE	NE	81.4	87.3	61.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,045	0.399	-	-	1.067
VOCs - (ug/L)																													
Acetone	6,000	NE	<250	<250	<250	-	<10	-	-	-	-	<10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benzene	5	2,000	**<10***	**<10***	**<10***	-	<1	-	-	-	-	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Butylbenzene (n-)	260	NE	<10	<10	<10	-	<1	-	-	-	-	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Butylbenzene (sec-)	260	NE	<10	<10	<10	-	<1	-	-	-	-	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Butylbenzene (tert-)	260	NE	<10	<10	<10	-	<1	-	-	-	-	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chloroethane	NE	NE	<10	<10	<10	<5	<5	<5	-	-	<5	<5	<5	<5	-	-	<100	<100	<300	<300	-	-	-	-	-	-	-	-	-
Chloroform (Trichloromethane)	70	70	<10	<10	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<20	<20	<50	<50	-	<20	<10	<20	<20	<10	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	<10	<10	<10	ND	ND	ND	<2	<2	ND	ND	ND	ND	<2	<2	ND	ND	ND	ND	-	<20	<10	<20		<10	<2	<2	<2
Dichloroethylene (1,1-)	7	630	<5	<5	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	**<20***	**<20***	**<50***	**<50***	-	**<10***	<5	**<10***	**<10***	<5	<1	<2	<1
Dichloroethylene (cis-1,2-)	70	NE	**940**	**310**	29	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	**6,500**	**6,700**	**7,300**	**4,200**	-	**2,700**	**730**	**4,300**	**7,500**	**1,800**	**110**	39	37
Dichloroethylene (trans-1,2-)	100	560	11	<10	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	**170**	**180**	**170**	**130**	-	77	15	**100**	**180**	49	14	<2	3
Dichloropropane, 1,2-	50	5	<2	**<10***	**<10***	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
Hexanone (2-)	2,000	50,000	<50	<50	<50	-	<10	-	-	-	-	<10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Isopropylbenzene (Cumene)	800	NE	<50	<10	<10	-	<1	-	-	-	-	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Isopropyltoluene (p-)	260	NE	<10	<10	<10	-	<1	-	-	-	-	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Butanone (2-) (MEK)	4,000	50,000	<10	<50	<50	-	<10	-	-	-	-	<10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	<10	<10	<10	-	<5	-	-	-	-	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Naphthalene	100[1]	1,700	**<25***	**<25***	**<25***	-	<5	-	-	-	-	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Propylbenzene (n-)	260	NE	<10	<10	<10	-	<1	-	-	-	-	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ethylbenzene	700	1,500	<10	<10	<10	-	<1	-	-	-	-	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetrachloroethene (PCE)	5	240	**4,500**	**680**	**220**	<2	**160**	**63**	2	<2	<2	**190**	<2	<2	<2	<2	**12,000**	**12,000**	**2,400**	**1,400**	-	**3,100**	**80**	**<20***	**<20***	**<10***	<2	<2	<2
Tetrahydrofuran	154	NE	<50	<50	<50	-	<10	-	-	-	-	<10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Toluene	1,000	50,000	<10	<10	<10	-	<1	-	-	-	-	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trichloroethene (TCE)	5	20	**650**	**140**	**15**	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	**2,200**	**2,300**	**990**	**800**	-	**500**	**110**	**26**	**<20***	**<10***	<2	<2	<2
Trimethylbenzene (1,2,4-)	330	1,300	<10	<10	<10	-	<1	-	-	-	-	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trimethylbenzene (1,3,5-)	330	NE	<10	<10	<10	-	<1	-	-	-	-	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vinyl Chloride	2	4	**24**	**38**	**11**	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	**<40***	**<40***	**<100***	**<100***	-	**<20***	**<10***	**<20***	**21**	**370**	**170**	**7**	**16**
Xylene (m,p-)	NE	NE	<10	<10	<10	-	<1	-	-	-	-	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Xylene (o-)	NE	NE	<10	<10	<10	-	<1	-	-	-	-	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Xylenes, Total	10,000	17,000	<10	<10	<10	-	ND	-	-	-	-	ND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total VOCs	-	-	6,125	1,168	275	ND	160	63	2	ND	ND	190	ND	ND	ND	ND	20,870	21,180	10,860	6,530	ND	6,377	935	4,426	7,701	2,219	294	46	56
Low Level VOCs - (ug/L)																													
1,4-Dioxane (LL)	0.32[2]	NE	<0.25	<0.25	<0.25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 3
Overburden Groundwater Analytical Results
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		SH-8	SH-10		SH-11																SH-12					
Sample Date	GW-1 (AGQS)	GW-2	10/30/03	10/30/03	8/18/05	10/30/03	8/16/05	9/27/11	10/25/13	1/31/14	8/29/14	11/21/16	5/24/17	11/21/17	5/22/18	5/22/19	11/25/19	5/20/20	11/24/20	5/26/21	11/23/21	5/27/22	10/30/03	8/16/05	9/27/11	5/7/14	11/21/16	5/24/17
Sampled By			SHA	SHA	SHA	SHA	SHA	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	SHA	SHA	T&B	T&B	T&B	T&B
Field Water Quality Measurements																												
Depth to Water (ft)	NE	NE																			8.11	8.43						
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	-	-	-	5.66	2.58	-	-	-	-	-	-	-	-	4.78	3.48	3.88	-	-	-	-	-	-
pH	NE	NE	-	-	-	-	-	-	-	5.85	5.78	-	-	-	-	-	-	-	-	5.75	5.84	5.75	-	-	-	-	-	-
ORP	NE	NE	-	-	-	-	-	-	-	260.8	-14.5	-	-	-	-	-	-	-	-	311.6	205	191	-	-	-	-	-	-
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	-	-	-	1,662	2	-	-	-	-	-	-	-	-	1,760	1,602	1,538	-	-	-	-	-	-
VOCs - (ug/L)																												
Acetone	6,000	NE	-	-	-	-	-	-	-	-	-	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	-	-	-	-	<50	<50
Benzene	5	2,000	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	<2	<2
Butylbenzene (n-)	260	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	<2	<2
Butylbenzene (sec-)	260	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	<2	<2
Butylbenzene (tert-)	260	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	<2	<2
Chloroethane	NE	NE	<10	<5	<5	<5	<5	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<5	<5	-	-	<2	<2
Chloroform (Trichloromethane)	70	70	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	ND	ND	ND	ND	ND	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	ND	ND	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	<2	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	**240**	9	13	**100**	**120**	49	30	30	24	15	11	12	9	5	7	7	9	6	5	6	7	54	18	17	9	3
Dichloroethylene (trans-1,2-)	100	560	5	<2	<2	2	3	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<2	<2	<2	-	-	-	-	<	<
Hexanone (2-)	2,000	50,000	-	-	-	-	-	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	-	-	-	-	<10	<10
Isopropylbenzene (Cumene)	800	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-	-	-	-	<2	<2
Isopropyltoluene (p-)	260	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	<2	<2
Butanone (2-) (MEK)	4,000	50,000	-	-	-	-	-	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<2	<10	<10	-	-	-	-	<10	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	<2	<2
Naphthalene	100[1]	1,700	-	-	-	-	-	-	-	-	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	-	-	-	-	<5	<5
Propylbenzene (n-)	260	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	<2	<2
Ethylbenzene	700	1,500	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	<2	<2
Tetrachloroethene (PCE)	5	240	**160**	**5**	**24**	**54**	**72**	**25**	**19**	**18**	**18**	**18**	**12**	**15**	**10**	**5**	**10**	**7**	**12**	**8**	**6**	**7**	**220**	**170**	**390**	**470**	**170**	**100**
Tetrahydrofuran	154	NE	-	-	-	-	-	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	-	-	-	-	<10	<10
Toluene	1,000	50,000	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	<2	<2
Trichloroethene (TCE)	5	20	**140**	3	**6**	**98**	**86**	**32**	**24**	**26**	**24**	**24**	**20**	**21**	**17**	**13**	**17**	**14**	**19**	**14**	**11**	**13**	**13**	**35**	**33**	**40**	**21**	**7**
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	<2	<2
Vinyl Chloride	2	4	<4*	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (m,p-)	NE	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	<2	<2
Xylene (o-)	NE	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	<2	<2
Xylenes, Total	10,000	17,000	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	<2	<2
Total VOCs	-	-	545	17	43	254	281	106	73	74	66	57	43	48	36	23	34	28	40	28	22	26	240	259	441	527	200	110
Low Level VOCs - (ug/L)																												
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	-	-	-	-	-	<0.25	<0.25J	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	-	-	-	-	<0.25	<0.25J

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 3
Overburden Groundwater Analytical Results
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		SH-12									SH-13					SH-14S									SH-15		
Sample Date	GW-1 (AGQS)	GW-2	11/21/17	5/22/18	5/22/19	11/25/19	5/20/20	11/24/20	5/26/21	11/23/21	5/27/22	10/30/03	8/17/05	4/20/09	9/27/11	10/24/13	8/16/05	4/20/09	9/27/11	5/24/17	5/22/18	5/22/19	5/20/20	5/26/21	5/27/22	8/17/05	4/21/09	9/27/11
Sampled By			T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	SHA	SHA	SHA	T&B	T&B	SHA	SHA	T&B	T&B	T&B	T&B	T&B	T&B	T&B	SHA	SHA	T&B
Field Water Quality Measurements																												
Depth to Water (ft)	NE	NE								9.76	10.06														6.79			
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	-	-	6.22	4.81	5.65	-	-	-	-	-	-	-	-	-	-	-	-	12.9	6.61	-	-	-
pH	NE	NE	-	-	-	-	-	-	5.84	5.93	5.76	-	-	-	-	-	-	-	-	-	-	-	-	6.00	6.04	-	-	-
ORP	NE	NE	-	-	-	-	-	-	314.8	450	242	-	-	-	-	-	-	-	-	-	-	-	-	255.3	235	-	-	-
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	-	-	926	540	776	-	-	-	-	-	-	-	-	-	-	-	-	1,161	1,504	-	-	-
VOCs - (ug/L)																												
Acetone	6,000	NE	<50	<50	<50	<50	<50	<50	<50	<50	<50	-	-	-	-	-	-	-	-	<50	<50	<50	<50	<50	<50	-	-	-
Benzene	5	2,000	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-
Butylbenzene (n-)	260	NE	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-
Butylbenzene (sec-)	260	NE	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-
Butylbenzene (tert-)	260	NE	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-
Chloroethane	NE	NE	<2	<2	<2	<2	<2	<2	<2	<2	<2	<5	<5	<5	-	-	<5	<5	-	<2	<2	<2	<2	<2	<2	<5	<5	-
Chloroform (Trichloromethane)	70	70	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	<2	<2	<2	<2	<2	<2	<2	<2	<2	ND	ND	ND	<2	<2	ND	ND	<2	<2	<2	<2	<2	<2	<2	ND	ND	<2
Dichloroethylene (1,1-)	7	630	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	4	3	4	3	4	13	5	3	4	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (trans-1,2-)	100	560	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<2	<2	<2	<	<	<	<	<	<	<	<	<	<	<	<	<2	<2	<	<	<
Hexanone (2-)	2,000	50,000	<10	<10	<10	<10	<10	<10	<10	<10	<10	-	-	-	-	-	-	-	-	<10	<10	<10	<10	<10	<10	-	-	-
Isopropylbenzene (Cumene)	800	NE	<2	<2	<2	<2	<2	<2	<10	<2	<2	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<10	<2	-	-	-
Isopropyltoluene (p-)	260	NE	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-
Butanone (2-) (MEK)	4,000	50,000	<10	<10	<10	<10	<10	<10	<2	<10	<10	-	-	-	-	-	-	-	-	<10	<10	<10	<10	<2	<10	-	-	-
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-
Naphthalene	100[1]	1,700	<5	<5	<5	<5	<5	<5	<5	<5	<5	-	-	-	-	-	-	-	-	<5	<5	<5	<5	<5	<5	-	-	-
Propylbenzene (n-)	260	NE	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-
Ethylbenzene	700	1,500	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-
Tetrachloroethene (PCE)	5	240	**110**	**65**	**88**	**95**	**81**	**270**	**110**	**66**	**66**	<2	<2	<2	2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrahydrofuran	154	NE	<10	<10	<10	<10	<10	<10	<10	<10	<10	-	-	-	-	-	-	-	-	<10	<10	<10	<10	<10	<10	-	-	-
Toluene	1,000	50,000	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-
Trichloroethene (TCE)	5	20	**10**	**6**	**9**	**8**	**9**	**32**	**14**	**8**	**9**	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,2,4-)	330	1,300	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-
Trimethylbenzene (1,3,5-)	330	NE	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-
Vinyl Chloride	2	4	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (m,p-)	NE	NE	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-
Xylene (o-)	NE	NE	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-
Xylenes, Total	10,000	17,000	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-
Total VOCs	-	-	124	74	101	106	94	315	129	77	79	ND	ND	ND	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Low Level VOCs - (ug/L)																												
1,4-Dioxane (LL)	0.32[2]	NE	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	-	-	-	-	-	-	-	-	1.2J	<0.25	<0.25	<0.25	<0.25	<0.25	-	-	-

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 3
Overburden Groundwater Analytical Results
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		SH-16		SH-17								SH-18S													
Sample Date	GW-1 (AGQS)	GW-2	8/18/05	9/27/11	8/18/05	4/20/09	9/26/11	5/27/18	5/21/19	5/21/20	5/26/21	5/26/22	8/17/05	10/25/13	10/25/13	5/7/14	11/22/16	5/25/17	11/21/17	5/23/18	5/21/19	11/26/19	5/21/20	11/23/20	5/28/21	11/22/21	5/26/22
Sampled By			SHA	T&B	SHA	SHA	T&B	T&B	T&B	T&B	T&B	T&B	SHA	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements															DUP												
Depth to Water (ft)	NE	NE										3.98														8.08	8.06
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	-	-	-	-	3.01	2.13	-	-	-	-	-	-	-	-	-	-	-	-	5.05	1.24	2.35
pH	NE	NE	-	-	-	-	-	-	-	-	7.64	5.56	-	-	-	-	-	-	-	-	-	-	-	-	5.86	5.87	5.93
ORP	NE	NE	-	-	-	-	-	-	-	-	157	158	-	-	-	-	-	-	-	-	-	-	-	-	175	-64	145
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	-	-	-	-	1,806	2,163	-	-	-	-	-	-	-	-	-	-	-	-	1,981	1,075	2,327
VOCs - (ug/L)																											
Acetone	6,000	NE	-	-	-	-	-	<50	<50	<50	<50	<50	<10	-	-	-	Well	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Benzene	5	2,000	-	-	-	-	-	<2	<2	<2	<2	<2	<1	-	-	-	Dry	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (n-)	260	NE	-	-	-	-	-	<2	<2	<2	<2	<2	<1	-	-	-	No	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (sec-)	260	NE	-	-	-	-	-	<2	<2	<2	<2	<2	<1	-	-	-	Sample	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (tert-)	260	NE	-	-	-	-	-	<2	<2	<2	<2	<2	<1	-	-	-	Collected	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroethane	NE	NE	<5	-	<5	<5	-	<2	<2	<2	<2	<2	<5	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroform (Trichloromethane)	70	70	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	ND	<2	ND	ND	<2	<2	<2	<2	<2	<2	ND	<2	<2	<2	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	2	<1	<1	<1	-	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	<2	<2	24	20	18	2	<2	3	3	2	**200**	9	10	4	-	<2	<2	<2	<2	<2	<2	<2	<2	5	3	2
Dichloroethylene (trans-1,2-)	100	560	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	5	<2	<2	<2	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<2	<2	<	<	<	<	<	<	<	<	<	<	<	<	<2	<2	<2
Hexanone (2-)	2,000	50,000	-	-	-	-	-	<10	<10	<10	<10	<10	<10	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Isopropylbenzene (Cumene)	800	NE	-	-	-	-	-	<2	<2	<2	<10	<2	<1	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2
Isopropyltoluene (p-)	260	NE	-	-	-	-	-	<2	<2	<2	<2	<2	<1	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butanone (2-) (MEK)	4,000	50,000	-	-	-	-	-	<10	<10	<10	<2	<10	<10	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<2	<10	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	-	-	-	-	<2	<2	<2	<2	<2	12	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Naphthalene	100[1]	1,700	-	-	-	-	-	<5	<5	<5	<5	<5	<5	-	-	-	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Propylbenzene (n-)	260	NE	-	-	-	-	-	<2	<2	<2	<2	<2	<1	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Ethylbenzene	700	1,500	-	-	-	-	-	<2	<2	<2	<2	<2	<1	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrachloroethene (PCE)	5	240	<2	<2	3	**34**	**6**	3	4	**7**	**7**	**5**	**94**	4	5	2	-	<2	3	<2	<2	2	<2	<2	<2	<2	<2
Tetrahydrofuran	154	NE	-	-	-	-	-	<10	<10	<10	<10	<10	<10	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Toluene	1,000	50,000	-	-	-	-	-	<2	<2	<2	<2	<2	<1	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trichloroethene (TCE)	5	20	<2	<2	3	**26**	**6**	3	3	**5**	**7**	**5**	**190**	**14**	**15**	**7**	-	4	**11**	3	4	**9**	**5**	**7**	**6**	**6**	**5**
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	-	-	<2	<2	<2	<2	<2	<1	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	-	-	<2	<2	<2	<2	<2	<1	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Vinyl Chloride	2	4	<2	<2	**10**	**4**	**7**	<2	<2	<2	<2	<2	**7**	<2	<2	<2	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (m,p-)	NE	NE	-	-	-	-	-	<2	<2	<2	<2	<2	<1	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (o-)	NE	NE	-	-	-	-	-	<2	<2	<2	<2	<2	<1	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylenes, Total	10,000	17,000	-	-	-	-	-	<2	<2	<2	<2	<2	ND	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Total VOCs	-	-	ND	ND	40	84	37	8	7	15	17	12	510	27	30	13	0	4	14	3	4	11	5	7	11	9	7
Low Level VOCs - (ug/L)																											
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	-	<0.25	<0.25	<0.25	<0.25	<0.25	-	-	-	-	-	0.69J	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 3
Overburden Groundwater Analytical Results
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		BR-5S																	BR-6S							
Sample Date	GW-1 (AGQS)	GW-2	6/28/10	10/20/10	9/26/11	1/25/12	10/24/13	1/3/14	5/7/14	8/29/14	11/22/16	5/25/17	11/21/17	5/23/18	5/21/19	11/25/19	5/20/20	11/23/20	5/25/21	11/22/21	5/24/22	9/26/11	11/21/16	5/23/17	11/21/17	5/23/18	5/21/19	11/25/19	5/19/20
Sampled By			T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements																													
Depth to Water (ft)	NE	NE																		9.3	10.17								
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	-	-	-	0.35	-	-	-	-	-	-	-	-	0.93	0.23	0.29	-	-	-	-	-	-	-	-
pH	NE	NE	-	-	-	-	-	-	-	6.36	-	-	-	-	-	-	-	-	6.30	6.25	6.03	-	-	-	-	-	-	-	-
ORP	NE	NE	-	-	-	-	-	-	-	-51.6	-	-	-	-	-	-	-	-	14	-90	-18.5	-	-	-	-	-	-	-	-
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	-	-	-	0.268	-	-	-	-	-	-	-	-	1,085	551	568	-	-	-	-	-	-	-	-
VOCs - (ug/L)																													
Acetone	6,000	NE	<100	-	-	-	-	-	-	-	210	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	-	Well	<50	<50	<50	<50	<50	<50
Benzene	5	2,000	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	Dry	<2	<2	<2	<2	<2	<2
Butylbenzene (n-)	260	NE	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	No	<2	<2	<2	<2	<2	<2
Butylbenzene (sec-)	260	NE	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	Sample	<2	<2	<2	<2	<2	<2
Butylbenzene (tert-)	260	NE	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	Collected	<2	<2	<2	<2	<2	<2
Chloroethane	NE	NE	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	<2	<2	6	<2	2	<2
Chloroform (Trichloromethane)	70	70	<15	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	-	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	ND	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	-	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	**<10***	-	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	-	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	**790**	-	**270**	**490**	15	**1,400**	4	3	4	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	**330**	-	5	14	49	30	**96**	13
Dichloroethylene (trans-1,2-)	100	560	17	-	6	11	<2	25	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	-	<2	<2	2	<2	3	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<2	<2	<2	<	<	<	<	<	<	<	<	<
Hexanone (2-)	2,000	50,000	-	-	-	-	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	-	-	<10	<10	<10	<10	<10	<10
Isopropylbenzene (Cumene)	800	NE	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-	-	<2	<2	3	<2	<2	<2
Isopropyltoluene (p-)	260	NE	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	<2	<2	<2	<2	<2	<2
Butanone (2-) (MEK)	4,000	50,000	-	-	-	-	-	-	-	-	100	<10	<10	<10	<10	<10	<10	<10	<2	<10	<10	-	-	<10	<10	<10	<10	<10	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	<20	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	<2	<2	<2	<2	<2	<2
Naphthalene	100[1]	1,700	-	-	-	-	-	-	-	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	-	-	<5	<5	<5	<5	<5	<5
Propylbenzene (n-)	260	NE	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	<2	<2	3	<2	<2	<2
Ethylbenzene	700	1,500	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	<2	<2	<2	<2	<2	<2
Tetrachloroethene (PCE)	5	240	**71**	-	**27**	**13**	<2	2	**9**	**4**	2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	**1,100**	-	<2	<2	<2	<2	<2	<2
Tetrahydrofuran	154	NE	-	-	-	-	-	-	-	-	89	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	-	-	<10	<10	<10	<10	<10	<10
Toluene	1,000	50,000	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	<2	<2	<2	<2	<2	<2
Trichloroethene (TCE)	5	20	**80**	-	**31**	**14**	<2	**81**	4	3	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	**130**	-	<2	<2	<2	<2	**13**	<2
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	<2	<2	<2	<2	<2	<2
Vinyl Chloride	2	4	**<20***	-	<2	<2	**3**	**66**	<2*	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	**<10***	-	**3**	**8**	**31J**	<2	**48**	**3**
Xylene (m,p-)	NE	NE	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	<2	<2	<2	<2	<2	<2
Xylene (o-)	NE	NE	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	<2	<2	<2	<2	<2	<2
Xylenes, Total	10,000	17,000	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-	<2	<2	<2	<2	<2	<2
Total VOCs	-	-	958	0	334	528	18	1,574	17	10	405	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1,560	0	8	22	63	30	162	16
Low Level VOCs - (ug/L)																													
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	-	-	-	-	< 0.25	0.31J	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	-	-	<0.25J	<0.25	<2.5	<0.25	**<2.5***	<0.25

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 3
Overburden Groundwater Analytical Results
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		BR-6S				CC-8										JB-1				JB-2		
Sample Date	GW-1 (AGQS)	GW-2	11/24/20	5/25/21	11/22/21	5/26/22	11/27/01	5/15/03	4/21/09	9/26/11	2/7/13	6/18/13	10/25/13	10/25/13	5/7/14	8/29/14	11/27/01	5/15/03	8/16/05	10/24/13	11/27/01	5/15/03	11/10/11
Sampled By			T&B	T&B	T&B	T&B	SHA	SHA	SHA	T&B	T&B	T&B	T&B	DUP	T&B	T&B	SHA	SHA	SHA	T&B	SHA	SHA	T&B
Field Water Quality Measurements																							
Depth to Water (ft)	NE	NE			7.8	8.36																	
Dissolved Oxygen (mg/L)	NE	NE	-	0.48	0.32	0.88	-	-	-	-	5.05	1.58	-	-	-	0.71	-	-	-	-	-	-	-
pH	NE	NE	-	6.26	6.09	6.18	-	-	-	-	5.25	5.88	-	-	-	5.29	-	-	-	-	-	-	-
ORP	NE	NE	-	166	38	35	-	-	-	-	105.3	256	-	-	-	-16.9	-	-	-	-	-	-	-
Specific Conductance (ms/cm)	NE	NE	-	403.2	269	446	-	-	-	-	0.689	0.115	-	-	-	0.189	-	-	-	-	-	-	-
VOCs - (ug/L)																							
Acetone	6,000	NE	<50	<50	<50	<50	-	<10	-	-	-	-	-	-	-	-	-	<10	-	-	-	<10	-
Benzene	5	2,000	<2	<2	<2	<2	-	<1	-	-	-	-	-	-	-	-	-	<1	-	-	-	<1	<1
Butylbenzene (n-)	260	NE	<2	<2	<2	<2	-	<1	-	-	-	-	-	-	-	-	-	<1	-	-	-	<1	-
Butylbenzene (sec-)	260	NE	<2	<2	<2	<2	-	<1	-	-	-	-	-	-	-	-	-	<1	-	-	-	<1	-
Butylbenzene (tert-)	260	NE	<2	<2	<2	<2	-	<1	-	-	-	-	-	-	-	-	-	<1	-	-	-	<1	-
Chloroethane	NE	NE	2	3	<2	2	<5	<5	<5	-	-	-	-	-	-		<5	<5	<5	-	<5	<5	<5
Chloroform (Trichloromethane)	70	70	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	<2	<2	<2	<2	ND	ND	ND	<2	<2	<2	<2	<2	<2	<2	ND	ND	ND	<2	ND	ND	<2
Dichloroethylene (1,1-)	7	630	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	45	**96**	12	**110**	**170**	18	**72**	6	43	3	10	12	<2	8	<2	15	10	46	<2	18	<2
Dichloroethylene (trans-1,2-)	100	560	2	3	<2	3	7	<2	3	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<2	<2	<2	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
Hexanone (2-)	2,000	50,000	<10	<10	<10	<10	-	<10	-	-	-	-	-	-	-	-	-	<10	-	-	-	<10	<10
Isopropylbenzene (Cumene)	800	NE	<2	<10	<2	<2	-	<1	-	-	-	-	-	-	-	-	-	<1	-	-	-	<1	-
Isopropyltoluene (p-)	260	NE	<2	<2	<2	<2	-	<1	-	-	-	-	-	-	-	-	-	<1	-	-	-	<1	-
Butanone (2-) (MEK)	4,000	50,000	<10	<2	<10	<10	-	<10	-	-	-	-	-	-	-	-	-	<10	-	-	-	<10	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	<2	<2	<2	<2	-	<5	-	-	-	-	-	-	-	-	-	<5	-	-	-	<5	-
Naphthalene	100[1]	1,700	<5	<5	<5	<5	-	<5	-	-	-	-	-	-	-	-	-	<5	-	-	-	<5	-
Propylbenzene (n-)	260	NE	<2	<2	<2	<2	-	<1	-	-	-	-	-	-	-	-	-	<1	-	-	-	<1	-
Ethylbenzene	700	1,500	<2	<2	<2	<2	-	<1	-	-	-	-	-	-	-	-	-	<1	-	-	-	<1	-
Tetrachloroethene (PCE)	5	240	<2	<2	<2	<2	**36**	**6**	**50**	3	**13**	<2	3	2	<2	<2	4	**390**	**10**	<2	**64**	**30**	**7**
Tetrahydrofuran	154	NE	<10	<10	<10	<10	-	<10	-	-	-	-	-	-	-	-	-	<10	-	-	-	<10	<10
Toluene	1,000	50,000	<2	<2	<2	<2	-	<1	-	-	-	-	-	-	-	-	-	<1	-	-	-	<1	-
Trichloroethene (TCE)	5	20	**5**	<2	<2	<2	**68**	3	**26**	3	**10**	<2	4	4	<2	3	<2	**11**	<2	2	4	**9**	<2
Trimethylbenzene (1,2,4-)	330	1,300	<2	<2	<2	<2	-	<1	-	-	-	-	-	-	-	-	-	<1	-	-	-	<1	-
Trimethylbenzene (1,3,5-)	330	NE	<2	<2	<2	<2	-	<1	-	-	-	-	-	-	-	-	-	<1	-	-	-	<1	-
Vinyl Chloride	2	4	**21**	**36**	**11**	**43**	<2	<2	<2	<2	**2**	<2	<2	<2	<2	<2	<2	<2	<2	**14**	<2	<2	<2
Xylene (m,p-)	NE	NE	<2	<2	<2	<2	-	<1	-	-	-	-	-	-	-	-	-	<1	-	-	-	<1	-
Xylene (o-)	NE	NE	<2	<2	<2	<2	-	<1	-	-	-	-	-	-	-	-	-	<1	-	-	-	<1	-
Xylenes, Total	10,000	17,000	<2	<2	<2	<2	-	ND	-	-	-	-	-	-	-	-	-	ND	-	-	-	ND	-
Total VOCs	-	-	75	138	23	158	281	27	151	12	68	3	17	18	0	11	4	416	20	62	68	57	7
Low Level VOCs - (ug/L)																							
1,4-Dioxane (LL)	0.32[2]	NE	<0.25	<2.5	<0.25	**<12***	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 3
Overburden Groundwater Analytical Results
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		JB-3								MW-1		MW-02R											MW-13	
Sample Date	GW-1 (AGQS)	GW-2	11/27/01	5/15/03	5/15/03	8/16/05	4/22/09	11/10/11	1/25/12	2/7/13	9/28/11	1/31/14	11/22/16	5/26/17	11/22/17	5/23/18	5/22/19	11/25/19	5/20/20	11/24/20	5/26/21	11/23/21	5/27/22	9/30/11	10/24/13
Sampled By			SHA	SHA	SHA	SHA	SHA	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements					DUP																				
Depth to Water (ft)	NE	NE																				3.85	4.48		
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	-	-	-	0.36	-	6.39	-	-	-	-	-	-	-	-	0.55	0.04	0.25	-	-
pH	NE	NE	-	-	-	-	-	-	-	6.51	-	5.92	-	-	-	-	-	-	-	-	6.26	6.28	6.23	-	-
ORP	NE	NE	-	-	-	-	-	-	-	-36.8	-	240.3	-	-	-	-	-	-	-	-	193	-101	26	-	-
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	-	-	-	0.188	-	757	-	-	-	-	-	-	-	-	417.9	395	270	-	-
VOCs - (ug/L)																									
Acetone	6,000	NE	-	<50	<50	-	-	-	-	-	-	-	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	-	-
Benzene	5	2,000	-	<5	<5	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-
Butylbenzene (n-)	260	NE	-	<5	<5	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-
Butylbenzene (sec-)	260	NE	-	<5	<5	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-
Butylbenzene (tert-)	260	NE	-	<5	<5	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-
Chloroethane	NE	NE	<500	<30	<30	<5	<30	<30	<30	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-
Chloroform (Trichloromethane)	70	70	**<100***	<5	<5	<2	<5	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	ND	ND	ND	ND	ND	ND	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2
Dichloroethylene (1,1-)	7	630	**<100***	<5	<5	1	<5	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<1
Dichloroethylene (cis-1,2-)	70	NE	**8,200**	**180**	**180**	**5,200**	42	45	**160**	**160**	36	<2	<2	7	6	9	11	3	6	8	8	9	3	**810**	**290**
Dichloroethylene (trans-1,2-)	100	560	**300**	7	7	**180**	<5	<10	4	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	11J	6
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<2	<2	<2	<	<
Hexanone (2-)	2,000	50,000	-	<50	<50	-	-	-	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	-	-
Isopropylbenzene (Cumene)	800	NE	-	<5	<5	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-	-
Isopropyltoluene (p-)	260	NE	-	<5	<5	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-
Butanone (2-) (MEK)	4,000	50,000	-	<50	<50		-	-	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<2	<10	<10	-	-
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	<5	<5	-	-	-	-	-	-	-	<2	<2	3	2	3	<2	<2	<2	<2	<2	<2	-	-
Naphthalene	100[1]	1,700	-	**<30***	**<30***	-	-	-	-	-	-	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	-	-
Propylbenzene (n-)	260	NE	-	<5	<5	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-
Ethylbenzene	700	1,500	-	<2	<2	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-
Tetrachloroethene (PCE)	5	240	**100**	**490**	**470**	**73**	**660**	**650**	**400**	**110**	**14**	<2	**9**	**39**	**40**	**52**	**72**	**19**	**21**	**10**	**17**	**15**	**20**	**810**	2
Tetrahydrofuran	154	NE	-	<50	<50	-	-	-	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	-	-
Toluene	1,000	50,000	-	<5	<5	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-
Trichloroethene (TCE)	5	20	**500**	**38**	**37**	**87**	**16**	**20**	**29**	**18**	**11**	<2	3	**18**	**11**	**19**	**21**	**5**	**9**	**8**	**19**	**9**	**6**	**430**	<2
Trimethylbenzene (1,2,4-)	330	1,300	-	<5	<5	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-
Trimethylbenzene (1,3,5-)	330	NE	-	<5	<5	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-
Vinyl Chloride	2	4	**<200***	**<10***	**<10***	**<40***	**<10***	**<10***	**16**	**6**	<2	<2	<2	**8**	<2	**4J**	<2	**3**	**4**	**10**	**9**	**23**	2	**<10***	**41**
Xylene (m,p-)	NE	NE	-	<5	<5	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-
Xylene (o-)	NE	NE	-	<5	<5	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-
Xylenes, Total	10,000	17,000	-	ND	ND	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-
Total VOCs	-	-	9,100	715	694	5,541	718	715	609	294	61	ND	12	72	60	82	107	30	40	36	53	56	31	2,050	339
Low Level VOCs - (ug/L)																									
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	-	-	-	-	-	-	<0.25	<0.25	<0.25	<0.25	**<1.2***	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	-	-

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 3
Overburden Groundwater Analytical Results
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		MW-14														MW-15S										
Sample Date	GW-1 (AGQS)	GW-2	9/26/11	2/7/13	10/24/13	8/29/14	11/21/16	5/23/17	11/22/17	5/23/18	5/22/19	11/26/19	5/19/20	11/23/2020	5/25/21	11/23/21	5/24/22	9/28/11	9/28/11	6/18/13	11/22/16	5/23/17	11/21/17	5/22/18	5/21/19	11/25/19	5/19/20	11/24/2020
Sampled By			T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	DUP	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements																												
Depth to Water (ft)	NE	NE														7.5	8.26											
Dissolved Oxygen (mg/L)	NE	NE	-	0.51	-	0.25	-	-	-	-	-	-	-	-	0.53	0.28	0.15	-	-	0	-	-	-	-	-	-	-	-
pH	NE	NE	-	6.52	-	6.49	-	-	-	-	-	-	-	-	6.52	6.53	6.59	-	-	5.95	-	-	-	-	-	-	-	-
ORP	NE	NE	-	-87.6	-	-121.2	-	-	-	-	-	-	-	-	121	-73	-63	-	-	150	-	-	-	-	-	-	-	-
Specific Conductance (ms/cm)	NE	NE	-	0.496	-	0.851	-	-	-	-	-	-	-	-	180.7	238	148	-	-	0.839	-	-	-	-	-	-	-	-
VOCs - (ug/L)																												
Acetone	6,000	NE	-	-	-	-	<50	<50	<50	<250	<250	<250	<250	<250	<50	<50	<250	-	-	-	<50	<50	<50	<50	<50	<50	<50	<50
Benzene	5	2,000	-	-	-	-	<2	<2	<2	**<10***	**<10***	**<10***	**<10***	**<10***	<2	<2	**<10***	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (n-)	260	NE	-	-	-	-	<2	<2	<2	<10	<10	<10	<10	<10	<2	<2	<10	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (sec-)	260	NE	-	-	-	-	3	2	2	<10	<10	<10	<10	<10	<2	<2	<10	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (tert-)	260	NE	-	-	-	-	<2	<2	<2	<10	<10	<10	<10	<10	<2	<2	<10	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2
Chloroethane	NE	NE	-	-	-	-	<2	<2	2	<10	<10	<10	<10	<10	<2	<2	<10	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2
Chloroform (Trichloromethane)	70	70	<20	<2	<2	<2	<2	<2	<2	<10	<10	<10	<10	<10	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	<20	<2	<2	<2	<2	<2	<2	<10	<10	<10	<10	<10	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	<10	<1	<1	<1	<1	<1	4	<5	<5	**11**	<5	**12**	1	4	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	**2,000**	**480**	17	<2	36	**460**	**920**	**660**	**1,400**	**1,200**	**1,600**	**970**	**320**	**1,400**	**1,300**	**110**	**110**	**89**	15	17	19	10	14	4	5	4
Dichloroethylene (trans-1,2-)	100	560	49	25	26	2	12	8	17	14	22	22	24	23	7	22	19	4J	4J	3	<2	<2	<2	<2	<2	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<	<2	<2	**<10***	<	<	<	<	<	<	<	<	<	<	<
Hexanone (2-)	2,000	50,000	-	-	-	-	<10	<10	<10	<50	<50	<50	<50	<50	<10	<10	<50	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10
Isopropylbenzene (Cumene)	800	NE	-	-	-	-	2	<2	<2	<10	<10	<10	<10	<10	<10	<2	<10	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2
Isopropyltoluene (p-)	260	NE	-	-	-	-	5	4	4	<10	<10	<10	<10	<10	<2	<2	<10	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2
Butanone (2-) (MEK)	4,000	50,000	-	-	-	-	<10	<10	<10	<50	<50	<50	<50	<50	<2	<10	<50	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	-	-	-	<2	<2	<2	<10	<10	<10	<10	<10	<2	<2	<10	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2
Naphthalene	100[1]	1,700	-	-	-	-	<5	<5	<5	<25	<25	<25	<25	<25	<5	<5	**<25***	-	-	-	<5	<5	<5	<5	<5	<5	<5	<5
Propylbenzene (n-)	260	NE	-	-	-	-	4	2	3	<10	<10	<10	<10	<10	<2	<2	<10	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2
Ethylbenzene	700	1,500	-	-	-	-	<2	<2	<2	<10	<10	<10	<10	<10	<2	<2	<10	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2
Tetrachloroethene (PCE)	5	240	**4,600**	<2	<2	<2	<2	<2	<2	**<10***	**<10***	**<10***	**<10***	**<10***	<2	<2	**<10***	**82**	**77**	**51**	<2	**10**	**9**	**6**	**6**	<2	4	<2
Tetrahydrofuran	154	NE	-	-	-	-	<10	<10	<10	<50	<50	<50	<50	<50	<10	<10	<50	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10
Toluene	1,000	50,000	-	-	-	-	<2	<2	<2	<10	<10	<10	<10	<10	<2	<2	<10	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2
Trichloroethene (TCE)	5	20	**1,100**	3	<2	<2	<2	2	**260**	**<10***	**<10***	**190**	**<10***	**190**	3	**67**	**20**	**28**	**26**	**20**	**5**	4	4	3	4	<2	<2	<2
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	-	48	27	39	17	<10	<10	<10	<10	<2	<2	<10	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	-	5	<2	<2	<10	<10	<10	<10	<10	<2	<2	<10	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2
Vinyl Chloride	2	4	**<20***	**260**	**65**	<2	**68**	**260**	**230**	**230J**	**360**	**490**	**170**	**440**	**140**	**240**	**160**	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (m,p-)	NE	NE	-	-	-	-	<2	<2	<2	<10	<10	<10	<10	<10	<2	<2	<10	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (o-)	NE	NE	-	-	-	-	3	<2	2	<10	<10	<10	<10	<10	<2	<2	<10	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2
Xylenes, Total	10,000	17,000	-	-	-	-	3	<2	2	<10	<10	<10	<10	<10	<2	<2	<10	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2
Total VOCs	-	-	7,749	768	108	2	189	765	1,485	691	1,782	1,913	1,794	1,635	471	1,733	1,499	220	213	163	20	31	32	19	24	4	9	4
Low Level VOCs - (ug/L)																												
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	2.0J	0.43J	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	-	-	-	<0.25	0.49J	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 3
Overburden Groundwater Analytical Results
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		MW-15S			MW-16S
Sample Date Sampled By	GW-1 (AGQS)	GW-2	5/26/21 T&B	11/22/21 T&B	5/24/22 T&B	9/28/11 T&B
Field Water Quality Measurements						
Depth to Water (ft)	NE	NE		1.53	1.82	
Dissolved Oxygen (mg/L)	NE	NE	1.11	0.10	0.31	-
pH	NE	NE	5.84	5.83	5.88	-
ORP	NE	NE	73	-121	47	-
Specific Conductance (ms/cm)	NE	NE	1,042	999	994	-
VOCs - (ug/L)						
Acetone	6,000	NE	<50	<50	<50	-
Benzene	5	2,000	<2	<2	<2	-
Butylbenzene (n-)	260	NE	<2	<2	<2	-
Butylbenzene (sec-)	260	NE	<2	<2	<2	-
Butylbenzene (tert-)	260	NE	<2	<2	<2	-
Chloroethane	NE	NE	<2	<2	<2	-
Chloroform (Trichloromethane)	70	70	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	6	6	7	<2
Dichloroethylene (trans-1,2-)	100	560	<2	<2	<2	<2
Dichloropropane, 1,2-	50	5	<2	<2	<2	<
Hexanone (2-)	2,000	50,000	<10	<10	<10	-
Isopropylbenzene (Cumene)	800	NE	<10	<2	<2	-
Isopropyltoluene (p-)	260	NE	<2	<2	<2	-
Butanone (2-) (MEK)	4,000	50,000	<2	<10	<10	-
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	<2	<2	<2	-
Naphthalene	100[(1)]	1,700	<5	<5	<5	-
Propylbenzene (n-)	260	NE	<2	<2	<2	-
Ethylbenzene	700	1,500	<2	<2	<2	-
Tetrachloroethene (PCE)	5	240	3	<2	<2	<2
Tetrahydrofuran	154	NE	<10	<10	<10	-
Toluene	1,000	50,000	<2	<2	<2	-
Trichloroethene (TCE)	5	20	<2	<2	<2	<2
Trimethylbenzene (1,2,4-)	330	1,300	<2	<2	<2	-
Trimethylbenzene (1,3,5-)	330	NE	<2	<2	<2	-
Vinyl Chloride	2	4	<2	<2	<2	<2
Xylene (m,p-)	NE	NE	<2	<2	<2	-
Xylene (o-)	NE	NE	<2	<2	<2	-
Xylenes, Total	10,000	17,000	<2	<2	<2	-
Total VOCs	-	-	9	6	7	ND
Low Level VOCs - (ug/L)						
1,4-Dioxane (LL)	0.32[(2)]	NE	<0.25	<0.25	<0.25	-

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 4
Shallow/Intermediate Bedrock Groundwater Analytical Results
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		SH-14D													
Sample Date	GW-1 (AGQS)	GW-2	8/16/05	4/20/09	9/27/11	5/7/14	11/21/16	5/24/17	11/21/17	5/22/18	5/22/19	11/25/19	5/20/20	11/24/20	5/26/21	11/22/21	5/27/22
Sampled By			SHA	SHA	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements																	
Depth to Water (ft)	NE	NE														5.69	6.42
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	-	-	-	-	-	-	-	-	0.55	0.60	0.38
pH	NE	NE	-	-	-	-	-	-	-	-	-	-	-	-	5.68	5.78	5.72
ORP	NE	NE	-	-	-	-	-	-	-	-	-	-	-	-	288	-125	224
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	-	-	-	-	-	-	-	-	816	756	697
VOCs - (ug/L)																	
Acetone	6,000	NE	-	-	-	-	<50	<50	<50	<50	<50	<50	<50	<250	<250	<250	<250
Benzene	5	2,000	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	**<10***	**<10***	**<10***	**<10***
Butylbenzene (n-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<10	<10	<10	<10
Butylbenzene (sec-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<10	<10	<10	<10
Butylbenzene (tert-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<10	<10	<10	<10
Chloroethane	NE	NE	<5	<5	-	-	<2	<2	<2	<2	<2	<2	<2	<10	<10	<10	<10
Chloroform (Trichloromethane)	70	70	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	<10	<10	<10
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	ND	ND	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	<10	<10	<10
Dichloroethylene (1,1-)	7	630	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<5	<5	<5
Dichloroethylene (cis-1,2-)	70	NE	14	15	10	9	11	6	5	6	10	8	15	18	15	14	18
Dichloroethylene (trans-1,2-)	100	560	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	<10	<10	<10
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<	**<10***	**<10***	**<10***
Hexanone (2-)	2,000	50,000	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<50	<50	<50	<50
Isopropylbenzene (Cumene)	800	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<10	<50	<10	<10
Isopropyltoluene (p-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<10	<10	<10	<10
Butanone (2-) (MEK)	4,000	50,000	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<50	<10	<50	<50
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	-	-	-	7	<2	<2	<2	<2	<2	<2	<10	<10	<10	<10
Naphthalene	100[(1)]	1,700	-	-	-	-	<5	<5	<5	<5	<5	<5	<5	<25	<25	<25	<25
Propylbenzene (n-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<10	<10	<10	<10
Ethylbenzene	700	1,500	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<10	<10	<10	<10
Tetrachloroethene (PCE)	5	240	**210**	**290**	**210**	**240**	**150**	**260**	**240**	**270**	**390**	**360**	**580**	**570**	**490**	**470**	**480**
Tetrahydrofuran	154	NE	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<50	<50	<50	<50
Toluene	1,000	50,000	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<10	<10	<10	<10
Trichloroethene (TCE)	5	20	**20**	**25**	**19**	**20**	**15**	**18**	**17**	**20**	**32**	**29**	**47**	**54**	**51**	**44**	**59**
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<10	<10	<10	<10
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<10	<10	<10	<10
Vinyl Chloride	2	4	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	**<10***	**<10***	**<10***	**<10***
Xylene (m,p-)	NE	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<10	<10	<10	<10
Xylene (o-)	NE	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<10	<10	<10	<10
Xylenes, Total	10,000	17,000	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<10	<10	<10	<10
Total VOCs	-	-	244	330	239	269	183	284	262	296	432	397	642	642	556	528	557
Low Level VOCs - (ug/L)																	
1,4-Dioxane (LL)	0.32[(2)]	NE	-	-	-	-	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 4
Shallow/Intermediate Bedrock Groundwater Analytical Results
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		SH-18D														
Sample Date	GW-1 (AGQS)	GW-2	8/17/05	9/28/11	10/25/13	10/25/13	5/7/14	8/29/14	11/21/16	5/25/17	11/21/17	5/23/18	5/21/19	11/26/19	5/21/20	11/23/20	5/28/21	11/22/21	5/26/22
Sampled By			SHA	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements						DUP													
Depth to Water (ft)	NE	NE																9.85	9.98
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	-	2.31	-	-	-	-	-	-	-	-	0.65	0.11	1.03
pH	NE	NE	-	-	-	-	-	5.81	-	-	-	-	-	-	-	-	6.09	6.05	6.31
ORP	NE	NE	-	-	-	-	-	-12.4	-	-	-	-	-	-	-	-	231.6	-104	84.5
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	-	0.667	-	-	-	-	-	-	-	-	3,806	1,550	2,379
VOCs - (ug/L)																			
Acetone	6,000	NE	20	-	-	-	-	-	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Benzene	5	2,000	<1	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (n-)	260	NE	<1	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (sec-)	260	NE	<1	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (tert-)	260	NE	<1	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroethane	NE	NE	<5	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroform (Trichloromethane)	70	70	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	ND	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	<1	<1	<1	<1	<1	<1	<1	<1	1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	**190**	**230**	**130**	**120**	**180**	**160**	62	33	**97**	33	40	**170**	64	**76**	51	50	33
Dichloroethylene (trans-1,2-)	100	560	3	5	3	3	3	3	<2	<2	<2	3	<2	<2	<2	<2	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<2	<2	<2
Hexanone (2-)	2,000	50,000	<10	-	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Isopropylbenzene (Cumene)	800	NE	<1	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2
Isopropyltoluene (p-)	260	NE	<1	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butanone (2-) (MEK)	4,000	50,000	<10	-	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<2	<10	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	**68**	-	-	-	-	-	<2	<2	2	<2	<2	2	<2	<2	<2	<2	<2
Naphthalene	100[1]	1,700	<5	-	-	-	-	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Propylbenzene (n-)	260	NE	<1	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Ethylbenzene	700	1,500	<1	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrachloroethene (PCE)	5	240	**160**	**460**	**95**	**77**	**37**	**38**	**29**	**18**	**26**	**12**	**10**	**6**	**5**	**10**	**9**	**7**	4
Tetrahydrofuran	154	NE	<10	-	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Toluene	1,000	50,000	<1	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trichloroethene (TCE)	5	20	**94**	**160**	**89**	**86**	**190**	**250**	**200**	**110**	**160**	**64**	**71**	**17**	**54**	**92**	**110**	**100**	**71**
Trimethylbenzene (1,2,4-)	330	1,300	<1	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	<1	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Vinyl Chloride	2	4	**7**	<2	<2	<2	<2	**5**	<2	<2	<2	<2	<2	**2**	<2	<2	**4**	<2	<2
Xylene (m,p-)	NE	NE	<1	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (o-)	NE	NE	<1	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylenes, Total	10,000	17,000	ND	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Total VOCs	-	-	542	855	317	286	410	456	291	161	286	112	121	197	123	178	174	157	108
Low Level VOCs - (ug/L)																			
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	-	-	<0.25	<0.25	0.33	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 4
Shallow/Intermediate Bedrock Groundwater Analytical Results
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		SH-19										BR-3			BR-3 (50-55')	BR-3 (89-92')	BR-3
Sample Date	GW-1 (AGQS)	GW-2	8/18/05	8/18/05	4/21/09	9/27/11	10/24/13	5/26/17	5/23/18	5/23/19	5/20/20	5/26/21	5/27/22	10/30/03	8/17/05	4/21/09	5/18/10	5/18/10	9/10/10
Sampled By			SHA	SHA	SHA	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	SHA	SHA	SHA	T&B	T&B	T&B
Field Water Quality Measurements				DUP															
Depth to Water (ft)	NE	NE											9.70						
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	-	-	-	-	-	1.1	0.35	-	-	-	-	-	-
pH	NE	NE	-	-	-	-	-	-	-	-	-	6.36	5.96	-	-	-	-	-	-
ORP	NE	NE	-	-	-	-	-	-	-	-	-	66	17	-	-	-	-	-	-
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	-	-	-	-	-	1,307	1,381	-	-	-	-	-	-
VOCs - (ug/L)																			
Acetone	6,000	NE	<50	<50	-	-	-	<50	<50	<50	<50	<50	<50	-	-	-	-	-	-
Benzene	5	2,000	<5	<5	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-
Butylbenzene (n-)	260	NE	13	13	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-
Butylbenzene (sec-)	260	NE	5	5	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-
Butylbenzene (tert-)	260	NE	<5	<5	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-
Chloroethane	NE	NE	<30	<30	<5	-	-	<2	<2	<2	<2	<2	<2	<50	<50	<5	-	-	-
Chloroform (Trichloromethane)	70	70	<5	<5	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	<10	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	ND	ND	ND	<2	<2	<2	<2	<2	<2	<2	<2	ND	ND	ND	ND	ND	ND
Dichloroethylene (1,1-)	7	630	<5	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	**<10***	**<10***	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	46	46	2	2	3	<2	<2	<2	<2	<2	<2	<10	<10	<2	3	<2	<2
Dichloroethylene (trans-1,2-)	100	560	<5	<5	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	<10	<2	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<2	<2	<	<	<	<	<	<
Hexanone (2-)	2,000	50,000	<50	<50	-	-	-	<10	<10	<10	<10	<10	<10	-	-	-	-	-	-
Isopropylbenzene (Cumene)	800	NE	39	40	-	-	-	<2	<2	<2	<2	<10	<2	-	-	-	-	-	-
Isopropyltoluene (p-)	260	NE	<5	<5	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-
Butanone (2-) (MEK)	4,000	50,000	<50	<50	-	-	-	<10	<10	<10	<10	<2	<10	-	-	-	-	-	-
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	<5	<5	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-
Naphthalene	100[1]	1,700	**100**	**100**	-	-	-	<5	<5	<5	<5	<5	<5	-	-	-	-	-	-
Propylbenzene (n-)	260	NE	100	110	-	-	-	<2	<2	<2	5	<2	<2	-	-	-	-	-	-
Ethylbenzene	700	1,500	<5	<5	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-
Tetrachloroethene (PCE)	5	240	**13**	**15**	4	4	**5**	2	<2	<2	<2	<2	<2	**850**	**810**	3	**48**	4	**91**
Tetrahydrofuran	154	NE	<50	<50	-	-	-	<10	<10	<10	<10	<10	<10	-	-	-	-	-	-
Toluene	1,000	50,000	58	54	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-
Trichloroethene (TCE)	5	20	**13**	**13**	<2	<2	<2	<2	<2	<2	<2	<2	<2	**<10***	**10**	<2	<2	<2	<2
Trimethylbenzene (1,2,4-)	330	1,300	180	180	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-
Trimethylbenzene (1,3,5-)	330	NE	**500**	**500**	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-
Vinyl Chloride	2	4	**<10***	**<10***	<2	<2	<2	<2	<2	<2	<2	<2	<2	**<20***	**<20***	<2	<2	<2	<2
Xylene (m,p-)	NE	NE	470	470	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-
Xylene (o-)	NE	NE	62	59	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-
Xylenes, Total	10,000	17,000	532	529	-	-	-	<2	<2	<2	<2	<2	<2	-	-	-	-	-	-
Total VOCs	-	-	2,131	2,134	6	6	8	2	ND	ND	5	ND	ND	850	820	3	51	4	91
Low Level VOCs - (ug/L)																			
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	-	0.67J	<0.25	**<1.2***	**<1.2***	**<5***	<0.25	-	-	-	-	-	-

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 4
Shallow/Intermediate Bedrock Groundwater Analytical Results
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		BR-3I (50-55')																		
Sample Date	GW-1 (AGQS)	GW-2	6/28/10	9/26/11	9/26/11	1/25/12	10/24/13	1/31/14	1/31/14	5/7/14	8/29/14	11/21/16	5/24/17	11/22/17	5/24/18	5/22/19	11/26/19	5/20/20	11/24/20	5/28/21	11/23/21	5/26/22
Sampled By			T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements					DUP				DUP													
Depth to Water (ft)	NE	NE																			3.6	4.21
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	-	19.81	-	-	-	-	-	-	-	-	-	-	-	0.05	0.33	0.32
pH	NE	NE	-	-	-	-	-	9.12	-	-	-	-	-	-	-	-	-	-	-	6.74	6.44	7.07
ORP	NE	NE	-	-	-	-	-	262	-	-	-	-	-	-	-	-	-	-	-	-77	-80	-67
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	-	169	-	-	-	-	-	-	-	-	-	-	-	410	455	249
VOCs - (ug/L)																						
Acetone	6,000	NE	<50	-	-	-	-	-	-	-	-	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Benzene	5	2,000	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (n-)	260	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (sec-)	260	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (tert-)	260	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroethane	NE	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	2	2	2	3	3	<2
Chloroform (Trichloromethane)	70	70	<7.5	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	ND	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	20	<2	<2	<2	22	6	6	5	20	**150**	**120**	20	25	6	18	20	<2	14	13	10
Dichloroethylene (trans-1,2-)	100	560	<7.5	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<2	<2	<2
Hexanone (2-)	2,000	50,000	-	-	-	-	-	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Isopropylbenzene (Cumene)	800	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2
Isopropyltoluene (p-)	260	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butanone (2-) (MEK)	4,000	50,000	-	-	-	-	-	-	-	-	-	18	<10	<10	<10	<10	<10	<10	<10	<2	<10	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	<10	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Naphthalene	100[1]	1,700	-	-	-	-	-	-	-	-	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Propylbenzene (n-)	260	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Ethylbenzene	700	1,500	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrachloroethene (PCE)	5	240	**250**	**39**	**35**	**30**	**240**	**83**	**77**	**62**	**220**	**15**	<2	<2	<2	<2	<2	4	**12**	**23**	**31**	<2
Tetrahydrofuran	154	NE	-	-	-	-	-	-	-	-	-	**330J**	130	81	54	<10	<10	<10	<10	<10	<10	<10
Toluene	1,000	50,000	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trichloroethene (TCE)	5	20	**6.8**	<2	<2	<2	**7**	3	3	2	**7**	3	<2	<2	**5**	<2	<2	**34**	**34**	**48**	**24**	<2
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Vinyl Chloride	2	4	**<10***	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	**9**	**4J**	<2	**5**	**2**	<2	<2	<2	<2
Xylene (m,p-)	NE	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (o-)	NE	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylenes, Total	10,000	17,000	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Total VOCs	-	-	276.8	39	35	30	269	92	86	69	247	186	250	110	84	6	25	62	48	88	71	10
Low Level VOCs - (ug/L)																						
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	-	-	-	-	-	<0.25	<0.25	<0.25	0.26	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 4
Shallow/Intermediate Bedrock Groundwater Analytical Results
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		BR-4S												
Sample Date	GW-1 (AGQS)	GW-2	1/25/12	8/17/12	8/29/14	11/21/16	5/24/17	11/22/17	5/24/18	5/23/19	11/26/19	5/21/20	11/23/20	5/28/21	11/23/21	5/24/22
Sampled By			T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements																
Depth to Water (ft)	NE	NE													4.1	5.02
Dissolved Oxygen (mg/L)	NE	NE	-	0.37	0.35	-	-	-	-	-	-	-	-	0.75	5.32	0.21
pH	NE	NE	-	4.66	6.26	-	-	-	-	-	-	-	-	6.38	6.52	6.51
ORP	NE	NE	-	-215.9	-95.7	-	-	-	-	-	-	-	-	2,444	100	91
Specific Conductance (ms/cm)	NE	NE	-	522	1.589	-	-	-	-	-	-	-	-	127.2	195	140
VOCs - (ug/L)																
Acetone	6,000	NE	-	-	-	160	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Benzene	5	2,000	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (n-)	260	NE	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (sec-)	260	NE	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (tert-)	260	NE	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroethane	NE	NE	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroform (Trichloromethane)	70	70	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	ND	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	<1	**<10***	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	**340**	**1,600**	<2	**75**	**82**	14	15	2	13	<2	2	<2	<2	16
Dichloroethylene (trans-1,2-)	100	560	3	31	4	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<2	<2	<2
Hexanone (2-)	2,000	50,000	-	-	-	11J	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Isopropylbenzene (Cumene)	800	NE	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2
Isopropyltoluene (p-)	260	NE	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butanone (2-) (MEK)	4,000	50,000	-	-	-	210	45	<10	<10	<10	<10	<10	<10	<2	<10	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Naphthalene	100[1]	1,700	-	-	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Propylbenzene (n-)	260	NE	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Ethylbenzene	700	1,500	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrachloroethene (PCE)	5	240	**12**	**12**	<2	<2	<2	**94**	**7**	**48**	**25**	**32**	**13**	**75**	**63**	**44**
Tetrahydrofuran	154	NE	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Toluene	1,000	50,000	-	-	-	9	6	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trichloroethene (TCE)	5	20	<2	**19**	<2	<2	<2	**10**	**10**	**6**	2	<2	<2	4	<2	**16**
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Vinyl Chloride	2	4	**<1,000***	<2	**3**	**42**	**47**	<2	**3J**	<2	**6**	<2	<2	<2	<2	<2
Xylene (m,p-)	NE	NE	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (o-)	NE	NE	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylenes, Total	10,000	17,000	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Total VOCs	-	-	355	1,662	7	496	180	118	32	56	46	32	15	79	63	76
Low Level VOCs - (ug/L)																
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	<0.25	<0.25	0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 4
Shallow/Intermediate Bedrock Groundwater Analytical Results
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		BR-4I																			
Sample Date Sampled By	GW-1 (AGQS)	GW-2	6/28/10 T&B	9/10/10 T&B	10/20/10 T&B	1/25/12 T&B	8/17/12 T&B	2/7/13 T&B	6/18/13 T&B	10/24/13 T&B	1/31/14 T&B	8/29/14 T&B	11/21/16 T&B	5/24/17 T&B	11/22/17 T&B	5/24/18 T&B	5/23/19 T&B	11/26/19 T&B	5/21/20 T&B	11/24/20 T&B	5/28/21 T&B	11/23/21 T&B	5/24/22 T&B
Field Water Quality Measurements																							
Depth to Water (ft)	NE	NE																				4.73	5.41
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	0.45	-	0	-	0.35	0.53	-	-	-	-	-	-	-	-	0.02	0.18	0.25
pH	NE	NE	-	-	-	-	4.91	-	6.46	-	6.25	6.10	-	-	-	-	-	-	-	-	6.71	6.63	6.55
ORP	NE	NE	-	-	-	-	-175.4	-	-119	-	-88.6	-93.8	-	-	-	-	-	-	-	-	-96	-99	-82
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	2,513	-	1.21	-	3,253	2.173	-	-	-	-	-	-	-	-	284	370	192
VOCs - (ug/L)																							
Acetone	6,000	NE	<5,000	-	-	-	-	-	-	-	-	-	100	<50	<250	<50	<50	<50	<50	<50	<50	<50	<50
Benzene	5	2,000	-	-	-	-	-	-	-	-	-	-	<2	<2	**<10***	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (n-)	260	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (sec-)	260	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (tert-)	260	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2
Chloroethane	NE	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<10	<2	<2	3	<2	3	<2	<2	<2
Chloroform (Trichloromethane)	70	70	**<750***	**<400***	-	**<400***	**<100***	**<100***	**<100***	**<1,000***	<2	<10	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	ND	<400	-	<400	<100	<100	<100	**<1,000***	<2	<10	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	**<750***	**<200***	-	**<200***	**<50***	**<50***	**<50***	**<500***	<1	<5	<1	<1	<5	<1	<1	<1	<1	3	2	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	**<500***	**510**	-	**680**	**12,000**	**24,000**	**23,000**	**13,000**	47	**220**	**440**	46	36	10	15	15	14	**790**	**240**	2	36
Dichloroethylene (trans-1,2-)	100	560	**<750***	**<400***	-	**<400***	**210**	**380**	**460**	**<1,000***	7	<10	7	<2	<10	7	5	14	10	31	8	6	3
Dichloropropane, 1,2-	50	5	<	<	-	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<2	<2	<2
Hexanone (2-)	2,000	50,000	-	-	-	-	-	-	-	-	-	-	30	<10	<50	<10	<10	<10	<10	<10	<10	<10	<10
Isopropylbenzene (Cumene)	800	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<10	<2	<2	<2	<2	<2	<10	<2	<2
Isopropyltoluene (p-)	260	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2
Butanone (2-) (MEK)	4,000	50,000	-	-	-	-	-	-	-	-	-	-	420	<10	<50	<10	<10	<10	<10	<10	<2	<10	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	<1,000	-	-	-	-	-	-	-	-	-	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2
Naphthalene	100[1]	1,700	-	-	-	-	-	-	-	-	-	-	<5	<5	**<25***	<5	<5	<5	<5	<5	<5	<5	<5
Propylbenzene (n-)	260	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2
Ethylbenzene	700	1,500	-	-	-	-	-	-	-	-	-	-	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2
Tetrachloroethene (PCE)	5	240	**120,000**	**110,000**	-	**72,000**	**200**	**<100***	**<100***	**150,000**	<2	**<10**	**19**	4	**<10***	<2	<2	<2	<2	<2	<2	<2	<2
Tetrahydrofuran	154	NE	-	-	-	-	-	-	-	-	-	-	**390**	21	<50	16	<10	<10	<10	<10	<10	<10	<10
Toluene	1,000	50,000	-	-	-	-	-	-	-	-	-	-	3	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2
Trichloroethene (TCE)	5	20	**840**	**1,000**	-	**1,500**	**2,100**	**<100***	**<100***	**9,000**	<2	<10	**6**	2	**<10***	<2	<2	<2	<2	**56**	**8**	<2	<2
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	-	-	-	-	-	-	-	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	-	-	-	-	-	-	-	2	<2	<10	3	<2	<2	<2	<2	<2	<2	<2
Vinyl Chloride	2	4	**<1,000***	**<400***	-	**<400***	**<25***	**2,900**	**6,000**	**<1,000***	**130**	**800**	**140**	**29**	**15**	**5J**	**12**	**21**	**6**	**400**	**200**	2	**36**
Xylene (m,p-)	NE	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (o-)	NE	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<10	<2	<2	2	2	2	<2	2	<2
Xylenes, Total	10,000	17,000	-	-	-	-	-	-	-	-	-	-	<2	<2	<10	<2	<2	<2	2	2	<2	2	<2
Total VOCs	-	-	120,840	111,510	0	74,180	14,510	27,280	29,460	172,000	184	1,020	1,557	102	51	36	32	55	32	1,287	458	12	75
Low Level VOCs - (ug/L)																							
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	-	-	-	-	-	-	<0.25	0.54J	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	0.29

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 4
Shallow/Intermediate Bedrock Groundwater Analytical Results
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		BR-5I														
Sample Date	GW-1 (AGQS)	GW-2	6/28/10	9/10/10	10/20/10	9/26/11	2/7/13	10/24/13	11/22/16	5/24/17	11/21/17	5/23/18	5/21/19	11/25/19	5/20/20	11/23/20	5/25/21	11/23/21	5/24/22
Sampled By			T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements																			
Depth to Water (ft)	NE	NE																8.1	10.70
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	0.29	-	-	-	-	-	-	-	-	-	0.06	0.04	0.28
pH	NE	NE	-	-	-	-	5.87	-	-	-	-	-	-	-	-	-	6.74	6.91	6.43
ORP	NE	NE	-	-	-	-	-84.7	-	-	-	-	-	-	-	-	-	-100	-128	-36
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	0.639	-	-	-	-	-	-	-	-	-	321	652	404
VOCs - (ug/L)																			
Acetone	6,000	NE	<200	-	-	-	-	-	480	<50	75	<50	<50	<50	<50	<50	<50	<50	<50
Benzene	5	2,000	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (n-)	260	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (sec-)	260	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (tert-)	260	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroethane	NE	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	12	4	4	<2	<2	<2
Chloroform (Trichloromethane)	70	70	<30	<40	-	<20	<20	<20	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	ND	<40	-	<20	<20	<20	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	**<40***	**<20***	-	**<10***	**<10***	**<10***	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	<20	**2,000**	-	**2,000**	**4,100**	**2,600**	**94**	17	39	14	4	56	<2	15	9	8	4
Dichloroethylene (trans-1,2-)	100	560	38	50	-	24	86	48	<2	<2	2	2	<2	16	3	3	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<2	<2	<2
Hexanone (2-)	2,000	50,000	-	-	-	-	-	-	16	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Isopropylbenzene (Cumene)	800	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2
Isopropyltoluene (p-)	260	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butanone (2-) (MEK)	4,000	50,000	-	-	-	-	-	-	450	31	49	44	<10	<10	<10	<10	<2	<10	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	<40	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Naphthalene	100[1]	1,700	-	-	-	-	-	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Propylbenzene (n-)	260	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Ethylbenzene	700	1,500	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrachloroethene (PCE)	5	240	**2,500**	**5,000**	-	**280**	**98**	**26**	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrahydrofuran	154	NE	-	-	-	-	-	-	**1,000J**	**190**	**200**	43	<10	<10	<10	<10	<10	<10	<10
Toluene	1,000	50,000	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trichloroethene (TCE)	5	20	**410**	**860**	-	**280**	**500**	**100**	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Vinyl Chloride	2	4	**<40***	**<40***	-	**<20***	**65**	**24**	**5**	<2	<2	<2	<2	**66**	<2	**6**	**2**	**9**	<2
Xylene (m,p-)	NE	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (o-)	NE	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylenes, Total	10,000	17,000	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Total VOCs	-	-	2,948	7,910	0	2,584	4,849	2,798	1,045	238	365	103	4	150	7	28	11	17	4
Low Level VOCs - (ug/L)																			
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	-	-	**5.5**	<0.25	<0.25	0.26	**<1.2***	**<2.5***	**<1.2***	**<2.5**	<0.25	<0.25	<0.25

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 4
Shallow/Intermediate Bedrock Groundwater Analytical Results
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		BR-6I														
Sample Date	GW-1 (AGQS)	GW-2	6/29/10	9/10/10	10/20/10	9/26/11	10/24/13	8/29/14	11/21/16	5/23/17	11/21/17	5/23/18	5/21/19	11/25/19	5/19/20	11/23/20	5/25/21	11/22/21	5/26/22
Sampled By			T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements																			
Depth to Water (ft)	NE	NE																8.85	9.50
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.92	0.27	4.83
pH	NE	NE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.54	6.42	6.48
ORP	NE	NE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	141.7	303	113
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	597	667	562
VOCs - (ug/L)																			
Acetone	6,000	NE	<100	-	-	-	-	-	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Benzene	5	2,000	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (n-)	260	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (sec-)	260	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (tert-)	260	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroethane	NE	NE	-	-	-	-	-	-	4	<2	5J	<2	2	4	<2	3	5	7	2
Chloroform (Trichloromethane)	70	70	<15	<10	-	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	ND	ND	-	<10	<2	<2	<2	<2	<20	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	**<10***	<5	-	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	**280**	**260**	**-**	**390**	**93**	47	**150**	10	55	21	31	50	24	36	44	64	36
Dichloroethylene (trans-1,2-)	100	560	<15	<10	-	<10	2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<2	<2	<2
Hexanone (2-)	2,000	50,000	-	-	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Isopropylbenzene (Cumene)	800	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2
Isopropyltoluene (p-)	260	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butanone (2-) (MEK)	4,000	50,000	-	-	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<2	<10	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	<20	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Naphthalene	100[1]	1,700	-	-	-	-	-	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Propylbenzene (n-)	260	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Ethylbenzene	700	1,500	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrachloroethene (PCE)	5	240	**1,200**	**930**	**-**	**2,200**	**100**	**35**	**12**	**5**	**9**	<2	3	**18**	**7**	**21**	**19**	**30**	**15**
Tetrahydrofuran	154	NE	-	-	**-**	**-**	**-**	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Toluene	1,000	50,000	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trichloroethene (TCE)	5	20	**150**	**120**	**-**	**220**	**59**	**30**	**16**	**6**	**15**	3	**7**	**15**	**11**	**20**	**16**	**25**	**14**
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Vinyl Chloride	2	4	**<20***	**<10***	-	**<10***	**4**	**4**	**7**	<2	<2	<2	<2	<2	<2	<2	**3**	**13**	**3**
Xylene (m,p-)	NE	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (o-)	NE	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylenes, Total	10,000	17,000	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Total VOCs	-	-	1,630	1,310	0	2,810	258	116	189	21	79	24	43	87	42	80	87	141	70
Low Level VOCs - (ug/L)																			
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	-	-	<0.25	<0.25	<0.25J	<0.25J	**<1.2***	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 4
Shallow/Intermediate Bedrock Groundwater Analytical Results
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		MW-15I												MW-16D											
Sample Date	GW-1 (AGQS)	GW-2	9/26/11	6/18/13	11/22/16	5/23/17	11/21/17	5/22/18	5/21/19	11/25/19	5/19/20	11/24/2020	5/26/21	11/22/21	5/24/22	9/28/11	11/21/16	5/23/17	11/21/17	5/23/18	5/21/19	11/25/19	5/19/20	11/24/2020	5/26/21	11/22/21	5/26/22
Sampled By			T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements																											
Depth to Water (ft)	NE	NE												1.07	1.42											7.27	7.38
Dissolved Oxygen (mg/L)	NE	NE	-	0	-	-	-	-	-	-	-	-	1.85	0.04	0.17	-	-	-	-	-	-	-	-	-	5.1	0.32	5.72
pH	NE	NE	-	5.97	-	-	-	-	-	-	-	-	5.90	5.84	5.98	-	-	-	-	-	-	-	-	-	10.98	11.57	11.23
ORP	NE	NE	-	136	-	-	-	-	-	-	-	-	188	-134	133	-	-	-	-	-	-	-	-	-	58	-124	-14.2
Specific Conductance (ms/cm)	NE	NE	-	1.19	-	-	-	-	-	-	-	-	932	1,023	924	-	-	-	-	-	-	-	-	-	2,355	4,123	1,292
VOCs - (ug/L)																											
Acetone	6,000	NE	-	-	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	-	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Benzene	5	2,000	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (n-)	260	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (sec-)	260	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (tert-)	260	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroethane	NE	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroform (Trichloromethane)	70	70	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	**320**	**290**	**110**	37	3	34	27	29	23	27	26	23	24	23	9	3	2	2	2	<2	<2	3	<2	2	<2
Dichloroethylene (trans-1,2-)	100	560	10	10	4	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<2	<2	<2	<	<	<	<	<	<	<	<	<	<2	<2	<2
Hexanone (2-)	2,000	50,000	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Isopropylbenzene (Cumene)	800	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2
Isopropyltoluene (p-)	260	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butanone (2-) (MEK)	4,000	50,000	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<2	<10	<10	-	<10	<10	<10	<10	<10	<10	<10	<2	<10	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Naphthalene	100[1]	1,700	-	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Propylbenzene (n-)	260	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Ethylbenzene	700	1,500	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrachloroethene (PCE)	5	240	**210**	**170**	**63**	**37**	**14**	**34**	**28**	**27**	**31**	**21**	**24**	**18**	**17**	**54**	**20**	**10**	**7**	**6**	**6**	**5**	**6**	**7**	**6**	**6**	<2
Tetrahydrofuran	154	NE	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Toluene	1,000	50,000	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trichloroethene (TCE)	5	20	**75**	**64**	**25**	**12**	<2	**11**	**10**	**9**	**9**	**8**	**9**	**6**	**6**	**10**	**5**	2	<2	<2	<2	<2	<2	2	<2	2	<2
Trimethylbenzene (1,2,4-)	330	1,300	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Vinyl Chloride	2	4	**4**	**4**	**3**	<2	<2	<2	<2	<2	<2	<2	<2	2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (m,p-)	NE	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (o-)	NE	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylenes, Total	10,000	17,000	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Total VOCs	-	-	619	538	205	86	17	79	65	65	63	56	59	49	47	87	34	15	9	8	8	5	6	12	6	10	ND
Low Level VOCs - (ug/L)																											
1,4-Dioxane (LL)	0.32[2]	NE	-	-	<0.25	0.51J	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	-	<0.25	<0.25J	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 4
Shallow/Intermediate Bedrock Groundwater Analytical Results
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		MW-17							MW-19						
Sample Date	GW-1 (AGQS)	GW-2	9/28/11	9/28/11	5/23/17	5/23/18	5/22/19	5/20/20	5/26/21	5/26/22	9/28/11	5/24/17	5/22/18	5/22/19	5/20/20	5/26/21	5/26/22
Sampled By			T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements				DUP													
Depth to Water (ft)	NE	NE								9.25							4.39
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	-	-	3.97	3.91	-	-	-	-	-	3.53	0.16
pH	NE	NE	-	-	-	-	-	-	6.44	6.56	-	-	-	-	-	7.23	6.91
ORP	NE	NE	-	-	-	-	-	-	267	121	-	-	-	-	-	230	73.4
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	-	-	158.6	154	-	-	-	-	-	86.5	139
VOCs - (ug/L)																	
Acetone	6,000	NE	-	-	<50	<50	<50	<50	<50	<50	-	<50	<50	<50	<50	<50	<50
Benzene	5	2,000	-	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Butylbenzene (n-)	260	NE	-	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Butylbenzene (sec-)	260	NE	-	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Butylbenzene (tert-)	260	NE	-	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Chloroethane	NE	NE	-	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Chloroform (Trichloromethane)	70	70	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (trans-1,2-)	100	560	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<2	<2	<	<	<	<	<	<	<2
Hexanone (2-)	2,000	50,000	-	-	<10	<10	<10	<10	<10	<10	-	<10	<10	<10	<10	<10	<10
Isopropylbenzene (Cumene)	800	NE	-	-	<2	<2	<2	<2	<10	<2	-	<2	<2	<2	<2	<10	<2
Isopropyltoluene (p-)	260	NE	-	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Butanone (2-) (MEK)	4,000	50,000	-	-	<10	<10	<10	<10	<2	<10	-	<10	<10	<10	<10	<2	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Naphthalene	100[1]	1,700	-	-	<5	<5	<5	<5	<5	<5	-	<5	<5	<5	<5	<5	<5
Propylbenzene (n-)	260	NE	-	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Ethylbenzene	700	1,500	-	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Tetrachloroethene (PCE)	5	240	<2	<2	**5**	<2	<2	<2	<2	<2	4	<2	<2	<2	<2	<2	<2
Tetrahydrofuran	154	NE	-	-	<10	<10	<10	<10	<10	<10	-	<10	<10	<10	<10	<10	<10
Toluene	1,000	50,000	-	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Trichloroethene (TCE)	5	20	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,2,4-)	330	1,300	-	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	-	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Vinyl Chloride	2	4	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (m,p-)	NE	NE	-	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Xylene (o-)	NE	NE	-	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Xylenes, Total	10,000	17,000	-	-	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Total VOCs	-	-	ND	ND	5	ND	ND	ND	ND	ND	4	ND	ND	ND	ND	ND	ND
Low Level VOCs - (ug/L)																	
1,4-Dioxane (LL)	0.32[2]	NE	-	-	<0.25J	<0.25	<0.25	<0.25	<0.25	<0.25	-	0.63J	<0.25	<0.25	<0.25	<0.25	<0.25

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 4
Shallow/Intermediate Bedrock Groundwater Analytical Results
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		MW-22S											MW-24						MW-27						
Sample Date	GW-1 (AGQS)	GW-2	9/26/11	11/21/16	5/24/17	11/22/17	5/23/18	5/21/19	11/25/19	5/19/20	11/23/2020	5/25/21	11/22/21	5/24/22	5/16/12	5/24/18	5/22/19	5/20/20	5/25/21	5/26/22	5/16/12	5/23/17	5/22/18	5/21/19	5/19/20	5/26/21	5/24/22
Sampled By			T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements																											
Depth to Water (ft)	NE	NE											7.6	8.41						3.85							9.39
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	-	-	-	-	-	0.14	0.29	0.32	-	-	-	-	1.5	3.03	-	-	-	-	-	1.75	5.62
pH	NE	NE	-	-	-	-	-	-	-	-	-	6.63	6.65	6.79	-	-	-	-	5.76	5.57	-	-	-	-	-	6.07	6.51
ORP	NE	NE	-	-	-	-	-	-	-	-	-	-49	-78	-95	-	-	-	-	272	102	-	-	-	-	-	162	118
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	-	-	-	-	-	304	380	334	-	-	-	-	1,452	1,422	-	-	-	-	-	479	301
VOCs - (ug/L)																											
Acetone	6,000	NE	-	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	-	<50	<50	<50	<50	<50	-	<50	<50	<50	<50	<50	<50
Benzene	5	2,000	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Butylbenzene (n-)	260	NE	-	<2	<2	<2	2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Butylbenzene (sec-)	260	NE	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Butylbenzene (tert-)	260	NE	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Chloroethane	NE	NE	-	7	<2	3	5	5	7	6	9	7	7	5	-	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Chloroform (Trichloromethane)	70	70	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	<5	2	<1	<1	<1	1	<1	<1	1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	**540**	**71**	19	32	42	**150**	**80**	55	66	**160**	28	**110**	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (trans-1,2-)	100	560	16	2	<2	<2	3	6	4	3	3	6	2	4	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<2	<2	<2	<	<	<	<	<2	<2	<	<	<	<	<	<2	<2
Hexanone (2-)	2,000	50,000	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	-	<10	<10	<10	<10	<10	-	<10	<10	<10	<10	<10	<10
Isopropylbenzene (Cumene)	800	NE	-	<2	3	2	3	2	<2	2	<2	<10	<2	2	-	<2	<2	<2	<10	<2	-	<2	<2	<2	<2	<10	<2
Isopropyltoluene (p-)	260	NE	-	<2	<2	<2	<2	<2	<2	<2	<2	3	<2	<2	-	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Butanone (2-) (MEK)	4,000	50,000	-	<10	<10	<10	<10	<10	<10	<10	<10	<2	<10	<10	-	<10	<10	<10	<2	<10	-	<10	<10	<10	<10	<2	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Naphthalene	100[1]	1,700	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	-	<5	<5	<5	<5	<5	-	<5	<5	<5	<5	<5	<5
Propylbenzene (n-)	260	NE	-	<2	6	4	6	3	<2	3	<2	3	<2	<2	-	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Ethylbenzene	700	1,500	-	<2	<2	3	5	3	<2	3	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Tetrachloroethene (PCE)	5	240	**1,900**	<2	<2	<2	3	**9**	**6**	**10**	**9**	**9**	**6**	2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrahydrofuran	154	NE	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	-	<10	<10	<10	<10	<10	-	<10	<10	<10	<10	<10	<10
Toluene	1,000	50,000	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Trichloroethene (TCE)	5	20	**170**	**51**	**18**	**27**	**38**	**36**	**40**	**35**	**41**	**30**	**18**	**25**	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,2,4-)	330	1,300	-	7	29	9	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	-	<2	<2	<2	2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Vinyl Chloride	2	4	**<10***	**23**	**16**	**14**	**29J**	**110**	**66**	**31**	**40**	**110**	**50**	**88**	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (m,p-)	NE	NE	-	<2	7	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Xylene (o-)	NE	NE	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Xylenes, Total	10,000	17,000	-	<2	7	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Total VOCs	-	-	2,626	163	105	94	109	325	203	148	169	328	111	236	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Low Level VOCs - (ug/L)																											
1,4-Dioxane (LL)	0.32[2]	NE	-	<5.0J	**3.3J**	**0.47J**	<2.5	**<5.0***	**<2.5***	**<1.2***	<0.25	**<5***	**<5***	**<5***	-	<0.25	<0.25	<0.25	<0.25	<0.25	-	**0.48J**	<0.25	<0.25	<0.25	<0.25	<0.25

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 5
Deep Bedrock Groundwater Analytical Results
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		BR-1			BR-1 (78-81')	BR-1 (82-85')	BR-1D (75.5-85.5')	BR-1		
Sample Date	GW-1 (AGQS)	GW-2	10/30/03	8/17/05	4/20/09	5/18/10	5/18/10	6/28/10	9/10/10	9/27/11	1/25/12
Sampled By			SHA	SHA	SHA	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements											
Depth to Water (ft)	NE	NE									
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	-	-	-	-	-
pH	NE	NE	-	-	-	-	-	-	-	-	-
ORP	NE	NE	-	-	-	-	-	-	-	-	-
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	-	-	-	-	-
VOCs - (ug/L)											
Acetone	6,000	NE	-	-	-	-	-	<50	NA	NA	NA
Benzene	5	2,000	-	-	-	-	-	-	-	-	-
Butylbenzene (n-)	260	NE	-	-	-	-	-	-	-	-	-
Butylbenzene (sec-)	260	NE	-	-	-	-	-	-	-	-	-
Butylbenzene (tert-)	260	NE	-	-	-	-	-	-	-	-	-
Chloroethane	NE	NE	<3000	<500	<50	-	-	-			
Chloroform (Trichloromethane)	70	70	**<500***	**<100***	<10	**<100***	**<100***	<7.5	**<400***	<20	<40
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	ND	ND	ND	ND	ND	ND	<400	<20	<40
Dichloroethylene (1,1-)	7	630	**<500***	**<100***	**<10***	**<50***	**<50***	**<7.5***	**<200***	**<10***	**<20***
Dichloroethylene (cis-1,2-)	70	NE	**<500***	**700**	**1,900**	**18,000**	**47,000**	**6,400**	**21,000**	**3,800**	**6,700**
Dichloroethylene (trans-1,2-)	100	560	**<500***	**<100***	30	**690**	**1,800**	**140**	**590**	**110**	**170**
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<
Hexanone (2-)	2,000	50,000	-	-	-	-	-	-	-	-	-
Isopropylbenzene (Cumene)	800	NE	-	-	-	-	-	-	-	-	-
Isopropyltoluene (p-)	260	NE	-	-	-	-	-	-	-	-	-
Butanone (2-) (MEK)	4,000	50,000	-	-	-	-	-	-	-	-	-
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	-	-	-	-	<10	NA	NA	NA
Naphthalene	100[(1)]	1,700	-	-	-	-	-	-	-	-	-
Propylbenzene (n-)	260	NE	-	-	-	-	-	-	-	-	-
Ethylbenzene	700	1,500	-	-	-	-	-	-	-	-	-
Tetrachloroethene (PCE)	5	240	**43,000**	**11,000**	**1,900**	**8,000**	**18,000**	**3,000**	**9,900**	**1,800**	**3,000**
Tetrahydrofuran	154	NE	-	-	-	-	-	-	-	-	-
Toluene	1,000	50,000	-	-	-	-	-	-	-	-	-
Trichloroethene (TCE)	5	20	**3,500**	**2,200**	**80**	**4,000**	**12,000**	**960**	**4,100**	**990**	**2,000**
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	-	-	-	-	-	-
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	-	-	-	-	-	-
Vinyl Chloride	2	4	**<1,000***	**<200***	**<20***	**<100***	**<100***	**<10***	**<400***	**<20***	**<40***
Xylene (m,p-)	NE	NE	-	-	-	-	-	-	-	-	-
Xylene (o-)	NE	NE	-	-	-	-	-	-	-	-	-
Xylenes, Total	10,000	17,000	-	-	-	-	-	-	-	-	-
Total VOCs	-	-	46,500	13,900	3,910	30,690	78,800	10,500	35,590	6,700	11,870
Low Level VOCs - (ug/L)											
1,4-Dioxane (LL)	0.32[(2)]	NE	-	-	-	-	-	-	-	-	-

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 5
Deep Bedrock Groundwater Analytical Results
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		BR-1D															BR-1 (82-85') DUP	BR-1D DUP
Sample Date	GW-1 (AGQS)	GW-2	8/17/12	2/7/13	6/18/13	10/24/13	5/7/14	8/29/14	11/21/16	5/23/17	11/22/17	5/24/18	5/22/19	11/26/19	5/19/20	11/23/20	5/25/21	11/23/21	5/24/22	5/18/10	2/7/13
Sampled By			T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements																					
Depth to Water (ft)	NE	NE																7.12	7.72		
Dissolved Oxygen (mg/L)	NE	NE	1.31	2.11	1.70	-	-	-	-	-	-	-	-	-	-	-	0.55	0.10	3.4	-	-
pH	NE	NE	7.87	5.05	5.18	-	-	-	-	-	-	-	-	-	-	-	6.87	6.69	6.87	-	-
ORP	NE	NE	-230.1	-351.4	83	-	-	-	-	-	-	-	-	-	-	-	69	-124	41	-	-
Specific Conductance (ms/cm)	NE	NE	282	1.359	2.36	-	-	-	-	-	-	-	-	-	-	-	683	102	85.4	-	-
VOCs - (ug/L)																					
Acetone	6,000	NE	-	-	-	-	-	-	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	-	NA
Benzene	5	2,000	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-
Butylbenzene (n-)	260	NE	-	-	-	-	-	-	<2	<2	<2	<2	<50	<2	<2	<2	<2	<2	<2	-	-
Butylbenzene (sec-)	260	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	2	<2	<2	-	-
Butylbenzene (tert-)	260	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-
Chloroethane	NE	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	3	<2	80	93	3	<2	-	-
Chloroform (Trichloromethane)	70	70	<40	<40	<40	<20	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	**<100***	<40
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	<40	<40	<40	<20	<20	<2	<2	<2	<2	<2	3	<2	<2	<2	<2	<2	<2	ND	<40
Dichloroethylene (1,1-)	7	630	**<20***	**<20***	**<20***	**<10***	<1	<1	<1	<1	<1	<1	<2	<2	<2	<1	<1	<1	<1	**<50***	**<20***
Dichloroethylene (cis-1,2-)	70	NE	**6,100**	**5,700**	**6,700**	**3,500**	**900**	9	24	13	6	3	<2	<2	8	5	9	5	4	**47,000**	**5,300**
Dichloroethylene (trans-1,2-)	100	560	**170**	**170**	**180**	64	14	3	5	2	<2	<2	<1	3	<2	8	16	<2	<2	**1,800**	**160**
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<	<	<	2	<2	<2	<	<
Hexanone (2-)	2,000	50,000	-	-	-	-	-	-	<10	<10	<10	<10	6	<10	<10	<10	<10	<10	<10	-	-
Isopropylbenzene (Cumene)	800	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-	-
Isopropyltoluene (p-)	260	NE	-	-	-	-	-	-	<2	<2	<2	<2	<10	<2	<2	<2	<2	<2	<2	-	-
Butanone (2-) (MEK)	4,000	50,000	-	-	-	-	-	-	20	<10	<10	<10	<2	<2	<10	<10	<2	<10	<10	-	-
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	NA
Naphthalene	100[1]	1,700	-	-	-	-	-	-	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	-	-
Propylbenzene (n-)	260	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-
Ethylbenzene	700	1,500	-	-	-	-	-	-	<2	<2	<2	<2	<5	<2	<2	<2	<2	<2	<2	-	-
Tetrachloroethene (PCE)	5	240	**2,200**	**1,800**	**1,700**	**38**	**16**	4	<2	<2	4	3	<2	<2	4	2	2	<2	**5**	**18,000**	**1,700**
Tetrahydrofuran	154	NE	-	-	-	-	-	-	**460J**	**210**	**250**	**210**	<2	44	<10	35	20	<10	<10	-	-
Toluene	1,000	50,000	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-
Trichloroethene (TCE)	5	20	**1,400**	**4,100**	**3,100**	**490**	<2	<2	<2	**5**	<2	2	**83**	<2	3	<2	<2	3	4	**12,000**	**3,800**
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	-	-	-	<2	<2	<2	<2	2	<2	<2	<2	<2	<2	<2	-	-
Vinyl Chloride	2	4	**<10***	**<40***	**<40***	**<20***	**130**	**11**	**20**	**10**	<2	<2	<2	<2	<2	**3**	**13**	**4**	<2	**<100***	**<40***
Xylene (m,p-)	NE	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-
Xylene (o-)	NE	NE	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-
Xylenes, Total	10,000	17,000	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	-
Total VOCs	-	-	9,870	11,770	11,680	4,092	1,060	27	69	240	260	218	94	50	15	133	157.52	15	13	78,800	10,960
Low Level VOCs - (ug/L)																					
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	-	-	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	**0.52**	**0.52**	<0.25	<0.25	-	-

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 5
Deep Bedrock Groundwater Analytical Results
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		BR-2			BR-2 (85-88') packer	BR-2D (83-88')	BR-2		BR-2		BR-2	
Sample Date	GW-1 (AGQS)	GW-2	10/30/03	8/17/05	4/22/09	5/18/10	6/28/10	9/10/10	10/20/10	11/10/11	1/25/12	8/17/12	2/7/13
Sampled By			SHA	SHA	SHA	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements													
Depth to Water (ft)	NE	NE											
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	-	-	-	-	-	0.43	0.55
pH	NE	NE	-	-	-	-	-	-	-	-	-	4.95	4.78
ORP	NE	NE	-	-	-	-	-	-	-	-	-	-119.5	-10.8
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	-	-	-	-	-	2,138	0.102
VOCs - (ug/L)													
Acetone	6,000	NE	-	-	-	-	<50	NA	-	NA	NA	-	-
Benzene	5	2,000	-	-	-	-	-	-	-	-	-	-	-
Butylbenzene (n-)	260	NE	-	-	-	-	-	-	-	-	-	-	-
Butylbenzene (sec-)	260	NE	-	-	-	-	-	-	-	-	-	-	-
Butylbenzene (tert-)	260	NE	-	-	-	-	-	-	-	-	-	-	-
Chloroethane	NE	NE	<100	<500	<500	-	-	-	-	-	-	-	-
Chloroform (Trichloromethane)	70	70	<20	**<100***	**<100***	<40	<7.5	<20	-	<20	<2	<20	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	ND	ND	ND	ND	ND	22	-	<20	<2	<20	<2
Dichloroethylene (1,1-)	7	630	**<20***	**<100***	**<100***	**<20***	<5	**<10***	-	**<10***	<1	**<20***	<1
Dichloroethylene (cis-1,2-)	70	NE	**260**	**600**	**600**	**480**	**370**	**540**	-	**220**	**120**	**2,600**	**120**
Dichloroethylene (trans-1,2-)	100	560	<20	<100	<100	<40	<7.5	<20	-	<20	<2	21	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<
Hexanone (2-)	2,000	50,000	-	-	-	-	-	-	-	-	-	-	-
Isopropylbenzene (Cumene)	800	NE	-	-	-	-	-	-	-	-	-	-	-
Isopropyltoluene (p-)	260	NE	-	-	-	-	-	-	-	-	-	-	-
Butanone (2-) (MEK)	4,000	50,000	-	-	-	-	-	-	-	-	-	-	-
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	-	-	-	<10	NA	-	NA	NA	-	-
Naphthalene	100[1]	1,700	-	-	-	-	-	-	-	-	-	-	-
Propylbenzene (n-)	260	NE	-	-	-	-	-	-	-	-	-	-	-
Ethylbenzene	700	1,500	-	-	-	-	-	-	-	-	-	-	-
Tetrachloroethene (PCE)	5	240	**6,200**	**8,700**	**10,000**	**6,200**	**4,700**	**6,200**	-	**2,000**	**6**	**110**	**33**
Tetrahydrofuran	154	NE	-	-	-	-	-	-	-	-	-	-	-
Toluene	1,000	50,000	-	-	-	-	-	-	-	-	-	-	-
Trichloroethene (TCE)	5	20	**470**	**700**	**900**	**700**	**460**	**710**	-	**320**	4	**650**	**71**
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	-	-	-	-	-	-	-	-
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	-	-	-	-	-	-	-	-
Vinyl Chloride	2	4	**<40***	**<200***	**<200***	**<40***	**<10***	**<20***	-	**<20***	<2	**<5***	<2
Xylene (m,p-)	NE	NE	-	-	-	-	-	-	-	-	-	-	-
Xylene (o-)	NE	NE	-	-	-	-	-	-	-	-	-	-	-
Xylenes, Total	10,000	17,000	-	-	-	-	-	-	-	-	-	-	-
Total VOCs	-	-	6,930	10,000	11,500	7,380	5,530	7,472	0	2,540	130	3,381	224
Low Level VOCs - (ug/L)													
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	-	-	-	-	-	-	-

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 5
Deep Bedrock Groundwater Analytical Results
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		BR-2D														BR-2 DUP
Sample Date	GW-1 (AGQS)	GW-2	6/18/13	10/24/13	5/7/14	8/29/14	11/21/16	5/23/17	11/21/17	5/23/18	5/22/19	11/26/19	5/19/20	11/23/20	5/25/21	11/22/21	5/24/22	4/22/09
Sampled By			T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	SHA
Field Water Quality Measurements																		
Depth to Water (ft)	NE	NE														7.8	8.57	
Dissolved Oxygen (mg/L)	NE	NE	0	-	-	0.4	-	-	-	-	-	-	-	-	10.4	0.23	0.32	-
pH	NE	NE	4.75	-	-	5.49	-	-	-	-	-	-	-	-	6.07	6.28	6.26	-
ORP	NE	NE	143	-	-	69.1	-	-	-	-	-	-	-	-	33	-19.2	-7.7	-
Specific Conductance (ms/cm)	NE	NE	0.087	-	-	0.073	-	-	-	-	-	-	-	-	35.5	52	184	-
VOCs - (ug/L)																		
Acetone	6,000	NE	-	-	-	-	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	-
Benzene	5	2,000	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Butylbenzene (n-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Butylbenzene (sec-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Butylbenzene (tert-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Chloroethane	NE	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<300
Chloroform (Trichloromethane)	70	70	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<50
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	ND
Dichloroethylene (1,1-)	7	630	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	**<50***
Dichloroethylene (cis-1,2-)	70	NE	**120**	**100**	16	47	37	7	14	3	6	9	6	8	9	13	4	**640**
Dichloroethylene (trans-1,2-)	100	560	<2	10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<50
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<	<2	<2	<2	<
Hexanone (2-)	2,000	50,000	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	-
Isopropylbenzene (Cumene)	800	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-
Isopropyltoluene (p-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Butanone (2-) (MEK)	4,000	50,000	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<2	<10	<10	-
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Naphthalene	100[(1)]	1,700	-	-	-	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	-
Propylbenzene (n-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Ethylbenzene	700	1,500	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Tetrachloroethene (PCE)	5	240	2	**28**	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	**9,500**
Tetrahydrofuran	154	NE	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	-
Toluene	1,000	50,000	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Trichloroethene (TCE)	5	20	**14**	**15**	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	**930**
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Vinyl Chloride	2	4	<2	**470**	**4**	**6**	**4**	<2	<2	<2	<2	**5**	<2	**4**	<2	**11**	**3**	**<100***
Xylene (m,p-)	NE	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Xylene (o-)	NE	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Xylenes, Total	10,000	17,000	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-
Total VOCs	-	-	136	623	20	53	41	7	14	3	6	14	6	12	9	24	7	11,070
Low Level VOCs - (ug/L)																		
1,4-Dioxane (LL)	0.32[(2)]	NE	-	-	-	-	<0.25	<0.25	0.26	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	-

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 5
Deep Bedrock Groundwater Analytical Results
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		BR-4D																				
Sample Date Sampled By	GW-1 (AGQS)	GW-2	6/28/10 T&B	9/10/10 T&B	10/20/10 T&B	11/10/11 T&B	1/25/12 T&B	8/17/12 T&B	2/7/13 T&B	6/18/13 T&B	10/24/13 T&B	1/31/14 T&B	5/7/14 T&B	8/29/14 T&B	11/21/16 T&B	5/24/17 T&B	11/22/17 T&B	5/24/18 T&B	5/23/19 T&B	11/26/19 T&B	5/21/20 T&B	11/24/20 T&B	5/28/21 T&B	11/22/21 T&B	5/24/22 T&B
Field Water Quality Measurements																									
Depth to Water (ft)	NE	NE																						6.5	6.99
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	-	0.39	2.93	-	-	2.56	-	5.26	-	-	-	-	-	-	-	-	4.4	0.26	0.22
pH	NE	NE	-	-	-	-	-	5.29	7.94	-	-	6.47	-	6.01	-	-	-	-	-	-	-	-	6.45	6.71	9.78
ORP	NE	NE	-	-	-	-	-	-220.7	-67.5	-	-	33	-	72.5	-	-	-	-	-	-	-	-	107.4	-11	-306
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	-	321	0.297	-	-	520	-	0.035	-	-	-	-	-	-	-	-	1,770	242	216
VOCs - (ug/L)																									
Acetone	6,000	NE	<5,000	-	-	-	-	-	-	-	-	-	-	-	<10,000	**<25,000***	**<10,000***	**<10,000***	**<10,000***	**<10,000***	**<25000***	<5000	<5000	<1000	<50
Benzene	5	2,000	-	-	-	-	-	-	-	-	-	-	-	-	<400	**<1,000***	**<400***	**<400***	**<400***	**<400***	**<1000***	**<200***	**<200***	<40	<2
Butylbenzene (n-)	260	NE	-	-	-	-	-	-	-	-	-	-	-	-	<400	**<1,000***	**<400***	**<400***	**<400***	**<400***	**<1000***	<200	<200	<40	<2
Butylbenzene (sec-)	260	NE	-	-	-	-	-	-	-	-	-	-	-	-	<400	**<1,000***	**<400***	**<400***	**<400***	**<400***	**<1000***	<200	<200	<40	<2
Butylbenzene (tert-)	260	NE	-	-	-	-	-	-	-	-	-	-	-	-	<400	**<1,000***	**<400***	**<400***	**<400***	**<400***	**<1000***	<200	<200	<40	<2
Chloroethane	NE	NE	-	-	-	-	-	-	-	-	-	-	-	-	<400	<1,000	<400	<400	<400	<400	<1000	<200	<200	<40	<2
Chloroform (Trichloromethane)	70	70	**<750***	**<400***	-	**<1,000***	**<400***	**<1,000***	**<800***	**<1,000***	**<400***	**<400***	<2	**<1,000***	<400	**<1,000***	**<400***	**<400***	**<400***	**<400***	**<1000***	**<200***	**<200***	<40	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	ND	ND	-	**<1,000***	<400	**<1,000***	**<800***	**<1,000***	**<400**	**<400**	<2	**<1,000***	<400	**<1,000***	<400	<400	<400	<400	<1000	<200	<200	<40	<2
Dichloroethylene (1,1-)	7	630	**<750***	**<200***	-	**<1,000***	**<200***	**<500***	**<400***	**<500***	**<200***	**<200***	<1	**<500***	<200	**<500***	**<200***	**<200***	**<200***	**260**	**<500***	**<100***	**120**	<20	<1
Dichloroethylene (cis-1,2-)	70	NE	**510**	**<400***	-	**<1,000***	**470**	**2,100**	**2,700**	**3,100**	**57,000**	**12,000**	**97**	**<1,000***	**140,000**	**97,000**	**99,000**	**81,000**	**72,000**	**140,000**	**89,000**	**36,000**	**62,000**	**1,600**	**500**
Dichloroethylene (trans-1,2-)	100	560	**<750***	**<400***	-	**<1,000***	**<400***	**<1,000***	**<800***	**<1,000***	**<400***	**<400***	8	**<1,000***	**3,100**	**2,400**	**2,800**	**2,200**	**1,500**	**1,400**	**<1000***	**540**	**1,100**	**160**	38
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<2	<40	<2
Hexanone (2-)	2,000	50,000	-	-	-	-	-	-	-	-	-	-	-	-	<2,000	**<5,000***	**<2,000***	**<2,000***	**<2,000***	**<2,000***	**<5000***	<1000	<1000	<200	<10
Isopropylbenzene (Cumene)	800	NE	-	-	-	-	-	-	-	-	-	-	-	-	<400	**<1,000***	<400	<400	<400	<400	**<1000***	<200	<1000	<40	<2
Isopropyltoluene (p-)	260	NE	-	-	-	-	-	-	-	-	-	-	-	-	<400	**<1,000***	**<400***	**<400***	**<400***	**<400***	**<1000***	<200	<200	<40	<2
Butanone (2-) (MEK)	4,000	50,000	-	-	-	-	-	-	-	-	-	-	-	-	<2,000	**<5,000***	<2,000	<2,000	<2,000	<2,000	<5000	<1000	<200	<200	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	<1,000	-	-	-	-	-	-	-	-	-	-	-	<400	**<1,000***	**<400***	**<400***	**<400***	**<400***	**<1000***	**<200***	**<200***	**<40***	<2
Naphthalene	100[1]	1,700	-	-	-	-	-	-	-	-	-	-	-	-	<1,000	**<2,500***	**<1,000***	**<1,000***	**<1,000***	**<1,000***	**<2500***	**<500***	**<500***	<100	<5
Propylbenzene (n-)	260	NE	-	-	-	-	-	-	-	-	-	-	-	-	<400	**<1,000***	**<400***	**<400***	**<400***	**<400***	**<1000***	<200	<200	<40	<2
Ethylbenzene	700	1,500	-	-	-	-	-	-	-	-	-	-	-	-	<400	**<1,000**	**<400**	**<400**	<400	<400	<1000	<200	<200	<40	<2
Tetrachloroethene (PCE)	5	240	**76,000**	**130,000**	-	**94,000**	**97,000**	**110,000**	**200,000**	**160,000**	**<400***	**140,000**	3	**76,000**	**37,000**	**30,000**	**29,000**	**33,000**	**1,400**	**3,000**	**2,200**	**540**	**<200***	**<40***	**10**
Tetrahydrofuran	154	NE	-	-	-	-	-	-	-	-	-	-	-	-	**63,000J**	**18,000**	**13,000**	**13,000**	**<2,000***	**<2,000***	**<5000***	**<1000***	**<1000***	**<200***	<10
Toluene	1,000	50,000	-	-	-	-	-	-	-	-	-	-	-	-	<400	<1,000	<400	<400	<400	<400	<1000	<200	<200	<40	<2
Trichloroethene (TCE)	5	20	**590**	**700**	-	**2,900**	**1,100**	**1,300**	**2,900**	**3,400**	**<400***	**9,500**	2	**1,200**	**20,000**	**14,000**	**14,000**	**11,000**	**1,800**	**2,300**	**1,500**	**1,300**	**660**	<40	**17**
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	-	-	-	-	-	-	-	-	-	<400	**<1,000***	**<400***	**<400***	**<400***	**<400***	**<1000***	<200	<200	<40	<2
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	-	-	-	-	-	-	-	-	-	<400	**<1,000***	**<400***	**<400***	**<400***	**<400***	**<1000***	<200	<200	<40	<2
Vinyl Chloride	2	4	**<1,000***	**<400***	-	**<1,000***	**<400***	**<250***	**<800***	**<1,000***	**6,700**	**800**	**430**	**<1,000***	**2,800**	**8,200**	**8,900**	**5,400J**	**21,000**	**16,000**	**17,000**	**15,000**	**37,000**	**2,000**	**330**
Xylene (m,p-)	NE	NE	-	-	-	-	-	-	-	-	-	-	-	-	<400	<1,000	<400	<400	<400	<400	<1000	240	<200	<40	<2
Xylene (o-)	NE	NE	-	-	-	-	-	-	-	-	-	-	-	-	<400	<1,000	<400	<400	<400	<400	<1000	<200	<200	<40	<2
Xylenes, Total	10,000	17,000	-	-	-	-	-	-	-	-	-	-	-	-	<400	<1,000	<400	<400	<400	<400	<1000	240	<200	<40	<2
Total VOCs	-	-	77,100	130,700	0	96,900	98,570	113,400	205,600	166,500	63,700	162,300	540	77,200	202,900	169,600	166,700	140,200	97,700	162,960	109,700	53,860	100,880	3,760	895
Low Level VOCs - (ug/L)																									
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	-	-	-	-	-	-	-	-	**16**	<2.5	**<5.0***	**<5.0***	**<5.0***	**<25***	**<12***	**<5***	**<5***	<0.25	<0.25

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 5
Deep Bedrock Groundwater Analytical Results
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		BR-5D																		
Sample Date Sampled By	GW-1 (AGQS)	GW-2	6/28/10 T&B	9/10/10 T&B	10/20/10 T&B	9/26/11 T&B	2/7/13 T&B	10/24/13 T&B	1/31/14 T&B	5/7/14 T&B	8/29/14 T&B	11/22/16 T&B	5/25/17 T&B	11/21/17 T&B	5/23/18 T&B	5/21/19 T&B	11/25/19 T&B	5/20/20 T&B	11/23/20 T&B	5/25/21 T&B	11/22/21 T&B	5/24/22 T&B
Field Water Quality Measurements																						
Depth to Water (ft)	NE	NE																			13.21	13.83
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	0.45	-	5.2	-	0.41	-	-	-	-	-	-	-	-	0.1	0.20	0.34
pH	NE	NE	-	-	-	-	10.08	-	10.30	-	9.73	-	-	-	-	-	-	-	-	10.50	10.69	10.38
ORP	NE	NE	-	-	-	-	-210.8	-	-114.2	-	-146.9	-	-	-	-	-	-	-	-	-50	-266	-205
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	0.544	-	573	-	0.441	-	-	-	-	-	-	-	-	274	232	1,359
VOCs - (ug/L)																						
Acetone	6,000	NE	<10	-	-	-	-	-	-	-	-	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Benzene	5	2,000	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (n-)	260	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (sec-)	260	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (tert-)	260	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroethane	NE	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	2	6	7	4	3	<2
Chloroform (Trichloromethane)	70	70	<7.5	<20	-	<10	<10	<10	<10	<10	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	ND	<20	-	<10	<10	<10	<10	<10	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	<5	**<10***	-	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1	<1	1	3	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	**440**	**430**	-	**300**	**850**	**960**	**890**	**1,000**	**920**	2	11	31	12	19	**70**	**160**	**670**	**320**	**160**	15
Dichloroethylene (trans-1,2-)	100	560	7.9	<20	-	<10	<10	10	<10	12	11	<2	<2	<2	<2	<2	3	6	7	4	4	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<2	<2	<2
Hexanone (2-)	2,000	50,000	-	-	-	-	-	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Isopropylbenzene (Cumene)	800	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2
Isopropyltoluene (p-)	260	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butanone (2-) (MEK)	4,000	50,000	-	-	-	-	-	-	-	-	-	56	<10	38	<10	<10	<10	<10	15	<2	<10	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	<50	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Naphthalene	100[1]	1,700	-	-	-	-	-	-	-	-	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Propylbenzene (n-)	260	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Ethylbenzene	700	1,500	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrachloroethene (PCE)	5	240	**63**	**1,900**	-	**79**	**480**	**870**	**740**	**650**	**550**	<2	3	<2	<2	**11**	**65**	**200**	4	**35**	**25**	**17**
Tetrahydrofuran	154	NE	-	-	-	-	-	-	-	-	-	**250J**	<10	34	16	<10	42	84	100	81	74	<10
Toluene	1,000	50,000	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trichloroethene (TCE)	5	20	**46**	**320**	-	**820**	**300**	**360**	**450**	**510**	**490**	<2	**6**	<2	<2	**14**	**75**	**200**	**11**	**58**	**34**	**11**
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Vinyl Chloride	2	4	**<10***	**<20***	-	**<10***	**<10***	**<10***	**<10***	**<10***	**<10***	<2	<2	**22**	<2	<2	**7**	**13**	**14**	**10**	**11**	<2
Xylene (m,p-)	NE	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (o-)	NE	NE	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylenes, Total	10,000	17,000	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Total VOCs	-	-	556.9	2,650	0	1,199	1,630	2,200	2,080	2,172	1,971	58	20	125	28	44	264	670	831	512.9	312	43
Low Level VOCs - (ug/L)																						
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	-	-	-	-	-	<0.25	0.62J	0.29	<0.25	<0.25	0.28	**0.92**	**0.46**	**0.9**	**1.1**	<0.25

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 5
Deep Bedrock Groundwater Analytical Results
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		BR-6D																			
Sample Date	GW-1 (AGQS)	GW-2	6/29/10	9/10/10	9/10/10	10/20/10	9/26/11	2/7/13	10/24/13	1/30/14	5/7/14	8/29/14	11/21/16	5/23/17	11/21/17	5/23/18	5/21/19	11/25/19	5/19/20	11/23/20	5/25/21	11/22/21	5/26/22
Sampled By			T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements					DUP																		
Depth to Water (ft)	NE	NE																				10.0	10.60
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	-	4.5	-	3.44	-	-	-	-	-	-	-	-	-	-	6.05	1.94	5.54
pH	NE	NE	-	-	-	-	-	6.40	-	6.61	-	-	-	-	-	-	-	-	-	-	6.61	6.48	6.65
ORP	NE	NE	-	-	-	-	-	-113.2	-	119.2	-	-	-	-	-	-	-	-	-	-	211.5	116	124
Specific Conductance (ms/cm)	NE	NE	-	-	-	-	-	0.13	-	151	-	-	-	-	-	-	-	-	-	-	308.2	351	329
VOCs - (ug/L)																							
Acetone	6,000	NE	<120	-	-	-	-	-	-	-	-	-	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Benzene	5	2,000	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (n-)	260	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (sec-)	260	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (tert-)	260	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroethane	NE	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	3	<2	4	<2	<2	<2
Chloroform (Trichloromethane)	70	70	<19	<10	<10	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	ND	<10	<10	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	**<12***	<5	<5	-	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	**270**	**290**	**300**	-	66	14	25	19	<2	6	11	<2	2	6	31	<2	3	2	<2	<2	<2
Dichloroethylene (trans-1,2-)	100	560	<19	<10	<10	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	2	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<2	<2	<2
Hexanone (2-)	2,000	50,000	-	-	-	-	-	-	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Isopropylbenzene (Cumene)	800	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2
Isopropyltoluene (p-)	260	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butanone (2-) (MEK)	4,000	50,000	-	-	-	-	-	-	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<2	<10	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	<25	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Naphthalene	100[1]	1,700	-	-	-	-	-	-	-	-	-	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Propylbenzene (n-)	260	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Ethylbenzene	700	1,500	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrachloroethene (PCE)	5	240	**1,500**	**1,500**	**1,600**	-	**170**	**14**	**55**	**30**	**13**	**21**	**14**	**5**	**9**	<2	**9**	<2	<2	<2	<2	2	<2
Tetrahydrofuran	154	NE	-	-	-	-	-	-	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Toluene	1,000	50,000	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trichloroethene (TCE)	5	20	**190**	**200**	**220**	-	**120**	**24**	**58**	**23**	4	**11**	**8**	<2	4	<2	**13**	<2	**6**	4	2	4	4
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Vinyl Chloride	2	4	**<25***	**<10***	**<10***	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	**7**	<2	<2	<2	<2	<2	<2
Xylene (m,p-)	NE	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (o-)	NE	NE	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylenes, Total	10,000	17,000	-	-	-	-	-	-	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Total VOCs	-	-	1,960	1,990	2,120	0	356	52	138	72	17	38	33	5	15	6	60	3	9	12	2	6	4
Low Level VOCs - (ug/L)																							
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	-	-	-	-	-	-	<0.25	<0.25	<0.25	<0.25	<0.25	**<1.2***	<0.25	**<2.5***	<0.25	<0.25	<0.25

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 5
Deep Bedrock Groundwater Analytical Results
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		MW-15D												MW-18						
Sample Date	GW-1 (AGQS)	GW-2	9/26/11	6/18/13	11/22/16	5/23/17	11/21/17	5/22/18	5/21/19	11/25/19	5/19/20	11/24/2020	5/26/21	11/22/21	5/24/22	9/28/11	5/25/17	5/23/18	5/22/19	5/20/20	5/26/21	5/26/22
Sampled By			T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements																						
Depth to Water (ft)	NE	NE												0.55	0.92							8.23
Dissolved Oxygen (mg/L)	NE	NE	-	0	-	-	-	-	-	-	-	-	1.1	0.04	0.23	-	-	-	-	-	2.38	2.84
pH	NE	NE	-	6.50	-	-	-	-	-	-	-	-	6.07	5.98	5.97	-	-	-	-	-	6.50	6.43
ORP	NE	NE	-	157	-	-	-	-	-	-	-	-	174	-129	68	-	-	-	-	-	256	125
Specific Conductance (ms/cm)	NE	NE	-	0.458	-	-	-	-	-	-	-	-	508	635	661	-	-	-	-	-	161.1	167
VOCs - (ug/L)																						
Acetone	6,000	NE	-	-	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	-	<50	<50	<50	<50	<50	<50
Benzene	5	2,000	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Butylbenzene (n-)	260	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Butylbenzene (sec-)	260	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Butylbenzene (tert-)	260	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Chloroethane	NE	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Chloroform (Trichloromethane)	70	70	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	7	9	5	3	6	6
Dichloroethylene (trans-1,2-)	100	560	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<2	<2	<2	<	<	<	<	<	<2	<2
Hexanone (2-)	2,000	50,000	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	-	<10	<10	<10	<10	<10	<10
Isopropylbenzene (Cumene)	800	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-	<2	<2	<2	<2	<10	<2
Isopropyltoluene (p-)	260	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Butanone (2-) (MEK)	4,000	50,000	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<2	<10	<10	-	<10	<10	<10	<10	<2	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Naphthalene	100(1)	1,700	-	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	-	<5	<5	<5	<5	<5	<5
Propylbenzene (n-)	260	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Ethylbenzene	700	1,500	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Tetrachloroethene (PCE)	5	240	<2	**6**	3	**7**	**5**	**6**	**6**	<2	**6**	<2	**5**	**5**	4	**5**	**15**	**21**	**8**	**9**	**15**	**17**
Tetrahydrofuran	154	NE	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	-	<10	<10	<10	<10	<10	<10
Toluene	1,000	50,000	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Trichloroethene (TCE)	5	20	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	2	<2	<2	<2	2
Trimethylbenzene (1,2,4-)	330	1,300	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Vinyl Chloride	2	4	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (m,p-)	NE	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Xylene (o-)	NE	NE	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Xylenes, Total	10,000	17,000	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Total VOCs	-	-	ND	6	3	7	5	6	6	ND	6	ND	5	5	4	5	22	32	13	12	21	25
Low Level VOCs - (ug/L)																						
1,4-Dioxane (LL)	0.32(2)	NE	-	-	<0.25	<0.25J	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	-	0.7J	<0.25	<0.25	<0.25	<0.25	<0.25

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 5
Deep Bedrock Groundwater Analytical Results
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		MW-20														
Sample Date	GW-1 (AGQS)	GW-2	9/28/11	8/17/12	2/7/13	1/31/14	5/7/14	8/29/14	11/22/16	5/26/17	11/22/17	5/24/18	5/23/19	11/26/19	5/21/20	11/24/2020	5/28/21	11/23/21	5/27/22
Sampled By			T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements																			
Depth to Water (ft)	NE	NE																4.65	5.25
Dissolved Oxygen (mg/L)	NE	NE	-	1.44	-	3.09	3.09	0.34	-	-	-	-	-	-	-	-	1.29	0.06	0.14
pH	NE	NE	-	6.15	-	6.76	6.76	6.60	-	-	-	-	-	-	-	-	6.14	6.43	6.47
ORP	NE	NE	-	-172.1	-	152.8	152.8	-12.1	-	-	-	-	-	-	-	-	-71	-106	-109
Specific Conductance (ms/cm)	NE	NE	-	203	-	349	349	324	-	-	-	-	-	-	-	-	1,479	1,650	1,929
VOCs - (ug/L)																			
Acetone	6,000	NE	-	-	-	-	-	-	<2,500	<2,500	<50	<50	<50	<50	<50	<50	<50	<50	<50
Benzene	5	2,000	-	-	-	-	-	-	**<100***	**<100***	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (n-)	260	NE	-	-	-	-	-	-	<100	<100	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (sec-)	260	NE	-	-	-	-	-	-	<100	<100	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (tert-)	260	NE	-	-	-	-	-	-	<100	<100	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroethane	NE	NE	-	-	-	-	-	-	<100	<100	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroform (Trichloromethane)	70	70	<20	<20	<10	<10	<10	<10	**<100***	**<100***	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	<20	<20	<10	<10	<10	<10	<100	<100	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	**<10***	**<20***	<5	<5	<5	<5	**<50***	**<50***	<2	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	**450**	**630**	**520**	**800**	**1,300**	**1,000**	**<100***	**<100***	46	6	11	17	8	5	4	3	3
Dichloroethylene (trans-1,2-)	100	560	<20	<20	14	19	36	28	<100	<100	3	<2	<2	<2	<2	<2	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<2	<2	<2
Hexanone (2-)	2,000	50,000	-	-	-	-	-	-	<500	<500	<10	<10	40	15	<10	<10	<10	<10	<10
Isopropylbenzene (Cumene)	800	NE	-	-	-	-	-	-	<100	<100	<2	<2	<2	<2	<2	<2	<10	<2	<2
Isopropyltoluene (p-)	260	NE	-	-	-	-	-	-	<100	<100	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butanone (2-) (MEK)	4,000	50,000	-	-	-	-	-	-	640	2,000	770	18	60	30	<10	<10	<2	<10	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	-	-	-	-	-	**<100***	**<100***	<2	<2	<2	<2	<2	<2	<2	<2	<2
Naphthalene	100[1]	1,700	-	-	-	-	-	-	**<250***	**<250***	<5	<5	<5	<5	<5	<5	<5	<5	<5
Propylbenzene (n-)	260	NE	-	-	-	-	-	-	<100	<100	<2	<2	<2	<2	<2	<2	<2	<2	<2
Ethylbenzene	700	1,500	-	-	-	-	-	-	<100	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrachloroethene (PCE)	5	240	**3,000**	**2,500**	**1,900**	**<10***	**17**	**<10***	**<100***	**<100***	**9**	**6**	3	<2	<2	<2	<2	<2	<2
Tetrahydrofuran	154	NE	-	-	-	-	-	-	**<500***	**<500***	120	<10	18	20	<10	<10	<10	<10	<10
Toluene	1,000	50,000	-	-	-	-	-	-	<100	<100	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trichloroethene (TCE)	5	20	**360**	**380**	**970**	**170**	**460**	**470**	**<100***	**<100***	**13**	3	**5**	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	-	-	-	<100	<100	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	-	-	-	<100	<100	<2	<2	<2	<2	<2	<2	<2	<2	<2
Vinyl Chloride	2	4	**<20***	**<5***	**<10***	**98**	**94**	**120**	**<100***	**<100***	**4**	<2	<2	**3**	<2	<2	<2	<2	<2
Xylene (m,p-)	NE	NE	-	-	-	-	-	-	<100	<100	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (o-)	NE	NE	-	-	-	-	-	-	<100	<100	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylenes, Total	10,000	17,000	-	-	-	-	-	-	<100	<100	<2	<2	<2	<2	<2	<2	<2	<2	<2
Total VOCs	-	-	3,810	3,510	3,404	1,087	1,907	1,618	640	2,000	965	33	137	85	8	5	4.26	3	3
Low Level VOCs - (ug/L)																			
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	-	-	-	**<12***	<2.5	<2.5	<0.25	<0.25	**0.40**	**0.38**	**0.42**	0.26	<0.25	0.3

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 5
Deep Bedrock Groundwater Analytical Results
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		MW-21													
Sample Date Sampled By	GW-1 (AGQS)	GW-2	9/26/11 T&B	1/25/12 T&B	2/7/13 T&B	10/24/13 T&B	11/21/16 T&B	5/23/17 T&B	11/21/17 T&B	5/23/18 T&B	5/21/19 T&B	11/25/19 T&B	5/19/20 T&B	11/23/2020 T&B	5/25/21 T&B	11/22/21 T&B	5/24/22 T&B
Field Water Quality Measurements																	
Depth to Water (ft)	NE	NE														10.89	11.67
Dissolved Oxygen (mg/L)	NE	NE	-	-	0.89	-	-	-	-	-	-	-	-	-	0.07	0.41	0.21
pH	NE	NE	-	-	5.07	-	-	-	-	-	-	-	-	-	8.54	9.91	7.75
ORP	NE	NE	-	-	-255	-	-	-	-	-	-	-	-	-	-55	-87	-116
Specific Conductance (ms/cm)	NE	NE	-	-	0.941	-	-	-	-	-	-	-	-	-	95	156	134
VOCs - (ug/L)																	
Acetone	6,000	NE	-	-	-	-	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Benzene	5	2,000	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (n-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (sec-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (tert-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroethane	NE	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroform (Trichloromethane)	70	70	<2	<20	<10	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	<2	<20	<10	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	<1	**<10***	**<10***	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	**130**	**2,500**	**430**	**680**	24	2	12	8	8	<2	4	<2	4	7	2
Dichloroethylene (trans-1,2-)	100	560	5	53	25	31	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<	<2	<2	<2
Hexanone (2-)	2,000	50,000	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Isopropylbenzene (Cumene)	800	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2
Isopropyltoluene (p-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butanone (2-) (MEK)	4,000	50,000	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<2	<10	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Naphthalene	100[(1)]	1,700	-	-	-	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Propylbenzene (n-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Ethylbenzene	700	1,500	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrachloroethene (PCE)	5	240	**66**	**33**	**<10***	**190**	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrahydrofuran	154	NE	-	-	-	-	18 J	<10	<10	<10	24	41	<10	38	<10	13	<10
Toluene	1,000	50,000	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trichloroethene (TCE)	5	20	**13**	**540**	**13**	**92**	<2	<2	2	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Vinyl Chloride	2	4	<2	**<20***	**850**	**770**	**8**	<2	**7**	**3J**	**5**	<2	<2	<2	<2	**6**	<2
Xylene (m,p-)	NE	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (o-)	NE	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylenes, Total	10,000	17,000	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Total VOCs	-	-	214	3,126	1,318	1,763	32	2	21	8	37	41	4	38	4	26	2
Low Level VOCs - (ug/L)																	
1,4-Dioxane (LL)	0.32[(2)]	NE	-	-	-	-	<0.25	0.53J	<0.25	<0.25	<0.25	**<1.2***	<0.25	**<1.2***	<0.25	<0.25	<0.25

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 5
Deep Bedrock Groundwater Analytical Results
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		MW-22D													
Sample Date	GW-1 (AGQS)	GW-2	9/26/11	1/25/12	2/7/13	10/24/13	11/21/16	5/23/17	11/21/17	5/23/18	5/21/19	11/25/19	5/19/20	11/23/2020	5/25/21	11/22/21	5/24/22
Sampled By			T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B	T&B
Field Water Quality Measurements																	
Depth to Water (ft)	NE	NE														8.2	8.73
Dissolved Oxygen (mg/L)	NE	NE	-	-	0.37	-	-	-	-	-	-	-	-	-	5.16	0.31	0.41
pH	NE	NE	-	-	6.03	-	-	-	-	-	-	-	-	-	6.50	6.52	6.63
ORP	NE	NE	-	-	-33.4	-	-	-	-	-	-	-	-	-	165	13	55.5
Specific Conductance (ms/cm)	NE	NE	-	-	0.182	-	-	-	-	-	-	-	-	-	86.3	60.6	71.3
VOCs - (ug/L)																	
Acetone	6,000	NE	-	-	-	-	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Benzene	5	2,000	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (n-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (sec-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butylbenzene (tert-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroethane	NE	NE	-	-	-	-	<2	<2	<2	<2	<2	4	<2	<2	<2	<2	<2
Chloroform (Trichloromethane)	70	70	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	<5	<1	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	**300**	**160**	10	**130**	4	<2	<2	<2	21	14	<2	<2	<2	<2	<2
Dichloroethylene (trans-1,2-)	100	560	<10	3	<2	3	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<	<2	<2	<2
Hexanone (2-)	2,000	50,000	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Isopropylbenzene (Cumene)	800	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2
Isopropyltoluene (p-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Butanone (2-) (MEK)	4,000	50,000	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<2	<10	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Naphthalene	100[(1)]	1,700	-	-	-	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Propylbenzene (n-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Ethylbenzene	700	1,500	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrachloroethene (PCE)	5	240	**1,800**	**440**	**52**	**8**	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrahydrofuran	154	NE	-	-	-	-	22J	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Toluene	1,000	50,000	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trichloroethene (TCE)	5	20	**140**	**63**	**8**	**16**	<2	<2	<2	<2	<2	2	<2	<2	<2	<2	<2
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Vinyl Chloride	2	4	**<10***	<2	**9**	**30**	**2**	<2	<2	<2	**12**	**12**	<2	<2	<2	<2	<2
Xylene (m,p-)	NE	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (o-)	NE	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylenes, Total	10,000	17,000	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Total VOCs	-	-	2,240	666	79	187	6	ND	ND	ND	33	32	ND	ND	ND	ND	ND
Low Level VOCs - (ug/L)																	
1,4-Dioxane (LL)	0.32[(2)]	NE	-	-	-	-	<0.25	<0.25	<0.25	<0.25	**<1.2***	**<5.0***	<0.25	<0.25	<0.25	<0.25	<0.25

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 5
Deep Bedrock Groundwater Analytical Results
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		MW-23														MW-25					MW-26						
Sample Date Sampled By	GW-1 (AGQS)	GW-2	9/26/11 T&B	10/24/13 T&B	1/31/14 T&B	8/29/14 T&B	11/21/16 T&B	5/23/17 T&B	11/21/17 T&B	5/23/18 T&B	5/21/19 T&B	11/25/19 T&B	5/19/20 T&B	11/23/20 T&B	5/25/21 T&B	11/22/21 T&B	5/24/22 T&B	5/16/12 T&B	5/23/18 T&B	5/19/20 T&B	5/25/21 T&B	5/26/22 T&B	5/16/12 T&B	5/23/17 T&B	5/22/18 T&B	5/21/19 T&B	5/19/20 T&B	5/26/21 T&B	5/24/22 T&B
Field Water Quality Measurements																													
Depth to Water (ft)	NE	NE														9.1	9.79					2.87							10.36
Dissolved Oxygen (mg/L)	NE	NE	-	-	10.19	-	-	-	-	-	-	-	-	-	0.95	1.08	2.89	-	-	-	0.46	0.28	3.86	-	-	-	-	5.93	4.90
pH	NE	NE	-	-	7.31	-	-	-	-	-	-	-	-	-	6.71	11.60	7.03	-	-	-	6.28	5.92	5.36	-	-	-	-	5.33	3.41
ORP	NE	NE	-	-	163.3	-	-	-	-	-	-	-	-	-	81	-35	50.5	-	-	-	172.5	80	130.3	-	-	-	-	315	301
Specific Conductance (ms/cm)	NE	NE	-	-	586	-	-	-	-	-	-	-	-	-	418	510	467	-	-	-	1,224	4,831	305	-	-	-	-	437	672
VOCs - (ug/L)																													
Acetone	6,000	NE	-	-	-	-	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	-	<50	<50	<50	<50	-	<50	<50	<50	<50	<50	<50
Benzene	5	2,000	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Butylbenzene (n-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Butylbenzene (sec-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Butylbenzene (tert-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Chloroethane	NE	NE	-	-	-	-	<2	<2	<2	<2	<2	8	<2	6	<2	5	<2	-	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Chloroform (Trichloromethane)	70	70	<10	<10	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	<10	<10	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	<5	<5	<10	<1	1	3	4	3	2	6	3	**7**	4	5	3	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	**1,000**	**1,900**	**820**	**430**	38	**70**	**87**	**55**	**84**	**230**	**200**	**250**	**190**	**220**	**210**	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (trans-1,2-)	100	560	20	38	13	12	5	4	4	3	3	8	10	8	5	6	4	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<	<2	<2	<2	<	<	<	<2	<2	<	<	<	<	<	<2	<2
Hexanone (2-)	2,000	50,000	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	-	<10	<10	<10	<10	-	<10	<10	<10	<10	<10	<10
Isopropylbenzene (Cumene)	800	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-	<2	<2	<10	<2	-	<2	<2	<2	<2	<10	<2
Isopropyltoluene (p-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Butanone (2-) (MEK)	4,000	50,000	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<2	<10	<10	-	<10	<10	<2	<10	-	<10	<10	<10	<10	<2	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Naphthalene	100[(1)]	1,700	-	-	-	-	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	-	<5	<5	<5	<5	-	<5	<5	<5	<5	<5	<5
Propylbenzene (n-)	260	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Ethylbenzene	700	1,500	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Tetrachloroethene (PCE)	5	240	**1,600**	**280**	**140**	**95**	**22**	**33**	**33**	**22**	**16**	**63**	**94**	**42**	**43**	**46**	**23**	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrahydrofuran	154	NE	-	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	-	<10	<10	<10	<10	-	<10	<10	<10	<10	<10	<10
Toluene	1,000	50,000	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Trichloroethene (TCE)	5	20	**510**	**260**	**54**	**35**	**28**	**72**	**82**	**64**	**64**	**170**	**170**	**250**	**210**	**210**	**130**	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Vinyl Chloride	2	4	**<10***	**<10***	**<10***	<2	**5**	<2	<2	<2	<2	**69**	<2	**33**	<2	**47**	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (m,p-)	NE	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Xylene (o-)	NE	NE	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Xylenes, Total	10,000	17,000	-	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	-	<2	<2	<2	<2	-	<2	<2	<2	<2	<2	<2
Total VOCs	-	-	3,130	2,478	1,027	572	99	182	210	147	169	554	477	596	452.38	539	370	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Low Level VOCs - (ug/L)																													
1,4-Dioxane (LL)	0.32[(2)]	NE	-	-	-	-	0.29	1.2J	0.43	0.78	<0.25	**<1.2***	**0.35**	<0.25	**0.38**	<0.25	<0.25	-	<0.25	<0.25	<0.25	<0.25	-	**0.98J**	<0.25	<0.25	<0.25	<0.25	<0.25

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

TABLE 5
Deep Bedrock Groundwater Analytical Results
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		MW-28													MW-29						
Sample Date Sampled By	GW-1 (AGQS)	GW-2	5/16/12 T&B	9/25/12 T&B	5/7/14 T&B	11/22/16 T&B	5/23/17 T&B	11/21/17 T&B	5/22/18 T&B	5/23/19 T&B	11/26/19 T&B	5/21/20 T&B	11/24/2020 T&B	5/28/21 T&B	11/22/21 T&B	5/26/22 T&B	9/25/12 T&B	5/23/17 T&B	5/22/18 T&B	5/23/19 T&B	5/21/20 T&B	5/28/21 T&B	5/26/22 T&B
Field Water Quality Measurements																							
Depth to Water (ft)	NE	NE													30.49	21.03							7.17
Dissolved Oxygen (mg/L)	NE	NE	0.82	-	-	-	-	-	-	-	-	-	-	0.65	0.31	4.25	-	-	-	-	-	2.2	2.05
pH	NE	NE	5.87	6.65	6.65	-	-	-	-	-	-	-	-	6.22	5.95	6.55	6.84	-	-	-	-	6.22	6.21
ORP	NE	NE	99.1	0.7	0.7	-	-	-	-	-	-	-	-	46	-80	103	95.0	-	-	-	-	256.6	86
Specific Conductance (ms/cm)	NE	NE	1,958	1,641	1,641	-	-	-	-	-	-	-	-	2,548	3,032	1,805	629	-	-	-	-	1,344	1,231
VOCs - (ug/L)																							
Acetone	6,000	NE	-	-	-	<50	<50	<50	<50	<50	<50	<50	<50	<250	<50	<50	-	<50	<50	<50	<50	<50	<50
Benzene	5	2,000	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	**<10***	<2	<2	-	<2	<2	<2	<2	<2	<2
Butylbenzene (n-)	260	NE	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-	<2	<2	<2	<2	<2	<2
Butylbenzene (sec-)	260	NE	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-	<2	<2	<2	<2	<2	<2
Butylbenzene (tert-)	260	NE	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-	<2	<2	<2	<2	<2	<2
Chloroethane	NE	NE	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-	<2	<2	<2	<2	<2	<2
Chloroform (Trichloromethane)	70	70	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	35	24	14	11	7	9	3	<2	24	30	33	**79**	28	<2	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (trans-1,2-)	100	560	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<	<	<	<	<	<	<10	<2	<2	<	<	<	<	<	<2	<2
Hexanone (2-)	2,000	50,000	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<50	<10	<10	-	<10	<10	<10	<10	<10	<10
Isopropylbenzene (Cumene)	800	NE	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<50	<2	<2	-	<2	<2	<2	<2	<10	<2
Isopropyltoluene (p-)	260	NE	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-	<2	<2	<2	<2	<2	<2
Butanone (2-) (MEK)	4,000	50,000	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	-	<10	<10	<10	<10	<2	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	-	-	7	<2	<2	<2	<2	8	10	7	12	8	<2	-	<2	<2	<2	<2	<2	<2
Naphthalene	100[1]	1,700	-	-	-	<5	<5	<5	<5	<5	<5	<5	<5	<25	<5	<5	-	<5	<5	<5	<5	<5	<5
Propylbenzene (n-)	260	NE	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-	<2	<2	<2	<2	<2	<2
Ethylbenzene	700	1,500	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	<2	<2	<2	<2	<2	<2	<2
Tetrachloroethene (PCE)	5	240	**460**	**240**	**100**	**150**	**73**	**80**	**51**	**7**	**260**	**290**	**300**	**680**	**200**	**21**	<2	2	4	**5**	2	3	2
Tetrahydrofuran	154	NE	-	-	-	<10	<10	<10	<10	<10	<10	<10	<10	<50	<10	<10	-	<10	<10	<10	<10	<10	<10
Toluene	1,000	50,000	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-	<2	<2	<2	<2	<2	<2
Trichloroethene (TCE)	5	20	**43**	**26**	**13**	**15**	**8**	**10**	**5**	<2	**31**	**37**	**43**	**200**	**56**	**5**	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,2,4-)	330	1,300	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-	<2	<2	<2	<2	<2	<2
Vinyl Chloride	2	4	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	**<10***	<2	<2	<2	<2	<2	<2	<2	<2	<2
Xylene (m,p-)	NE	NE	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-	<2	<2	<2	<2	<2	<2
Xylene (o-)	NE	NE	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-	<2	<2	<2	<2	<2	<2
Xylenes, Total	10,000	17,000	-	-	-	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	-	<2	<2	<2	<2	<2	<2
Total VOCs	-	-	538	290	127	183	88	99	59	7	323	367	383	971.33	292	26	ND	2	4	5	2	3	2
Low Level VOCs - (ug/L)																							
1,4-Dioxane (LL)	0.32[2]	NE	-	-	-	<0.25	<0.25J	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	**0.33**	<0.25	<0.25	-	<0.25J	<0.25	<0.25	<0.25	<0.25	<0.25

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.


TABLE 5
Deep Bedrock Groundwater Analytical Results
Former Elite Laundry Site
Jaffrey, New Hampshire
NHDES Site No. 199908001

Sample ID	NHDES		MW-30						
Sample Date Sampled By	GW-1 (AGQS)	GW-2	9/25/12 T&B	5/26/17 T&B	5/23/18 T&B	5/23/19 T&B	5/21/20 T&B	5/28/21 T&B	5/26/22 T&B
Field Water Quality Measurements									
Depth to Water (ft)	NE	NE							10.10
Dissolved Oxygen (mg/L)	NE	NE	-	-	-	-	-	0.7	0.35
pH	NE	NE	6.78	-	-	-	-	6.00	6.82
ORP	NE	NE	179.1	-	-	-	-	251.1	-35
Specific Conductance (ms/cm)	NE	NE	1,486	-	-	-	-	1,798	137
VOCs - (ug/L)									
Acetone	6,000	NE	-	<50	<50	<50	<50	<50	<50
Benzene	5	2,000	-	<2	<2	<2	<2	<2	<2
Butylbenzene (n-)	260	NE	-	<2	<2	<2	<2	<2	<2
Butylbenzene (sec-)	260	NE	-	<2	<2	<2	<2	<2	<2
Butylbenzene (tert-)	260	NE	-	<2	<2	<2	<2	<2	<2
Chloroethane	NE	NE	-	<2	<2	<2	<2	<2	<2
Chloroform (Trichloromethane)	70	70	<2	<2	<2	<2	<2	<2	<2
Dichlorobenzene, 1,2- (o-DCB)	600	14,000	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (1,1-)	7	630	<1	<1	<1	<1	<1	<1	<1
Dichloroethylene (cis-1,2-)	70	NE	<2	<2	<2	<2	<2	<2	<2
Dichloroethylene (trans-1,2-)	100	560	<2	<2	<2	<2	<2	<2	<2
Dichloropropane, 1,2-	50	5	<	<	<	<	<	<2	<2
Hexanone (2-)	2,000	50,000	-	<10	<10	<10	<10	<10	<10
Isopropylbenzene (Cumene)	800	NE	-	<2	<2	<2	<2	<10	<2
Isopropyltoluene (p-)	260	NE	-	<2	<2	<2	<2	<2	<2
Butanone (2-) (MEK)	4,000	50,000	-	<10	<10	<10	<10	<2	<10
Methyl-tertiary-butyl Ether (MTBE)	13	2,600	-	<2	<2	<2	<2	<2	<2
Naphthalene	100[1]	1,700	-	<5	<5	<5	<5	<5	<5
Propylbenzene (n-)	260	NE	-	<2	<2	<2	<2	<2	<2
Ethylbenzene	700	1,500	<2	<2	<2	<2	<2	<2	<2
Tetrachloroethene (PCE)	5	240	<2	<2	<2	<2	<2	<2	<2
Tetrahydrofuran	154	NE	-	<10	<10	<10	<10	<10	<10
Toluene	1,000	50,000	-	<2	<2	<2	<2	<2	<2
Trichloroethene (TCE)	5	20	<2	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,2,4-)	330	1,300	-	<2	<2	<2	<2	<2	<2
Trimethylbenzene (1,3,5-)	330	NE	-	<2	<2	<2	<2	<2	<2
Vinyl Chloride	2	4	<2	<2	<2	<2	<2	<2	<2
Xylene (m,p-)	NE	NE	-	<2	<2	<2	<2	<2	<2
Xylene (o-)	NE	NE	-	<2	<2	<2	<2	<2	<2
Xylenes, Total	10,000	17,000	-	<2	<2	<2	<2	<2	<2
Total VOCs	-	-	ND	ND	ND	ND	ND	ND	ND
Low Level VOCs - (ug/L)									
1,4-Dioxane (LL)	0.32[2]	NE	-	0.53J	<0.25	<0.25	<0.25	<0.25	<0.25

NA - Not Applicable; NE - Not Established; ND - Not Detected
VOCs- Volatile organic compounds
< XX - Indicates compound not detected above the reporting limit.
XX* - Reporting limit greater than criteria
Bold and boxed results indicate criteria exceedance
J indicates The result is an estimate; reanalysis not performed
All results are reported in micrograms-per-liter (µg/L), which is equivalent to parts-per-billion (ppb) unless otherwise noted.
Only VOCs detected above reporting limit are shown
Refer to the laboratory data reports for the all data
AGQS - Ambient Groundwater Quality Standards. Source Env-Or 600 Contaminated Site Management Rules, Table 600-1-AGQS (effective Feb. 1, 2007)
GW-2 Values - NHDES Vapor Intrusion Screening Levels groundwater to Indoor Air (Revised February 2013)
(1) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has increased the AGQS for naphthalene from 20 ppb to 100 ppb.
(2) Recent amendments to Env-Or-603.03c Intro, and Table 600-1 re: Ambient Groundwater Quality Standards filed on September 1, 2018, NHDES has reduced the AGQS for 1,4-Dioxane from 3 ppb to 0.32 ppb.

APPENDIX C


SH-4 - Overburden Source Area Monitoring Well



	11/21/16	5/23/17	11/22/17	5/23/18	5/22/19	11/26/19	5/19/20	11/23/20	5/25/21	11/23/21	5/24/22
Tetrachloroethene (PCE)	0	470	3,100	910	410	1,600	1,600	1,000	4,500	680	220
Trichloroethene (TCE)	0	68	550	320	95	320	110	640	650	140	15
Dichloroethylene (cis-1,2-)	1,300	580	1,400	290	320	960	110	1,500	940	310	29
Vinyl Chloride	0	380	200	0	12	130	0	460	24	38	11

AGQS (GW-1): PCE (5 ug/L), TCE (5 ug/L), cis-1,2-DCE (70 ug/L) and vinyl chloride (2 ug/L).
GW-2: PCE (240 ug/L), TCE (20 ug/L), cis-1,2-DCE (none) and vinyl chloride (4 ug/L).


SH-12 - Overburden Downgradient Monitoring Well



	11/21/16	5/24/17	11/21/17	5/22/18	5/22/19	11/25/19	5/20/20	11/24/20	5/26/21	11/23/21	5/27/22
Tetrachloroethene (PCE)	170	100	110	65	88	95	81	270	110	66	66
Trichloroethene (TCE)	21	7	10	6	9	8	9	32	14	8	9
Dichloroethylene (cis-1,2-)	9	3	4	3	4	3	4	13	5	3	4
Vinyl Chloride	0	0	0	0	0	0	0	0	0	0	0


AGQS (GW-1): PCE (5 ug/L), TCE (5 ug/L), cis-1,2-DCE (70 ug/L) and vinyl chloride (2 ug/L).
GW-2: PCE (240 ug/L), TCE (20 ug/L), cis-1,2-DCE (none) and vinyl chloride (4 ug/L).

SH-17 - Overburden Downgradient Compliance Monitoring Well



	4/20/09	9/26/11	5/27/18	5/21/19	5/21/20	5/26/21	5/26/22
Tetrachloroethene (PCE)	34	6	3	4	7	7	5
Trichloroethene (TCE)	26	6	3	3	5	7	5
Dichloroethylene (cis-1,2-)	20	18	2	0	3	3	2
Vinyl Chloride	4	7	0	0	0	0	0


AGQS (GW-1): PCE (5 ug/L), TCE (5 ug/L), cis-1,2-DCE (70 ug/L) and vinyl chloride (2 ug/L).
GW-2: PCE (240 ug/L), TCE (20 ug/L), cis-1,2-DCE (none) and vinyl chloride (4 ug/L).



	11/22/16	5/26/17	11/22/17	5/23/18	5/22/19	11/25/19	5/20/20	11/24/20	5/26/21	11/23/21	5/27/22
Tetrachloroethene (PCE)	9	39	40	52	72	19	21	10	17	15	20
Trichloroethene (TCE)	3	18	11	19	21	5	9	8	19	9	6
Dichloroethylene (cis-1,2-)	0	7	6	9	11	3	6	8	8	9	3
Vinyl Chloride	0	8	0	0	0	3	4	10	9	23	2

AGQS (GW-1): PCE (5 ug/L), TCE (5 ug/L), cis-1,2-DCE (70 ug/L) and vinyl chloride (2 ug/L).
GW-2: PCE (240 ug/L), TCE (20 ug/L), cis-1,2-DCE (none) and vinyl chloride (4 ug/L).


BR-3I - Bedrock Downgradient Monitoring Well



	11/21/16	5/24/17	11/22/17	5/24/18	5/22/19	11/26/19	5/20/20	11/24/20	5/28/21	11/23/21	5/26/22
Tetrachloroethene (PCE)	15	0	0	0	0	0	4	12	23	31	0
Trichloroethene (TCE)	3	0	0	5	0	0	34	34	48	24	0
Dichloroethylene (cis-1,2-)	150	120	20	25	6	18	20	0	14	13	10
Vinyl Chloride	0	0	9	0	0	5	2	0	0	0	0

AGQS (GW-1): PCE (5 ug/L), TCE (5 ug/L), cis-1,2-DCE (70 ug/L) and vinyl chloride (2 ug/L).
GW-2: PCE (240 ug/L), TCE (20 ug/L), cis-1,2-DCE (none) and vinyl chloride (4 ug/L).


BR-4S - Shallow Bedrock Source Area Monitoring Well



	11/21/16	5/24/17	11/22/17	5/24/18	5/23/19	11/26/19	5/21/20	11/23/20	5/28/21	11/23/21	5/24/22
Tetrachloroethene (PCE)	0	0	94	7	48	25	32	13	75	63	44
Trichloroethene (TCE)	0	0	10	10	6	2	0	0	4	0	16
Dichloroethylene (cis-1,2-)	75	82	14	15	2	13	0	2	0	0	16
Vinyl Chloride	42	47	0	0	0	6	0	0	0	0	0

AGQS (GW-1): PCE (5 ug/L), TCE (5 ug/L), cis-1,2-DCE (70 ug/L) and vinyl chloride (2 ug/L).
GW-2: PCE (240 ug/L), TCE (20 ug/L), cis-1,2-DCE (none) and vinyl chloride (4 ug/L).


BR-4I - Intermediate Bedrock Source Area Monitoring Well



	11/21/16	5/24/17	11/22/17	5/24/18	5/23/19	11/26/19	5/21/20	11/24/20	5/28/21	11/23/21	5/24/22
Tetrachloroethene (PCE)	19	4	0	0	0	0	0	0	0	0	0
Trichloroethene (TCE)	6	2	0	0	0	0	0	56	8	0	0
Dichloroethylene (cis-1,2-)	440	46	36	10	15	15	14	790	240	2	36
Vinyl Chloride	140	29	15	0	12	21	6	400	200	2	36

AGQS (GW-1): PCE (5 ug/L), TCE (5 ug/L), cis-1,2-DCE (70 ug/L) and vinyl chloride (2 ug/L).
GW-2: PCE (240 ug/L), TCE (20 ug/L), cis-1,2-DCE (none) and vinyl chloride (4 ug/L).


SH-14D - Bedrock Downgradient Monitoring Well



	11/21/16	5/24/17	11/21/17	5/22/18	5/22/19	11/25/19	5/20/20	11/24/20	5/26/21	11/22/21	5/27/22
Tetrachloroethene (PCE)	150	260	240	270	390	360	580	570	490	470	480
Trichloroethene (TCE)	15	18	17	20	32	29	47	54	51	44	59
Dichloroethylene (cis-1,2-)	11	6	5	6	10	8	15	18	15	14	18
Vinyl Chloride	0	0	0	0	0	0	0	0	0	0	0

AGQS (GW-1): PCE (5 ug/L), TCE (5 ug/L), cis-1,2-DCE (70 ug/L) and vinyl chloride (2 ug/L).
GW-2: PCE (240 ug/L), TCE (20 ug/L), cis-1,2-DCE (none) and vinyl chloride (4 ug/L).


BR-4D - Deep Bedrock Source Area Monitoring Well



	11/21/16	5/24/17	11/22/17	5/24/18	5/23/19	11/26/19	5/21/20	11/24/20	5/28/21	11/22/21	5/24/22
Tetrachloroethene (PCE)	37,000	30,000	29,000	33,000	1,400	3,000	2,200	540	0	0	10
Trichloroethene (TCE)	20,000	14,000	14,000	11,000	1,800	2,300	1,500	1,300	660	0	17
Dichloroethylene (cis-1,2-)	140,000	97,000	99,000	81,000	72,000	140,000	89,000	36,000	62,000	1,600	500
Vinyl Chloride	2,800	8,200	8,900	0	21,000	16,000	17,000	15,000	37,000	2,000	330


AGQS (GW-1): PCE (5 ug/L), TCE (5 ug/L), cis-1,2-DCE (70 ug/L) and vinyl chloride (2 ug/L).
GW-2: PCE (240 ug/L), TCE (20 ug/L), cis-1,2-DCE (none) and vinyl chloride (4 ug/L).

BR-1D - Deep Bedrock Downgradient Monitoring Well



	11/21/16	5/23/17	11/22/17	5/24/18	5/22/19	11/26/19	5/19/20	11/23/20	5/25/21	11/23/21	5/24/22
Tetrachloroethene (PCE)	0	0	4	3	0	0	4	2	2	0	5
Trichloroethene (TCE)	0	5	0	2	83	0	3	0	0	3	4
Dichloroethylene (cis-1,2-)	24	13	6	3	0	0	8	5	9	5	4
Vinyl Chloride	20	10	0	0	0	0	0	3	13	4	0


AGQS (GW-1): PCE (5 ug/L), TCE (5 ug/L), cis-1,2-DCE (70 ug/L) and vinyl chloride (2 ug/L).
GW-2: PCE (240 ug/L), TCE (20 ug/L), cis-1,2-DCE (none) and vinyl chloride (4 ug/L).



	5/25/17	5/23/18	5/22/19	5/20/20	5/26/21	5/26/22
Tetrachloroethene (PCE)	15	21	8	9	15	17
Trichloroethene (TCE)	0	2	0	0	0	2
Dichloroethylene (cis-1,2-)	7	9	5	3	6	6
Vinyl Chloride	0	0	0	0	0	0

AGQS (GW-1): PCE (5 ug/L), TCE (5 ug/L), cis-1,2-DCE (70 ug/L) and vinyl chloride (2 ug/L).
GW-2: PCE (240 ug/L), TCE (20 ug/L), cis-1,2-DCE (none) and vinyl chloride (4 ug/L).

MW-28 - Deep Bedrock Downgradient Monitoring Well



	11/22/16	5/23/17	11/21/17	5/22/18	5/23/19	11/26/19	5/21/20	11/24/2020	5/28/21	11/22/21	5/26/22
Tetrachloroethene (PCE)	150	73	80	51	7	260	290	300	680	200	21
Trichloroethene (TCE)	15	8	10	5	0	31	37	43	200	56	5
Dichloroethylene (cis-1,2-)	11	7	9	3	0	24	30	33	79	28	0
Vinyl Chloride	0	0	0	0	0	0	0	0	0	0	0

AGQS (GW-1): PCE (5 ug/L), TCE (5 ug/L), cis-1,2-DCE (70 ug/L) and vinyl chloride (2 ug/L).
GW-2: PCE (240 ug/L), TCE (20 ug/L), cis-1,2-DCE (none) and vinyl chloride (4 ug/L).

APPENDIX D

FIGURE 4
EXTENT OF CVOCs > AGQS IN OVERBURDEN

LEGEND

- Monitoring Well - Overburden
- Extent of CVOCs* > AGQS (Approx.)
- Former Elite Laundry Site Boundary
- Indoor Air Sampling
- GMZ Boundary
- Approximate Groundwater Contours
- CVOCs > GW-2/VI Monitoring Wells

LOCUS MAP



0 125 250
Feet

1:900

NOTES

Basemap: Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

*1,1-DCE, cis- and trans--1,2,-DCE, PCE, TCE, and Vinyl Chloride

Former Elite Laundry Site
Jaffrey, New Hampshire

July 2022

Tighe&Bond

Former Jaffrey Citgo
NHDES Site
No. 199404009-001
(No Current GMP)

Indoor Air Sample Location

Indoor Air Sample Location

Mr. Mike's
NHDES Site
No-198812016
(No Current GMP)

FORMER W.W. CROSS
FACILITY (CURRENT GMP)
NHDES SITE NO. 19870980007

Former Elite Laundry
Site Boundary


980 985 990 995 1000 1005

SH-16 SH-17 SH-15 SH-14S SH-12 MW-03 DESTROYED MW-02R SH-11 MW-01 SH-3 SH-1D DESTROYED SH-1S SH-18S MW-16S MW-15S BR-5S BR-6S CC-8 JB-2 JB-1 JB-3 MW-14 MW-13 SH-7 SH-13 SH-4 SH-6 SH-5

G:\GIS\NH\SiteLocus\Jaffrey\Groundwater Contours\2022\FormerEliteLaundrySite_OB.mxd

J-0033

FIGURE 5
EXTENT OF CVOCs > AGQS IN SHALLOW/INTERMEDIATE BEDROCK



LEGEND

- Monitoring Well - Shallow/Intermediate Bedrock
- Extent of CVOCs* > AGQS (Approx.)
- Former Elite Laundry Site Boundary
- Indoor Air Sampling
- GMZ Boundary
- Approximate Groundwater Contour
- CVOCs > GW-2/VI Monitoring Wells

LOCUS MAP



N

0 125 250

Feet

1:900

NOTES

Basemap: Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

*1,1-DCE, cis- and trans--1,2,-DCE, PCE, TCE, and Vinyl Chloride

Former Elite Laundry Site
Jaffrey, New Hampshire


July 2022

Tighe&Bond

G:\GIS\NH\SiteLocus\Jaffrey\Groundwater Contours\2022\FormerEliteLaundrySite_Shallow.mxd

J-0033

FIGURE 6
EXTENT OF CVOCs > AGQS IN DEEP BEDROCK



LEGEND

- Monitoring Well - Deep Bedrock
- Approximate Groundwater Contours
- Extent of CVOCs* > AGQS (Approx.)
- Former Elite Laundry Site Boundary
- Indoor Air Sampling
- GMZ Boundary
- CVOCs > GW-2/VI Monitoring Wells

LOCUS MAP



0 125 250
Feet

1:900

NOTES

Basemap: Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

*1,1-DCE, cis- and trans--1,2,-DCE, PCE, TCE, and Vinyl Chloride

Former Elite Laundry Site
Jaffrey, New Hampshire

July 2022

Tighe&Bond

G:\GIS\NH\SiteLocus\Jaffrey\Groundwater Contours\2022\FormerEliteLaundrySite_Bedrock.mxd

J-0033

Tighe&Bond

APPENDIX E

Laboratory Report

Absolute Resource associates
124 Heritage Avenue Portsmouth NH 03801

Michael Trovato
Tighe & Bond
120 Front Street
Suite 7
Worcester, MA 01608

PO Number: None
Job ID: 59502
Date Received: 11/24/21

Project: Former Elite Laundry, Jaffrey J-0033-005A

Attached please find results for the analysis of the samples received on the date referenced above.

Unless otherwise noted in the attached report, the analyses performed met the requirements of Absolute Resource Associates' Quality Assurance Plan. The Standard Operating Procedures are based upon USEPA SW-846, USEPA Methods for Chemical Analysis of Water and Wastewater, Standard Methods for the Examination of Water and Wastewater and other recognized methodologies. The results contained in this report pertain only to the samples as indicated on the chain of custody.

Absolute Resource Associates maintains certification with the agencies listed below. The reported results apply to the sample(s) in the condition as received at the time the laboratory took custody. This report shall not be reproduced except in full, without written approval of the laboratory. The liability of ARA is limited to the cost of the requested analyses, unless otherwise agreed upon in writing.

We appreciate the opportunity to provide laboratory services. If you have any questions regarding the enclosed report, please contact the laboratory and we will be glad to assist you.

Sincerely,
Absolute Resource Associates

Aaron DeWees
Chief Operating Officer

Date of Approval: 12/9/2021
Total number of pages: 72

Absolute Resource Associates Certifications

New Hampshire	1732	Massachusetts	M-NH902
Maine	NH902		

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-001
Sample ID: BR-1D
Matrix: Water
Sampled: 11/23/21 12:10

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
vinyl chloride	**4**J	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
chloroethane	**3**#	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
cis-1,2-dichloroethene	**5**	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
trichloroethene	**3**	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
tetrachloroethene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-001
Sample ID: BR-1D
Matrix: Water
Sampled: 11/23/21 12:10

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**104**	78-114	%	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
toluene-D8 SUR	**104**	88-110	%	1	LMM		2104006	12/2/21	16:38	SW5030C8260D
4-bromofluorobenzene SUR	**96**	86-115	%	1	LMM		2104006	12/2/21	16:38	SW5030C8260D

J = The associated LCS/D showed high recovery for this compound. The reported concentration is an estimate.
= The associated CCV showed recovery above the acceptance criteria. The LCS/D were acceptable. The reported result is an estimate.

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-002
Sample ID: BR-2D
Matrix: Water
Sampled: 11/22/21 11:55

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
vinyl chloride	**11** J	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
cis-1,2-dichloroethene	**13**	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
trichloroethene	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
tetrachloroethene	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-002
Sample ID: BR-2D
Matrix: Water
Sampled: 11/22/21 11:55

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**99**	78-114	%	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
toluene-D8 SUR	**98**	88-110	%	1	LMM		2104000	12/2/21	1:54	SW5030C8260D
4-bromofluorobenzene SUR	**90**	86-115	%	1	LMM		2104000	12/2/21	1:54	SW5030C8260D

J = The associated LCS/D showed high recovery for this compound. The reported concentration is an estimate.

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-003
Sample ID: BR-3I
Matrix: Water
Sampled: 11/23/21 11:10

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
chloroethane	**3**	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
cis-1,2-dichloroethene	**13**	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
trichloroethene	**24**	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
tetrachloroethene	**31**	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-003
Sample ID: BR-3I
Matrix: Water
Sampled: 11/23/21 11:10

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**100**	78-114	%	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
toluene-D8 SUR	**100**	88-110	%	1	LMM		2103991	12/1/21	19:02	SW5030C8260D
4-bromofluorobenzene SUR	**95**	86-115	%	1	LMM		2103991	12/1/21	19:02	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-004
Sample ID: BR-4S
Matrix: Water
Sampled: 11/23/21 12:20

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
trichloroethene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
tetrachloroethene	**63**	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-004
Sample ID: BR-4S
Matrix: Water
Sampled: 11/23/21 12:20

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**97**	78-114	%	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
toluene-D8 SUR	**105**	88-110	%	1	LMM		2104000	12/2/21	4:02	SW5030C8260D
4-bromofluorobenzene SUR	**95**	86-115	%	1	LMM		2104000	12/2/21	4:02	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-005
Sample ID: BR-4I
Matrix: Water
Sampled: 11/23/21 12:55

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
vinyl chloride	**2**	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
trans-1,2-dichloroethene	**6**	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
cis-1,2-dichloroethene	**2**	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
trichloroethene	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
tetrachloroethene	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-005
Sample ID: BR-4I
Matrix: Water
Sampled: 11/23/21 12:55

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
o-xylene	**2**	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**100**	78-114	%	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
toluene-D8 SUR	**100**	88-110	%	1	LMM		2104023	12/3/21	17:32	SW5030C8260D
4-bromofluorobenzene SUR	**104**	86-115	%	1	LMM		2104023	12/3/21	17:32	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-006
Sample ID: BR-4D
Matrix: Water
Sampled: 11/22/21 13:30

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
chloromethane	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
vinyl chloride	**2000**	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
bromomethane	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
chloroethane	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
trichlorofluoromethane	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
diethyl ether	< 100	100	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
acetone	< 1000	1000	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
1,1-dichloroethene	< 20	20	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
methylene chloride	< 100	100	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
carbon disulfide	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
methyl t-butyl ether (MTBE)	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
trans-1,2-dichloroethene	**160**	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
isopropyl ether (DIPE)	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
1,1-dichloroethane	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
t-butanol (TBA)	< 600	600	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
2-butanone (MEK)	< 200	200	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
2,2-dichloropropane	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
cis-1,2-dichloroethene	**1600**	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
chloroform	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
bromochloromethane	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
tetrahydrofuran (THF)	< 200	200	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
1,1,1-trichloroethane	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
1,1-dichloropropene	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
t-amyl-methyl ether (TAME)	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
carbon tetrachloride	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
1,2-dichloroethane	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
benzene	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
trichloroethene	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
1,2-dichloropropane	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
bromodichloromethane	< 12	12	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
1,4-dioxane	< 1000	1000	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
dibromomethane	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 200	200	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
cis-1,3-dichloropropene	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
toluene	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
trans-1,3-dichloropropene	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
2-hexanone	< 200	200	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
1,1,2-trichloroethane	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
1,3-dichloropropane	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
tetrachloroethene	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
dibromochloromethane	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-006
Sample ID: BR-4D
Matrix: Water
Sampled: 11/22/21 13:30

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
chlorobenzene	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
1,1,1,2-tetrachloroethane	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
ethylbenzene	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
m&p-xylenes	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
o-xylene	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
styrene	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
bromoform	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
isopropylbenzene	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
1,1,2,2-tetrachloroethane	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
1,2,3-trichloropropane	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
n-propylbenzene	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
bromobenzene	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
1,3,5-trimethylbenzene	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
2-chlorotoluene	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
4-chlorotoluene	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
tert-butylbenzene	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
1,2,4-trimethylbenzene	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
sec-butylbenzene	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
1,3-dichlorobenzene	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
4-isopropyltoluene	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
1,4-dichlorobenzene	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
1,2-dichlorobenzene	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
n-butylbenzene	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
1,2,4-trichlorobenzene	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
1,3,5-trichlorobenzene	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
hexachlorobutadiene	< 10	10	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
naphthalene	< 100	100	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
1,2,3-trichlorobenzene	< 40	40	ug/L	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**99**	78-114	%	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
toluene-D8 SUR	**98**	88-110	%	20	LMM		2104023	12/3/21	21:11	SW5030C8260D
4-bromofluorobenzene SUR	**102**	86-115	%	20	LMM		2104023	12/3/21	21:11	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-007
Sample ID: BR-5S
Matrix: Water
Sampled: 11/22/21 9:40

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
trichloroethene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
tetrachloroethene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-007
Sample ID: BR-5S
Matrix: Water
Sampled: 11/22/21 9:40

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**102**	78-114	%	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
toluene-D8 SUR	**102**	88-110	%	1	LMM		2104000	12/2/21	2:20	SW5030C8260D
4-bromofluorobenzene SUR	**93**	86-115	%	1	LMM		2104000	12/2/21	2:20	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-008
Sample ID: BR-5I
Matrix: Water
Sampled: 11/23/21 12:50

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
vinyl chloride	**9** J	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
cis-1,2-dichloroethene	**8**	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
trichloroethene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
tetrachloroethene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-008
Sample ID: BR-5I
Matrix: Water
Sampled: 11/23/21 12:50

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**99**	78-114	%	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
toluene-D8 SUR	**96**	88-110	%	1	LMM		2104000	12/2/21	5:20	SW5030C8260D
4-bromofluorobenzene SUR	**98**	86-115	%	1	LMM		2104000	12/2/21	5:20	SW5030C8260D

J = The associated LCS/D showed high recovery for this compound. The reported concentration is an estimate.

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-009
Sample ID: BR-5D
Matrix: Water
Sampled: 11/22/21 10:45

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
vinyl chloride	**11** J	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
chloroethane	**3** #	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
trans-1,2-dichloroethene	**4**	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
cis-1,2-dichloroethene	**160**	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
tetrahydrofuran (THF)	**74**	10	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
trichloroethene	**34**	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
tetrachloroethene	**25**	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-009
Sample ID: BR-5D
Matrix: Water
Sampled: 11/22/21 10:45

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**98**	78-114	%	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
toluene-D8 SUR	**99**	88-110	%	1	LMM		2104006	12/2/21	19:13	SW5030C8260D
4-bromofluorobenzene SUR	**90**	86-115	%	1	LMM		2104006	12/2/21	19:13	SW5030C8260D

J = The associated LCS/D showed high recovery for this compound. The reported concentration is an estimate.
= The associated CCV showed recovery above the acceptance criteria. The LCS/D were acceptable. The reported result is an estimate.

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-010
Sample ID: BR-6S
Matrix: Water
Sampled: 11/22/21 14:50

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
vinyl chloride	**11** J	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
cis-1,2-dichloroethene	**12**	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
trichloroethene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
tetrachloroethene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-010
Sample ID: BR-6S
Matrix: Water
Sampled: 11/22/21 14:50

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**100**	78-114	%	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
toluene-D8 SUR	**100**	88-110	%	1	LMM		2104006	12/2/21	16:12	SW5030C8260D
4-bromofluorobenzene SUR	**95**	86-115	%	1	LMM		2104006	12/2/21	16:12	SW5030C8260D

J = The associated LCS/D showed high recovery for this compound. The reported concentration is an estimate.

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-011
Sample ID: BR-6I
Matrix: Water
Sampled: 11/22/21 15:30

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
vinyl chloride	**13** J	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
chloroethane	**7**	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
trans-1,2-dichloroethene	**2**	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
cis-1,2-dichloroethene	**64**	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
trichloroethene	**25**	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
tetrachloroethene	**30**	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-011
Sample ID: BR-6I
Matrix: Water
Sampled: 11/22/21 15:30

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**103**	78-114	%	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
toluene-D8 SUR	**101**	88-110	%	1	LMM		2103991	12/1/21	19:28	SW5030C8260D
4-bromofluorobenzene SUR	**96**	86-115	%	1	LMM		2103991	12/1/21	19:28	SW5030C8260D

J = The percent recovery for the LCS/D was high and outside the acceptance criteria. The reported result is an estimate.

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-012
Sample ID: BR-6D
Matrix: Water
Sampled: 11/22/21 16:00

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
trichloroethene	**4**	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
tetrachloroethene	**2**	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-012
Sample ID: BR-6D
Matrix: Water
Sampled: 11/22/21 16:00

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**105**	78-114	%	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
toluene-D8 SUR	**100**	88-110	%	1	LMM		2104000	12/2/21	3:37	SW5030C8260D
4-bromofluorobenzene SUR	**91**	86-115	%	1	LMM		2104000	12/2/21	3:37	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-013
Sample ID: SH-4
Matrix: Water
Sampled: 11/23/21 10:20

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
chloromethane	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
vinyl chloride	**38**	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
bromomethane	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
chloroethane	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
trichlorofluoromethane	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
diethyl ether	< 25	25	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
acetone	< 250	250	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
1,1-dichloroethene	< 5	5	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
methylene chloride	< 25	25	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
carbon disulfide	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
methyl t-butyl ether (MTBE)	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
trans-1,2-dichloroethene	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
isopropyl ether (DIPE)	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
1,1-dichloroethane	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
t-butanol (TBA)	< 150	150	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
2-butanone (MEK)	< 50	50	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
2,2-dichloropropane	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
cis-1,2-dichloroethene	**310**	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
chloroform	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
bromochloromethane	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
tetrahydrofuran (THF)	< 50	50	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
1,1,1-trichloroethane	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
1,1-dichloropropene	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
t-amyl-methyl ether (TAME)	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
carbon tetrachloride	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
1,2-dichloroethane	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
benzene	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
trichloroethene	**140**	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
1,2-dichloropropane	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
bromodichloromethane	< 3.0	3.0	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
1,4-dioxane	< 250	250	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
dibromomethane	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 50	50	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
cis-1,3-dichloropropene	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
toluene	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
trans-1,3-dichloropropene	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
2-hexanone	< 50	50	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
1,1,2-trichloroethane	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
1,3-dichloropropane	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
tetrachloroethene	**680**	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
dibromochloromethane	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-013
Sample ID: SH-4
Matrix: Water
Sampled: 11/23/21 10:20

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
1,2-dibromoethane (EDB)	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
chlorobenzene	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
1,1,1,2-tetrachloroethane	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
ethylbenzene	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
m&p-xylenes	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
o-xylene	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
styrene	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
bromoform	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
isopropylbenzene	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
1,1,2,2-tetrachloroethane	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
1,2,3-trichloropropane	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
n-propylbenzene	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
bromobenzene	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
1,3,5-trimethylbenzene	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
2-chlorotoluene	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
4-chlorotoluene	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
tert-butylbenzene	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
1,2,4-trimethylbenzene	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
sec-butylbenzene	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
1,3-dichlorobenzene	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
4-isopropyltoluene	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
1,4-dichlorobenzene	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
1,2-dichlorobenzene	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
n-butylbenzene	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
1,2,4-trichlorobenzene	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
1,3,5-trichlorobenzene	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
hexachlorobutadiene	< 2.5	2.5	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
naphthalene	< 25	25	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
1,2,3-trichlorobenzene	< 10	10	ug/L	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**101**	78-114	%	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
toluene-D8 SUR	**101**	88-110	%	5	LMM		2104023	12/3/21	20:39	SW5030C8260D
4-bromofluorobenzene SUR	**101**	86-115	%	5	LMM		2104023	12/3/21	20:39	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-014
Sample ID: SH-11
Matrix: Water
Sampled: 11/23/21 9:20

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
cis-1,2-dichloroethene	**5**	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
trichloroethene	**11**	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
tetrachloroethene	**6**	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-014
Sample ID: SH-11
Matrix: Water
Sampled: 11/23/21 9:20

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**103**	78-114	%	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
toluene-D8 SUR	**98**	88-110	%	1	LMM		2104000	12/2/21	7:03	SW5030C8260D
4-bromofluorobenzene SUR	**91**	86-115	%	1	LMM		2104000	12/2/21	7:03	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-015
Sample ID: SH-12
Matrix: Water
Sampled: 11/23/21 16:05

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
cis-1,2-dichloroethene	**3**	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
trichloroethene	**8**	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
tetrachloroethene	**66**	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-015
Sample ID: SH-12
Matrix: Water
Sampled: 11/23/21 16:05

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**101**	78-114	%	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
toluene-D8 SUR	**99**	88-110	%	1	LMM		2104006	12/2/21	15:47	SW5030C8260D
4-bromofluorobenzene SUR	**99**	86-115	%	1	LMM		2104006	12/2/21	15:47	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-016
Sample ID: SH-14D
Matrix: Water
Sampled: 11/22/21 15:10

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
chloromethane	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
vinyl chloride	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
bromomethane	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
chloroethane	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
trichlorofluoromethane	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
diethyl ether	< 25	25	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
acetone	< 250	250	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
1,1-dichloroethene	< 5	5	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
methylene chloride	< 25	25	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
carbon disulfide	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
methyl t-butyl ether (MTBE)	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
trans-1,2-dichloroethene	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
isopropyl ether (DIPE)	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
1,1-dichloroethane	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
t-butanol (TBA)	< 150	150	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
2-butanone (MEK)	< 50	50	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
2,2-dichloropropane	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
cis-1,2-dichloroethene	**14**	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
chloroform	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
bromochloromethane	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
tetrahydrofuran (THF)	< 50	50	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
1,1,1-trichloroethane	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
1,1-dichloropropene	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
t-amyl-methyl ether (TAME)	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
carbon tetrachloride	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
1,2-dichloroethane	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
benzene	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
trichloroethene	**44**	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
1,2-dichloropropane	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
bromodichloromethane	< 3.0	3.0	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
1,4-dioxane	< 250	250	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
dibromomethane	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 50	50	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
cis-1,3-dichloropropene	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
toluene	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
trans-1,3-dichloropropene	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
2-hexanone	< 50	50	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
1,1,2-trichloroethane	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
1,3-dichloropropane	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
tetrachloroethene	**470**	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
dibromochloromethane	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-016
Sample ID: SH-14D
Matrix: Water
Sampled: 11/22/21 15:10

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
chlorobenzene	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
1,1,1,2-tetrachloroethane	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
ethylbenzene	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
m&p-xylenes	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
o-xylene	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
styrene	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
bromoform	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
isopropylbenzene	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
1,1,2,2-tetrachloroethane	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
1,2,3-trichloropropane	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
n-propylbenzene	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
bromobenzene	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
1,3,5-trimethylbenzene	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
2-chlorotoluene	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
4-chlorotoluene	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
tert-butylbenzene	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
1,2,4-trimethylbenzene	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
sec-butylbenzene	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
1,3-dichlorobenzene	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
4-isopropyltoluene	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
1,4-dichlorobenzene	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
1,2-dichlorobenzene	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
n-butylbenzene	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
1,2,4-trichlorobenzene	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
1,3,5-trichlorobenzene	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
hexachlorobutadiene	< 2.5	2.5	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
naphthalene	< 25	25	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
1,2,3-trichlorobenzene	< 10	10	ug/L	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**99**	78-114	%	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
toluene-D8 SUR	**97**	88-110	%	5	LMM		2104023	12/3/21	19:37	SW5030C8260D
4-bromofluorobenzene SUR	**107**	86-115	%	5	LMM		2104023	12/3/21	19:37	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-017
Sample ID: SH-18S
Matrix: Water
Sampled: 11/22/21 9:30

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
cis-1,2-dichloroethene	**3**	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
trichloroethene	**6**	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
tetrachloroethene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-017
Sample ID: SH-18S
Matrix: Water
Sampled: 11/22/21 9:30

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**106**	78-114	%	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
toluene-D8 SUR	**102**	88-110	%	1	LMM		2104000	12/2/21	5:46	SW5030C8260D
4-bromofluorobenzene SUR	**94**	86-115	%	1	LMM		2104000	12/2/21	5:46	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-018
Sample ID: SH-18D
Matrix: Water
Sampled: 11/22/21 8:55

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
cis-1,2-dichloroethene	**50**	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
trichloroethene	**100**	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
tetrachloroethene	**7**	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-018
Sample ID: SH-18D
Matrix: Water
Sampled: 11/22/21 8:55

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**101**	78-114	%	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
toluene-D8 SUR	**97**	88-110	%	1	LMM		2104023	12/3/21	18:03	SW5030C8260D
4-bromofluorobenzene SUR	**104**	86-115	%	1	LMM		2104023	12/3/21	18:03	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-019
Sample ID: MW-02R
Matrix: Water
Sampled: 11/23/21 10:20

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
vinyl chloride	**23** J	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
cis-1,2-dichloroethene	**9**	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
trichloroethene	**9**	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
tetrachloroethene	**15**	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-019
Sample ID: MW-02R
Matrix: Water
Sampled: 11/23/21 10:20

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**101**	78-114	%	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
toluene-D8 SUR	**102**	88-110	%	1	LMM		2103991	12/1/21	18:37	SW5030C8260D
4-bromofluorobenzene SUR	**95**	86-115	%	1	LMM		2103991	12/1/21	18:37	SW5030C8260D

J = The percent recovery for the LCS/D was high and outside the acceptance criteria. The reported result is an estimate.

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-020
Sample ID: MW-14
Matrix: Water
Sampled: 11/23/21 7:30

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
vinyl chloride	**240**	10	ug/L	5	LMM		2104023	12/3/21	20:08	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
1,1-dichloroethene	**4**	1	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
trans-1,2-dichloroethene	**22**	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
cis-1,2-dichloroethene	**1400**	10	ug/L	5	LMM		2104023	12/3/21	20:08	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
trichloroethene	**67**	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
tetrachloroethene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-020
Sample ID: MW-14
Matrix: Water
Sampled: 11/23/21 7:30

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**103**	78-114	%	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
toluene-D8 SUR	**101**	88-110	%	1	LMM		2104006	12/2/21	19:39	SW5030C8260D
4-bromofluorobenzene SUR	**93**	86-115	%	1	LMM		2104006	12/2/21	19:39	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-021
Sample ID: MW-15S
Matrix: Water
Sampled: 11/22/21 10:30

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
cis-1,2-dichloroethene	**6**	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
trichloroethene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
tetrachloroethene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-021
Sample ID: MW-15S
Matrix: Water
Sampled: 11/22/21 10:30

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**107**	78-114	%	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
toluene-D8 SUR	**100**	88-110	%	1	LMM		2104000	12/2/21	6:11	SW5030C8260D
4-bromofluorobenzene SUR	**94**	86-115	%	1	LMM		2104000	12/2/21	6:11	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-022
Sample ID: MW-15I
Matrix: Water
Sampled: 11/22/21 11:10

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
vinyl chloride	**2** J	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
cis-1,2-dichloroethene	**23**	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
trichloroethene	**6**	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
tetrachloroethene	**18**	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-022
Sample ID: MW-15I
Matrix: Water
Sampled: 11/22/21 11:10

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**100**	78-114	%	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
toluene-D8 SUR	**97**	88-110	%	1	LMM		2104006	12/2/21	14:29	SW5030C8260D
4-bromofluorobenzene SUR	**102**	86-115	%	1	LMM		2104006	12/2/21	14:29	SW5030C8260D

J = The associated LCS/D showed high recovery for this compound. The reported concentration is an estimate.

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-023
Sample ID: MW-15D
Matrix: Water
Sampled: 11/22/21 11:55

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
trichloroethene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
tetrachloroethene	**5**	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-023
Sample ID: MW-15D
Matrix: Water
Sampled: 11/22/21 11:55

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**101**	78-114	%	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
toluene-D8 SUR	**100**	88-110	%	1	LMM		2104000	12/2/21	2:45	SW5030C8260D
4-bromofluorobenzene SUR	**94**	86-115	%	1	LMM		2104000	12/2/21	2:45	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-024
Sample ID: MW-16D
Matrix: Water
Sampled: 11/22/21 13:00

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
cis-1,2-dichloroethene	**2**	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
trichloroethene	**2**	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
tetrachloroethene	**6**	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-024
Sample ID: MW-16D
Matrix: Water
Sampled: 11/22/21 13:00

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**106**	78-114	%	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
toluene-D8 SUR	**100**	88-110	%	1	LMM		2104000	12/2/21	6:37	SW5030C8260D
4-bromofluorobenzene SUR	**93**	86-115	%	1	LMM		2104000	12/2/21	6:37	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-025
Sample ID: MW-20
Matrix: Water
Sampled: 11/23/21 14:00

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
cis-1,2-dichloroethene	**3**	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
trichloroethene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
tetrachloroethene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-025
Sample ID: MW-20
Matrix: Water
Sampled: 11/23/21 14:00

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**105**	78-114	%	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
toluene-D8 SUR	**101**	88-110	%	1	LMM		2104000	12/2/21	4:28	SW5030C8260D
4-bromofluorobenzene SUR	**98**	86-115	%	1	LMM		2104000	12/2/21	4:28	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-026
Sample ID: MW-21
Matrix: Water
Sampled: 11/22/21 8:49

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
vinyl chloride	**6**J	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
cis-1,2-dichloroethene	**7**	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
tetrahydrofuran (THF)	**13**	10	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
trichloroethene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
tetrachloroethene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-026
Sample ID: MW-21
Matrix: Water
Sampled: 11/22/21 8:49

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**97**	78-114	%	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
toluene-D8 SUR	**98**	88-110	%	1	LMM		2104000	12/2/21	4:54	SW5030C8260D
4-bromofluorobenzene SUR	**98**	86-115	%	1	LMM		2104000	12/2/21	4:54	SW5030C8260D

J = The associated LCS/D showed high recovery for this compound. The reported concentration is an estimate.

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-027
Sample ID: MW-22S
Matrix: Water
Sampled: 11/22/21 13:25

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
vinyl chloride	**50** J	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
chloroethane	**7** #	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
trans-1,2-dichloroethene	**2**	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
cis-1,2-dichloroethene	**28**	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
trichloroethene	**18**	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
tetrachloroethene	**6**	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-027
Sample ID: MW-22S
Matrix: Water
Sampled: 11/22/21 13:25

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**97**	78-114	%	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
toluene-D8 SUR	**101**	88-110	%	1	LMM		2104006	12/2/21	17:56	SW5030C8260D
4-bromofluorobenzene SUR	**104**	86-115	%	1	LMM		2104006	12/2/21	17:56	SW5030C8260D

J = The associated LCS/D showed high recovery for this compound. The reported concentration is an estimate.
= The associated CCV showed recovery above the acceptance criteria. The LCS/D were acceptable. The reported result is an estimate.

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-028
Sample ID: MW-22D
Matrix: Water
Sampled: 11/22/21 12:40

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
trichloroethene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
tetrachloroethene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-028
Sample ID: MW-22D
Matrix: Water
Sampled: 11/22/21 12:40

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**106**	78-114	%	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
toluene-D8 SUR	**102**	88-110	%	1	LMM		2104000	12/2/21	3:11	SW5030C8260D
4-bromofluorobenzene SUR	**96**	86-115	%	1	LMM		2104000	12/2/21	3:11	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-029
Sample ID: MW-23
Matrix: Water
Sampled: 11/22/21 14:00

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
vinyl chloride	**47** J	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
chloroethane	**5** #	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
1,1-dichloroethene	**5**	1	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
trans-1,2-dichloroethene	**6**	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
cis-1,2-dichloroethene	**220**	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
trichloroethene	**210**	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
tetrachloroethene	**46**	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-029
Sample ID: MW-23
Matrix: Water
Sampled: 11/22/21 14:00

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**100**	78-114	%	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
toluene-D8 SUR	**101**	88-110	%	1	LMM		2104006	12/2/21	18:21	SW5030C8260D
4-bromofluorobenzene SUR	**95**	86-115	%	1	LMM		2104006	12/2/21	18:21	SW5030C8260D

J = The associated LCS/D showed high recovery for this compound. The reported concentration is an estimate.
= The associated CCV showed recovery above the acceptance criteria. The LCS/D were acceptable. The reported result is an estimate.

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-030
Sample ID: MW-28
Matrix: Water
Sampled: 11/22/21 14:10

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
methyl t-butyl ether (MTBE)	**8**	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
cis-1,2-dichloroethene	**28**	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
trichloroethene	**56**	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
tetrachloroethene	**200**	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-030
Sample ID: MW-28
Matrix: Water
Sampled: 11/22/21 14:10

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**100**	78-114	%	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
toluene-D8 SUR	**100**	88-110	%	1	LMM		2104023	12/3/21	19:05	SW5030C8260D
4-bromofluorobenzene SUR	**105**	86-115	%	1	LMM		2104023	12/3/21	19:05	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-031
Sample ID: Trip Blank
Matrix: Water
Sampled: 11/22/21 0:00

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
trichloroethene	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
tetrachloroethene	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502
Sample#: 59502-031
Sample ID: Trip Blank
Matrix: Water
Sampled: 11/22/21 0:00

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**102**	78-114	%	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
toluene-D8 SUR	**100**	88-110	%	1	LMM		2103991	12/1/21	11:44	SW5030C8260D
4-bromofluorobenzene SUR	**99**	86-115	%	1	LMM		2103991	12/1/21	11:44	SW5030C8260D

Project ID: Former Elite Laundry, Jaffrey J-0033-005A

Job ID: 59502

Sample#: 59502-001
Sample ID: BR-1D
Matrix: Water
Sampled: 11/23/21 12:10

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2103984	11/30/21	14:15	SW8260Dmod

Sample#: 59502-002
Sample ID: BR-2D
Matrix: Water
Sampled: 11/22/21 11:55

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2103984	11/30/21	9:34	SW8260Dmod

Sample#: 59502-003
Sample ID: BR-3I
Matrix: Water
Sampled: 11/23/21 11:10

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2103984	11/30/21	13:13	SW8260Dmod

Sample#: 59502-004
Sample ID: BR-4S
Matrix: Water
Sampled: 11/23/21 12:20

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2103984	11/30/21	13:44	SW8260Dmod

Sample#: 59502-005
Sample ID: BR-4I
Matrix: Water
Sampled: 11/23/21 12:55

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2103984	11/30/21	14:46	SW8260Dmod

Sample#: 59502-006
Sample ID: BR-4D
Matrix: Water
Sampled: 11/22/21 13:30

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2104045	12/6/21	17:40	SW8260Dmod

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502

Sample#: 59502-007
Sample ID: BR-5S
Matrix: Water
Sampled: 11/22/21 9:40

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2103993	11/30/21	22:03	SW8260Dmod

Sample#: 59502-008
Sample ID: BR-5I
Matrix: Water
Sampled: 11/23/21 12:50

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2103993	12/1/21	2:43	SW8260Dmod

Sample#: 59502-009
Sample ID: BR-5D
Matrix: Water
Sampled: 11/22/21 10:45

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,4-dioxane	**1.1**	0.25	ug/L	1	LMM		2103993	12/1/21	6:54	SW8260Dmod

Sample#: 59502-010
Sample ID: BR-6S
Matrix: Water
Sampled: 11/22/21 14:50

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2104045	12/6/21	19:46	SW8260Dmod

Sample#: 59502-011
Sample ID: BR-6I
Matrix: Water
Sampled: 11/22/21 15:30

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2103993	12/1/21	5:20	SW8260Dmod

Sample#: 59502-012
Sample ID: BR-6D
Matrix: Water
Sampled: 11/22/21 16:00

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2103993	11/30/21	23:36	SW8260Dmod

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502

Sample#: 59502-013
Sample ID: SH-4
Matrix: Water
Sampled: 11/23/21 10:20

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2104045	12/6/21	20:17	SW8260Dmod

Sample#: 59502-014
Sample ID: SH-11
Matrix: Water
Sampled: 11/23/21 9:20

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2103993	12/1/21	3:15	SW8260Dmod

Sample#: 59502-015
Sample ID: SH-12
Matrix: Water
Sampled: 11/23/21 16:05

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2103993	12/1/21	3:46	SW8260Dmod

Sample#: 59502-016
Sample ID: SH-14D
Matrix: Water
Sampled: 11/22/21 15:10

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2103993	12/1/21	7:57	SW8260Dmod

Sample#: 59502-017
Sample ID: SH-18S
Matrix: Water
Sampled: 11/22/21 9:30

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2103993	12/1/21	1:09	SW8260Dmod

Sample#: 59502-018
Sample ID: SH-18D
Matrix: Water
Sampled: 11/22/21 8:55

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2103993	12/1/21	5:52	SW8260Dmod

Project ID: Former Elite Laundry, Jaffrey J-0033-005A

Job ID: 59502

Sample#: 59502-019
Sample ID: MW-02R
Matrix: Water
Sampled: 11/23/21 10:20

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2103993	12/1/21	4:17	SW8260Dmod

Sample#: 59502-020
Sample ID: MW-14
Matrix: Water
Sampled: 11/23/21 7:30

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2103993	12/1/21	7:25	SW8260Dmod

Sample#: 59502-021
Sample ID: MW-15S
Matrix: Water
Sampled: 11/22/21 10:30

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2103993	12/1/21	1:40	SW8260Dmod

Sample#: 59502-022
Sample ID: MW-15I
Matrix: Water
Sampled: 11/22/21 11:10

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2103993	12/1/21	4:49	SW8260Dmod

Sample#: 59502-023
Sample ID: MW-15D
Matrix: Water
Sampled: 11/22/21 11:55

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2103993	11/30/21	22:34	SW8260Dmod

Sample#: 59502-024
Sample ID: MW-16D
Matrix: Water
Sampled: 11/22/21 13:00

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2103993	12/1/21	2:11	SW8260Dmod

Project ID: Former Elite Laundry, Jaffrey J-0033-005A
Job ID: 59502

Sample#: 59502-025
Sample ID: MW-20
Matrix: Water
Sampled: 11/23/21 14:00

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2103993	12/1/21	0:07	SW8260Dmod

Sample#: 59502-026
Sample ID: MW-21
Matrix: Water
Sampled: 11/22/21 8:49

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2103993	12/1/21	0:38	SW8260Dmod

Sample#: 59502-027
Sample ID: MW-22S
Matrix: Water
Sampled: 11/22/21 13:25

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 5.0	5.0	ug/L	20	LMM		2104045	12/6/21	16:38	SW8260Dmod

Note: Dilution was required due to sample matrix interference.

Sample#: 59502-028
Sample ID: MW-22D
Matrix: Water
Sampled: 11/22/21 12:40

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2103993	11/30/21	23:05	SW8260Dmod

Sample#: 59502-029
Sample ID: MW-23
Matrix: Water
Sampled: 11/22/21 14:00

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2103993	12/1/21	6:23	SW8260Dmod

Sample#: 59502-030
Sample ID: MW-28
Matrix: Water
Sampled: 11/22/21 14:10

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2104045	12/6/21	13:29	SW8260Dmod

Absolute Resource associates
124 Heritage Avenue #16
Portsmouth, NH 03801
603-436-2001
absoluteresourceassociates.com

CHAIN-OF-CUSTODY RECORD AND ANALYSIS REQUEST

59502

Company Name: Tighe & Bond
Company Address: 120 Front Street, Suite 7, Worcester, MA
Report To: John Harvey, Mike Trovato
Phone #: (603) 548-2049
Invoice to: AP@tighebond.com
Email: JHarvey@tighebond.com / MTTrovato@tighebond.com
PO #:

Project Name: Former Elite Laundry, Jaffrey
Project #: J-0033-005A
Project Location: (NH) MA ME VT
Accreditation Required? N/Y:
Protocol: RCRA SDWA NPDES; MCP ✓NHDES DOD
Reporting Limits: QAPP GW-1 S-1; EPA DW Other ACQS
Quote #
☐ NH Reimbursement Pricing

ANALYSIS REQUEST

Lab Sample ID (Lab Use Only)	Field ID	# CONTAINERS	Matrix: WATER	SOLID	OTHER	Preservation Method: HCl	HNO_3	H_2SO_4	NaOH	MeOH	Sampling: DATE	TIME	SAMPLER	■ VOC 8260 NHDES ☐ VOC 8260 MADEP	☐ VOC 624.1 ☐ VOC BTEX MtBE, only ☐ VOC 8021VT	☐ VPH MADEP ☐ GRO 8015 ■ 1,4-Dioxane low level	☐ VOC 524.2 ☐ VOC 524.2 NH List ☐ Gases-List:	☐ TPH 8100 ☐ DRO 8015 ☐ EPH MADEP ☐ TPH Fingerprint	☐ 8270PAH ☐ 8270ABN ☐ 625.1 ☐ EDB	☐ 8082 PCB ☐ 8081 Pesticides ☐ 608.3 Pest/PCB	☐ PFAS 537.1 ☐ PFAS 533 ☐ PFAS isotope dilution	☐ O&G 1664 ☐ Mineral O&G 1664	☐ pH ☐ BOD ☐ Conductivity ☐ Turbidity ☐ Apparent Color	☐ TSS ☐ TDS ☐ TS ☐ TVS ☐ Alkalinity ☐ Acidity	☐ RCRA Metals ☐ Priority Pollutant Metals ☐ TAL Metals ☐ Hardness	☐ Total Metals-list:	☐ Dissolved Metals-list:	☐ Ammonia ☐ COD ☐ TKN ☐ TN ☐ TON ☐ TOC ☐ Ferrous Iron	☐ T-Phosphorus ☐ Bacteria P/A ☐ Bacteria MPN ☐ Enterococci	☐ Cyanide ☐ Sulfide ☐ Nitrate + Nitrite ☐ Ortho P ☐ Phenols	☐ Nitrate ☐ Nitrite ☐ Chloride ☐ Sulfate ☐ Bromide ☐ Fluoride	☐ Corrosivity ☐ Ignitibility/FP	☐ TCLP Metals ☐ TCLP VOC ☐ TCLP SVOC ☐ TCLP Pesticide	Subcontract: ☐ Grain Size ☐ Herbicides ☐ Asbestos	Grab (G) or Composite (C)
59502-01	BR-1D	2/2	✓			✓					11/23/21	12:10	KB	✓		✓																					G
-02	BR-2D ✓	2/2	✓			✓					11/22/21	14:55	M.B	✓		✓																							G
-03	BR-3I ✓	2/2	✓			✓					11/23/21	11:10	M.B	✓		✓																							G
-04	BR-4S	2/2	✓			✓					11/23/21	12:20	M.B	✓		✓																							G
-05	BR-4I	2/2	✓			✓					11/23/21	12:55	MB	✓		✓																							G
-06	BR-4D	2/2	✓			✓					11/23/21	13:30	M.B	✓		✓																							G
-07	BR-5S ✓	2/2	✓			✓					11/23/21	9:40	MB	✓		✓																							G
-08	BR-5I	2/2	✓			✓					11/23/21	12:50	C.B	✓		✓																							G
-09	BR-5D ✓	2/2	✓			✓					11/23/21	10:45	MB	✓		✓																							G
-10	BR-6S ✓	2/2	✓			✓					11/23/21	14:50	M.B	✓		✓																							G
-11	BR-6I ✓	2/2	✓			✓					11/23/21	15:30	MB	✓		✓																							G

TAT REQUESTED
Priority (24 hr)* ☐
Expedited (48 hr)* ☐
Standard ■ (10 Business Days)
*Date Needed

See absoluteresourceassociates.com for sample acceptance policy and current accreditation lists.

SPECIAL INSTRUCTIONS

REPORTING INSTRUCTIONS ■ PDF (e-mail address) JHarvey@tighebond.com / MTTrovato@tighebond.com
☐ HARD COPY REQUIRED ■ EDD MTTrovato@tighebond.com

RECEIVED ON ICE ☑ YES ☐ NO
TEMPERATURE 5 °C

CUSTODY RECORD
QSD-01 Revision 03/09/2020

	Date	Time		Date	Time
Relinquished by Sampler: Mike Trovato	11/24/21	12:20	Received by:	11/24	12:20
Relinquished by:	11/24/21	13:30	Received by:		
Relinquished by:			Received by Laboratory: Kan Mule	11/24/21	13:30

Absolute Resource associates
124 Heritage Avenue #16
Portsmouth, NH 03801
603-436-2001
absoluteresourceassociates.com

CHAIN-OF-CUSTODY RECORD AND ANALYSIS REQUEST

Lab ID Here

Company Name: Tighe & Bond
Company Address: 120 Front Street, Suite 7, Worcester, MA
Report To: John Harvey, Mike Trovato
Phone #: (603) 548-2049
Invoice to: AP@tighebond.com
Email: JHarvey@tighebond.com / MTTrovato@tighebond.com
PO #:

Project Name: Former Elite Laundry, Jaffrey
Project #: J-0033-005A
Project Location: (NH) MA ME VT
Accreditation Required? N/Y:
Protocol: RCRA SDWA NPDES; MCP ✓NHDES DOD
Reporting Limits: QAPP GW-1 S-1; EPA DW Other ACOS
Quote #
☐ NH Reimbursement Pricing

ANALYSIS REQUEST

Lab Sample ID (Lab Use Only)	Field ID	# CONTAINERS	Matrix: WATER	SOLID	OTHER	Preservation Method: HCl	HNO_3	H_2SO_4	NaOH	MeOH	Sampling: DATE	TIME	SAMPLER	■ VOC 8260 NHDES ☐ VOC 8260 MADEP	☐ VOC 8260	☐ VOC 624.1	☐ VOC BTEX MtBE, only ☐ VOC 8021VT	■ VPH MADEP ☐ GRO 8015 ■ 1,4-Dioxane low level	☐ VPH 524.2 ☐ VOC 524.2 NH List ☐ Gases-List:	☐ TPH 8100 ☐ DRO 8015 ☐ EPH MADEP ☐ TPH Fingerprint	☐ 8270PAH ☐ 8270ABN ☐ 625.1 ☐ EDB	☐ 8082 PCB ☐ 8081 Pesticides ☐ 608.3 Pest/PCB	☐ PFAS 537.1 ☐ PFAS 533 ☐ PFAS isotope dilution	☐ O&G 1664 ☐ Mineral O&G 1664	☐ pH ☐ BOD ☐ Conductivity ☐ Turbidity ☐ Apparent Color	☐ TSS ☐ TDS ☐ TS ☐ TVS ☐ Alkalinity ☐ Acidity	☐ RCRA Metals ☐ Priority Pollutant Metals ☐ TAL Metals ☐ Hardness	☐ Total Metals-list:	☐ Dissolved Metals-list:	☐ Ammonia ☐ COD ☐ TKN ☐ TN ☐ TON ☐ TOC ☐ Ferrous Iron	☐ T-Phosphorus ☐ Bacteria P/A ☐ Bacteria MPN ☐ Enterococci	☐ Cyanide ☐ Sulfide ☐ Nitrate + Nitrite ☐ Ortho P ☐ Phenols	☐ Nitrate ☐ Nitrite ☐ Chloride ☐ Sulfate ☐ Bromide ☐ Fluoride	☐ Corrosivity ☐ Ignitibility/FP	☐ TCLP Metals ☐ TCLP VOC ☐ TCLP SVOC ☐ TCLP Pesticide	Subcontract: ☐ Grain Size ☐ Herbicides ☐ Asbestos	Grab (G) or Composite (C)
54502-12	BR-6D ✓	2/2	✔			✔					11/23/21	16:00	MB	✔				✔																						G
-13	SH-4 ✓	2/2	✔			✔					11/23/21	10:20	MB	✔				✔																						G
-14	SH-11 ✓	2/2	✔			✔					11/23/21	9:20	CB	✔				✔																						G
-15	~~BR-12~~ SH-12	2/2	✔			✔					11/23/21	16:05	CB	✔				✔																						G
-16	~~BR-14D~~ SH-14D	2/2	✔			✔					11/22/21	15:10	CB	✔				✔																						G
-17	~~BR-18S~~ SH-18S	2/2	✔			✔					11/22/21	9:30	CB	✔				✔																						G
-18	~~BR-18D~~ SH-18D	2/2	✔			✔					11/22/21	8:55	CB	✔				✔																						G
-19	MW-02R ✓	2/2	✔			✔					11/23/21	10:20	CB	✔				✔																						G
-20	MW-14 ✓	2/2	✔			✔					11/23/21	7:30	MB	✔				✔																						G
-21	MW-15S	2/2	✔			✔					11/22/21	10:30	CB	✔				✔																						G
-22	MW-15I	2/2	✔			✔					11/22/21	11:20	CB	✔				✔																						G

TAT REQUESTED
Priority (24 hr)* ☐
Expedited (48 hr)* ☐
Standard ■ (10 Business Days)
*Date Needed

See absoluteresourceassociates.com for sample acceptance policy and current accreditation lists.

SPECIAL INSTRUCTIONS

REPORTING INSTRUCTIONS ■ PDF (e-mail address) JHarvey@tighebond.com / MTTrovato@tighebond.com
☐ HARD COPY REQUIRED ■ EDD MTTrovato@tighebond.com

RECEIVED ON ICE ✓YES ☐NO
TEMPERATURE 5 °C

CUSTODY RECORD
QSD-01 Revision 03/09/2020

	Date	Time		Date	Time
Relinquished by Sampler: Mike Trovato	11/24/21	12:20	Received by:	11/24	12:20
Relinquished by:	11/24/21	13:30	Received by:		
Relinquished by:			Received by Laboratory:	11/24/21	13:30

Absolute Resource associates
124 Heritage Avenue #16
Portsmouth, NH 03801
603-436-2001
absoluteresourceassociates.com

CHAIN-OF-CUSTODY RECORD AND ANALYSIS REQUEST

59502

Company Name: Tighe & Bond
Company Address: 120 Front Street, Suite 7, Worcester, MA
Report To: John Harvey, Mike Trovato
Phone #: (603) 548-2049
Invoice to: AP@tighebond.com
Email: JHarvey@tighebond.com / MTTrovato@tighebond.com
PO #:

Project Name: Former Elite Laundry, Jaffrey
Project #: J-0033-005A
Project Location: (NH) MA ME VT
Accreditation Required? N/Y:
Protocol: RCRA SDWA NPDES MCP ✓NHDES DOD
Reporting Limits: QAPP GW-1 S-1 EPA DW Other ACQS
Quote #
☐ NH Reimbursement Pricing

Lab Sample ID (Lab Use Only)	Field ID	# CONTAINERS	Matrix: WATER	SOLID	OTHER	Preservation Method: HCl	HNO_3	H_2SO_4	NaOH	MeOH	Sampling: DATE	TIME	SAMPLER	ANALYSIS REQUEST: ☐ VOC 8260 NHDES ■ VOC 8260 MADEP	☐ VOC 624.1 ☐ VOC BTEX MtBE, only ☐ VOC 8021VT	☐ VOC 8260 ☐ VPH MADEP ☐ GRO 8015 ■ 1,4-Dioxane low level	☐ VOC 524.2 ☐ VOC 524.2 NH List ☐ Gases-List:	☐ TPH 8100 ☐ DRO 8015 ☐ EPH MADEP ☐ TPH Fingerprint	☐ 8270PAH ☐ 8270ABN ☐ 625.1 ☐ EDB	☐ 8082 PCB ☐ 8081 Pesticides ☐ 608.3 Pest/PCB	☐ PFAS 537.1 ☐ PFAS 533 ☐ PFAS isotope dilution	☐ O&G 1664 ☐ Mineral O&G 1664	☐ pH ☐ BOD ☐ Conductivity ☐ Turbidity ☐ Apparent Color	☐ TSS ☐ TDS ☐ TVS ☐ Alkalinity ☐ Acidity	☐ RCRA Metals ☐ Priority Pollutant Metals ☐ TAL Metals ☐ Hardness	☐ Total Metals-list:	☐ Dissolved Metals-list:	☐ Ammonia ☐ COD ☐ TKN ☐ TN ☐ TON ☐ TOC ☐ Ferrous Iron	☐ T-Phosphorus ☐ Bacteria P/A ☐ Bacteria MPN ☐ Enterococci	☐ Cyanide ☐ Sulfide ☐ Nitrate + Nitrite ☐ Ortho P ☐ Phenols	☐ Nitrate ☐ Nitrite ☐ Chloride ☐ Sulfate ☐ Bromide ☐ Fluoride	☐ Corrosivity ☐ Ignitibility/FP	☐ TCLP Metals ☐ TCLP VOC ☐ TCLP SVOC ☐ TCLP Pesticide	Subcontract: ☐ Grain Size ☐ Herbicides ☐ Asbestos	Grab (G) or Composite (C)
59502-23	MW-15D ✓	2/2	✓			✓					11/22/21	11:55	CB	✓		✓																					G
-24	MW-16D ✓	2/2	✓			✓					11/22/21	13:00	CB	✓		✓																					G
-25	MW-20	2/2	✓			✓					11/23/21	14:00	CB	✓		✓																					G
-26	MW-21 ✓	2/2	✓			✓					11/22/21	8:49	MB	✓		✓																					G
-27	MW-22S ✓	2/2	✓			✓					11/22/21	13:25	MB	✓		✓																					G
-28	MW-22D ✓	2/2	✓			✓					11/22/21	12:40	MB	✓		✓																					G
-29	MW-23 ✓	2/2	✓			✓					11/22/21	14:00	MB	✓		✓																					G
-30	MW-28 ✓	2/2	✓			✓					11/22/21	14:10	CB	✓		✓																					G
-31	Trip Blank	1	✓			✓					11/22/21	—	CB	✓																									-
			✓			✓																																
			✓			✓																																

TAT REQUESTED
Priority (24 hr)* ☐
Expedited (48 hr)* ☐
Standard ■ (10 Business Days)
*Date Needed

See absoluteresourceassociates.com for sample acceptance policy and current accreditation lists.

SPECIAL INSTRUCTIONS

REPORTING INSTRUCTIONS ■ PDF (e-mail address) JHarvey@tighebond.com / MTTrovato@tighebond.com
☐ HARD COPY REQUIRED ■ EDD MTTrovato@tighebond.com

RECEIVED ON ICE ✓YES ☐NO
TEMPERATURE 5 °C

CUSTODY RECORD
QSD-01 Revision 03/09/2020

		Date	Time		Date	Time
Relinquished by Sampler:	Mike Trovato	11/24/21	12:20	Received by:		11/24 12:20
Relinquished by:		11/24/21	13:30	Received by:		
Relinquished by:				Received by Laboratory:		11/24/21 13:30

Sample Receipt Condition Report

59502

Absolute Resource Associates **Job Number:**

Samples Received from: ☐-UPS ☐-FedEx ☐-USPS ☒-Lab Courier ☐-Client Drop-off ☐-

Custody Seals - present & intact: ☐-Yes ☐-No ☒-N/A CoC signed: ☒-Yes ☐-No

Receipt Temp: 5 °C Samples on ice? ☒-Yes ☐-No ☐-N/A Sampled < 24 hrs ago? ☐-Yes ☒-No

PFAS-only real ice? ☐-Yes ☐-No ☒-N/A Any signs of freezing? ☒-Yes ☐-No

Comments: -30B

Preservation / Analysis	Bottle Size/Type & Quantity										Check pH for ALL applicable* samples and document:
HCl	40mL(G)	63	250mL(P)		500mL(P)		1L(G)				
HNO_3	125mL(P)		250mL(P)		500mL(P)						
H_2SO_4	40mL(G)		60mL(P)		125mL(P)		250mL(P)		500mL(P)		
NaOH	125mL(P)		250mL(P)								
$(NH_4)_2SO_4$	60mL(P)		125mL(P)		250mL(P)						
ZnAc-NaOH	125mL(P)		250mL(P)								
Trizma	125mL(P)		250mL (P)								*pH ✓by analyst:VOC, PFAS, TOC,O&G
NH_4Ac	125mL(P)		250mL (P)								Residual Cl not present:
NaS_2O_3	40mL(G)		120mL(P)								ABN625____Pest608____
MeOH	20mL(G)		40mL(G)								Bacteria ResCl ✓by analyst
None (solid)	2oz(G)		4oz(G)		8oz(G)		Syringe				PC Dry applicable? Y N
None (water)	40ml (G)	60	60mL(P)		125mL(P)		250mL(P)		500mL(P)		1L(G) 1L (P)
Mold	Cassette		Bulk		Plate		Tape Lift				
Asbestos	~~Cassette~~		~~Bulk~~								
Lead	Cassette		Bulk		Wipe						

Login Review	Yes	No	NA	Comments
Proper lab sample containers/enough volume/correct preservative?	X			
Analyses marked on COC match bottles received?	X			
VOC &TOC Water-no headspace? VOC Solid-MeOH covers solid, no leaks, Prep Expiration OK?		X		-30A, -21B, -28C, -30B 7 pea size bubbles
PFAS: ARA bottles & samples/FRB same Lot#? QC rec'd, if req'd?			X	Lot ID#:_____
Bacteria bottles provided by ARA?			X	
Samples within holding time?	X			
Immediate tests communicated in writing: NO_3, NO_2,o-PO_4, pH, BOD, Coliform/*E. coli* (P/A or MPN), Enterococci, Color Surfactants, Turbidity, Odor, CrVI, Ferrous Iron, Dissolved Oxygen, Unpres 624			X	
Date, time & ID on samples match CoC?	X			
Rushes communicated to analyst in writing?			X	
Subcontract note on login board?				
Pesticides EPA 608 pH5-9?				
Compliance samples have no discrepancies/require no flags?				(Or must be rejected)
Log-in Supervisor notified immediately of following items:				Discrepancies, compliance samples (NHDES, MADEP, DoD etc.) or uncommon requests.

Inspected and Received By: RLM LAP Date/Time: 11/24/21 16:22

Peer Review Checklist

- ☑ Client ID/Project Manager
- ☑ Project Name
- ☑ TAT/rushes communicated
- ☑ Received Date/Time
- ☑ On Ice, Temperature OK?
- ☑ PO# (if provided)
- ☑ Sub samples sent? Shipping Charge?
- ☑ Issues noted above communicated?
- ☑ Sample IDs
- ☑ Matrix
- ☑ Date/Time collected
- ☑ Short HTs communicated
- ☑ Analyses in Correctly -references -wastewater methods
- ☑ Notes from CoC in LIMS

Reviewed By: DM Date: 11.29.21

Notes: (continue on back as needed)

	Initials	Date	What was sent?
Uploaded / PDF	____	____	Report / Data / EDD / Invoice
Uploaded / PDF	____	____	Report / Data / EDD / Invoice
Uploaded / PDF	____	____	Report / Data / EDD / Invoice

Laboratory Report

Absolute Resource associates
124 Heritage Avenue Portsmouth NH 03801

Michael Trovato
Tighe & Bond
120 Front Street
Suite 7
Worcester, MA 01608

PO Number: None
Job ID: 61340
Date Received: 5/31/22

Project: Former Elite Laundry J-0033005B

Attached please find results for the analysis of the samples received on the date referenced above.

Unless otherwise noted in the attached report, the analyses performed met the requirements of Absolute Resource Associates' Quality Assurance Plan. The Standard Operating Procedures are based upon USEPA SW-846, USEPA Methods for Chemical Analysis of Water and Wastewater, Standard Methods for the Examination of Water and Wastewater and other recognized methodologies. The results contained in this report pertain only to the samples as indicated on the chain of custody.

Absolute Resource Associates maintains certification with the agencies listed below. The reported results apply to the sample(s) in the condition as received at the time the laboratory took custody. This report shall not be reproduced except in full, without written approval of the laboratory. The liability of ARA is limited to the cost of the requested analyses, unless otherwise agreed upon in writing.

We appreciate the opportunity to provide laboratory services. If you have any questions regarding the enclosed report, please contact the laboratory and we will be glad to assist you.

Sincerely,
Absolute Resource Associates

Willie Stone
Authorized Signature

Date of Approval: 6/10/2022
Total number of pages: 102

Absolute Resource Associates Certifications

New Hampshire	1732	Massachusetts	M-NH902
Maine	NH902		

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-001
Sample ID: MW-15S
Matrix: Water
Sampled: 5/24/22 13:00

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
cis-1,2-dichloroethene	**7**	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
trichloroethene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
tetrachloroethene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-001
Sample ID: MW-15S
Matrix: Water
Sampled: 5/24/22 13:00

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**105**	78-114	%	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
toluene-D8 SUR	**98**	88-110	%	1	LMM		2201511	6/2/22	22:15	SW5030C8260D
4-bromofluorobenzene SUR	**98**	86-115	%	1	LMM		2201511	6/2/22	22:15	SW5030C8260D

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-002
Sample ID: MW-22D
Matrix: Water
Sampled: 5/24/22 8:40

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
trichloroethene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
tetrachloroethene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-002
Sample ID: MW-22D
Matrix: Water
Sampled: 5/24/22 8:40

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**105**	78-114	%	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
toluene-D8 SUR	**100**	88-110	%	1	LMM		2201511	6/2/22	22:42	SW5030C8260D
4-bromofluorobenzene SUR	**98**	86-115	%	1	LMM		2201511	6/2/22	22:42	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-003
Sample ID: MW-26
Matrix: Water
Sampled: 5/24/22 14:15

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
trichloroethene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
tetrachloroethene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-003
Sample ID: MW-26
Matrix: Water
Sampled: 5/24/22 14:15

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**106**	78-114	%	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
toluene-D8 SUR	**102**	88-110	%	1	LMM		2201511	6/2/22	23:08	SW5030C8260D
4-bromofluorobenzene SUR	**101**	86-115	%	1	LMM		2201511	6/2/22	23:08	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-004
Sample ID: MW-15D
Matrix: Water
Sampled: 5/24/22 13:30

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
trichloroethene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
tetrachloroethene	**4**	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-004
Sample ID: MW-15D
Matrix: Water
Sampled: 5/24/22 13:30

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**104**	78-114	%	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
toluene-D8 SUR	**100**	88-110	%	1	LMM		2201511	6/2/22	23:34	SW5030C8260D
4-bromofluorobenzene SUR	**97**	86-115	%	1	LMM		2201511	6/2/22	23:34	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-005
Sample ID: BR-4D
Matrix: Water
Sampled: 5/24/22 12:15

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
vinyl chloride	**330**	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
trans-1,2-dichloroethene	**38**	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
cis-1,2-dichloroethene	**500**	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
trichloroethene	**17**	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
tetrachloroethene	**10**	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-005
Sample ID: BR-4D
Matrix: Water
Sampled: 5/24/22 12:15

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**104**	78-114	%	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
toluene-D8 SUR	**99**	88-110	%	1	LMM		2201511	6/3/22	0:00	SW5030C8260D
4-bromofluorobenzene SUR	**99**	86-115	%	1	LMM		2201511	6/3/22	0:00	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-006
Sample ID: BR-4I
Matrix: Water
Sampled: 5/24/22 11:50

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
vinyl chloride	**36**	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
trans-1,2-dichloroethene	**3**	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
cis-1,2-dichloroethene	**36**	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
trichloroethene	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
tetrachloroethene	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-006
Sample ID: BR-4I
Matrix: Water
Sampled: 5/24/22 11:50

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**101**	78-114	%	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
toluene-D8 SUR	**99**	88-110	%	1	LMM		2201487	6/1/22	20:59	SW5030C8260D
4-bromofluorobenzene SUR	**94**	86-115	%	1	LMM		2201487	6/1/22	20:59	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-007
Sample ID: BR-5S
Matrix: Water
Sampled: 5/24/22 11:20

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
trichloroethene	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
tetrachloroethene	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-007
Sample ID: BR-5S
Matrix: Water
Sampled: 5/24/22 11:20

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**104**	78-114	%	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
toluene-D8 SUR	**101**	88-110	%	1	LMM		2201517	6/3/22	14:11	SW5030C8260D
4-bromofluorobenzene SUR	**101**	86-115	%	1	LMM		2201517	6/3/22	14:11	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-008
Sample ID: MW-22S
Matrix: Water
Sampled: 5/24/22 9:10

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
vinyl chloride	**88**	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
chloroethane	**5**	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
trans-1,2-dichloroethene	**4**	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
cis-1,2-dichloroethene	**110**	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
trichloroethene	**25**	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
tetrachloroethene	**2**	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-008
Sample ID: MW-22S
Matrix: Water
Sampled: 5/24/22 9:10

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
isopropylbenzene	**2**	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**101**	78-114	%	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
toluene-D8 SUR	**104**	88-110	%	1	LMM		2201517	6/3/22	16:21	SW5030C8260D
4-bromofluorobenzene SUR	**98**	86-115	%	1	LMM		2201517	6/3/22	16:21	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-009
Sample ID: BR-2D
Matrix: Water
Sampled: 5/24/22 9:45

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
vinyl chloride	**3**	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
cis-1,2-dichloroethene	**4**	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
trichloroethene	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
tetrachloroethene	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-009
Sample ID: BR-2D
Matrix: Water
Sampled: 5/24/22 9:45

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**102**	78-114	%	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
toluene-D8 SUR	**100**	88-110	%	1	LMM		2201487	6/1/22	21:25	SW5030C8260D
4-bromofluorobenzene SUR	**95**	86-115	%	1	LMM		2201487	6/1/22	21:25	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-010
Sample ID: BR-5D
Matrix: Water
Sampled: 5/24/22 10:25

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
cis-1,2-dichloroethene	**15**	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
trichloroethene	**11**	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
tetrachloroethene	**17**	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-010
Sample ID: BR-5D
Matrix: Water
Sampled: 5/24/22 10:25

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**102**	78-114	%	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
toluene-D8 SUR	**96**	88-110	%	1	LMM		2201539	6/6/22	20:13	SW5030C8260D
4-bromofluorobenzene SUR	**96**	86-115	%	1	LMM		2201539	6/6/22	20:13	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-011
Sample ID: BR-5I
Matrix: Water
Sampled: 5/24/22 10:50

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
cis-1,2-dichloroethene	**4**	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
trichloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
tetrachloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-011
Sample ID: BR-5I
Matrix: Water
Sampled: 5/24/22 10:50

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**104**	78-114	%	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
toluene-D8 SUR	**100**	88-110	%	1	LMM		2201519	6/4/22	6:18	SW5030C8260D
4-bromofluorobenzene SUR	**101**	86-115	%	1	LMM		2201519	6/4/22	6:18	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-012
Sample ID: BR-6S
Matrix: Water
Sampled: 5/26/22 9:35

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
vinyl chloride	**43**	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
chloroethane	**2**	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
trans-1,2-dichloroethene	**3**	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
cis-1,2-dichloroethene	**110**	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
trichloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
tetrachloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-012
Sample ID: BR-6S
Matrix: Water
Sampled: 5/26/22 9:35

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**103**	78-114	%	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
toluene-D8 SUR	**104**	88-110	%	1	LMM		2201519	6/4/22	6:44	SW5030C8260D
4-bromofluorobenzene SUR	**102**	86-115	%	1	LMM		2201519	6/4/22	6:44	SW5030C8260D

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-013
Sample ID: BR-6I
Matrix: Water
Sampled: 5/26/22 9:00

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
vinyl chloride	**3**	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
chloroethane	**2**	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
cis-1,2-dichloroethene	**36**	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
trichloroethene	**14**	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
tetrachloroethene	**15**	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-013
Sample ID: BR-6I
Matrix: Water
Sampled: 5/26/22 9:00

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**104**	78-114	%	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
toluene-D8 SUR	**102**	88-110	%	1	LMM		2201517	6/3/22	16:47	SW5030C8260D
4-bromofluorobenzene SUR	**97**	86-115	%	1	LMM		2201517	6/3/22	16:47	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-014
Sample ID: BR-3I
Matrix: Water
Sampled: 5/26/22 10:25

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
cis-1,2-dichloroethene	**10**	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
trichloroethene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
tetrachloroethene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-014
Sample ID: BR-3I
Matrix: Water
Sampled: 5/26/22 10:25

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**102**	78-114	%	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
toluene-D8 SUR	**99**	88-110	%	1	LMM		2201517	6/3/22	15:55	SW5030C8260D
4-bromofluorobenzene SUR	**98**	86-115	%	1	LMM		2201517	6/3/22	15:55	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-015
Sample ID: MW-24
Matrix: Water
Sampled: 5/26/22 11:00

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
trichloroethene	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
tetrachloroethene	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-015
Sample ID: MW-24
Matrix: Water
Sampled: 5/26/22 11:00

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**103**	78-114	%	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
toluene-D8 SUR	**95**	88-110	%	1	LMM		2201539	6/6/22	15:52	SW5030C8260D
4-bromofluorobenzene SUR	**98**	86-115	%	1	LMM		2201539	6/6/22	15:52	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-016
Sample ID: MW-25
Matrix: Water
Sampled: 5/26/22 11:30

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
trichloroethene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
tetrachloroethene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-016
Sample ID: MW-25
Matrix: Water
Sampled: 5/26/22 11:30

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**103**	78-114	%	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
toluene-D8 SUR	**97**	88-110	%	1	LMM		2201539	6/6/22	16:18	SW5030C8260D
4-bromofluorobenzene SUR	**93**	86-115	%	1	LMM		2201539	6/6/22	16:18	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-017
Sample ID: MW-28
Matrix: Water
Sampled: 5/26/22 12:30

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
trichloroethene	**5**	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
tetrachloroethene	**21**	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-017
Sample ID: MW-28
Matrix: Water
Sampled: 5/26/22 12:30

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**103**	78-114	%	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
toluene-D8 SUR	**98**	88-110	%	1	LMM		2201539	6/6/22	20:39	SW5030C8260D
4-bromofluorobenzene SUR	**92**	86-115	%	1	LMM		2201539	6/6/22	20:39	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-018
Sample ID: MW-30
Matrix: Water
Sampled: 5/26/22 13:15

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
trichloroethene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
tetrachloroethene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-018
Sample ID: MW-30
Matrix: Water
Sampled: 5/26/22 13:15

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**109**	78-114	%	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
toluene-D8 SUR	**102**	88-110	%	1	LMM		2201517	6/3/22	15:29	SW5030C8260D
4-bromofluorobenzene SUR	**100**	86-115	%	1	LMM		2201517	6/3/22	15:29	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-019
Sample ID: MW-29
Matrix: Water
Sampled: 5/26/22 14:15

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
trichloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
tetrachloroethene	**2**	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-019
Sample ID: MW-29
Matrix: Water
Sampled: 5/26/22 14:15

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**108**	78-114	%	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
toluene-D8 SUR	**102**	88-110	%	1	LMM		2201519	6/4/22	3:41	SW5030C8260D
4-bromofluorobenzene SUR	**100**	86-115	%	1	LMM		2201519	6/4/22	3:41	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-020
Sample ID: BR-6D
Matrix: Water
Sampled: 5/26/22 15:00

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
trichloroethene	**4**	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
tetrachloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-020
Sample ID: BR-6D
Matrix: Water
Sampled: 5/26/22 15:00

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**108**	78-114	%	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
toluene-D8 SUR	**100**	88-110	%	1	LMM		2201519	6/4/22	4:07	SW5030C8260D
4-bromofluorobenzene SUR	**100**	86-115	%	1	LMM		2201519	6/4/22	4:07	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-021
Sample ID: SH-11
Matrix: Water
Sampled: 5/27/22 11:00

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
cis-1,2-dichloroethene	**6**	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
trichloroethene	**13**	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
tetrachloroethene	**7**	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-021
Sample ID: SH-11
Matrix: Water
Sampled: 5/27/22 11:00

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**105**	78-114	%	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
toluene-D8 SUR	**102**	88-110	%	1	LMM		2201519	6/4/22	7:10	SW5030C8260D
4-bromofluorobenzene SUR	**95**	86-115	%	1	LMM		2201519	6/4/22	7:10	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-022
Sample ID: SH-14D
Matrix: Water
Sampled: 5/27/22 8:45

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
chloromethane	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
vinyl chloride	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
bromomethane	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
chloroethane	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
trichlorofluoromethane	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
diethyl ether	< 25	25	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
acetone	< 250	250	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
1,1-dichloroethene	< 5	5	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
methylene chloride	< 25	25	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
carbon disulfide	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
methyl t-butyl ether (MTBE)	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
trans-1,2-dichloroethene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
isopropyl ether (DIPE)	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
1,1-dichloroethane	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
t-butanol (TBA)	< 150	150	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
2-butanone (MEK)	< 50	50	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
2,2-dichloropropane	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
cis-1,2-dichloroethene	**18**	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
chloroform	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
bromochloromethane	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
tetrahydrofuran (THF)	< 50	50	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
1,1,1-trichloroethane	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
1,1-dichloropropene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
t-amyl-methyl ether (TAME)	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
carbon tetrachloride	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
1,2-dichloroethane	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
benzene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
trichloroethene	**59**	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
1,2-dichloropropane	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
bromodichloromethane	< 3.0	3.0	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
1,4-dioxane	< 250	250	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
dibromomethane	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 50	50	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
cis-1,3-dichloropropene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
toluene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
trans-1,3-dichloropropene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
2-hexanone	< 50	50	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
1,1,2-trichloroethane	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
1,3-dichloropropane	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
tetrachloroethene	**480**	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
dibromochloromethane	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-022
Sample ID: SH-14D
Matrix: Water
Sampled: 5/27/22 8:45

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
chlorobenzene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
1,1,1,2-tetrachloroethane	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
ethylbenzene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
m&p-xylenes	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
o-xylene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
styrene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
bromoform	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
isopropylbenzene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
1,1,2,2-tetrachloroethane	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
1,2,3-trichloropropane	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
n-propylbenzene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
bromobenzene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
1,3,5-trimethylbenzene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
2-chlorotoluene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
4-chlorotoluene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
tert-butylbenzene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
1,2,4-trimethylbenzene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
sec-butylbenzene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
1,3-dichlorobenzene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
4-isopropyltoluene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
1,4-dichlorobenzene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
1,2-dichlorobenzene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
n-butylbenzene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
1,2,4-trichlorobenzene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
1,3,5-trichlorobenzene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
hexachlorobutadiene	< 2.5	2.5	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
naphthalene	< 25	25	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
1,2,3-trichlorobenzene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**108**	78-114	%	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
toluene-D8 SUR	**101**	88-110	%	5	LMM		2201519	6/4/22	8:03	SW5030C8260D
4-bromofluorobenzene SUR	**97**	86-115	%	5	LMM		2201519	6/4/22	8:03	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-023
Sample ID: MW-16D
Matrix: Water
Sampled: 5/26/22 14:20

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
trichloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
tetrachloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-023
Sample ID: MW-16D
Matrix: Water
Sampled: 5/26/22 14:20

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**110**	78-114	%	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
toluene-D8 SUR	**103**	88-110	%	1	LMM		2201519	6/4/22	4:33	SW5030C8260D
4-bromofluorobenzene SUR	**102**	86-115	%	1	LMM		2201519	6/4/22	4:33	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-024
Sample ID: MW-27
Matrix: Water
Sampled: 5/24/22 14:15

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
trichloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
tetrachloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-024
Sample ID: MW-27
Matrix: Water
Sampled: 5/24/22 14:15

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**106**	78-114	%	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
toluene-D8 SUR	**102**	88-110	%	1	LMM		2201519	6/4/22	0:38	SW5030C8260D
4-bromofluorobenzene SUR	**97**	86-115	%	1	LMM		2201519	6/4/22	0:38	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-025
Sample ID: MW-15I
Matrix: Water
Sampled: 5/24/22 13:05

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
cis-1,2-dichloroethene	**24**	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
trichloroethene	**6**	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
tetrachloroethene	**17**	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-025
Sample ID: MW-15I
Matrix: Water
Sampled: 5/24/22 13:05

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**103**	78-114	%	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
toluene-D8 SUR	**96**	88-110	%	1	LMM		2201539	6/6/22	16:44	SW5030C8260D
4-bromofluorobenzene SUR	**96**	86-115	%	1	LMM		2201539	6/6/22	16:44	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-026
Sample ID: MW-21
Matrix: Water
Sampled: 5/24/22 8:45

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
cis-1,2-dichloroethene	**2**	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
trichloroethene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
tetrachloroethene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-026
Sample ID: MW-21
Matrix: Water
Sampled: 5/24/22 8:45

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**103**	78-114	%	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
toluene-D8 SUR	**95**	88-110	%	1	LMM		2201539	6/6/22	17:10	SW5030C8260D
4-bromofluorobenzene SUR	**94**	86-115	%	1	LMM		2201539	6/6/22	17:10	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-027
Sample ID: MW-23
Matrix: Water
Sampled: 5/24/22 9:30

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
1,1-dichloroethene	**3**	1	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
trans-1,2-dichloroethene	**4**	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
cis-1,2-dichloroethene	**210**	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
trichloroethene	**130**	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
tetrachloroethene	**23**	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-027
Sample ID: MW-23
Matrix: Water
Sampled: 5/24/22 9:30

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**103**	78-114	%	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
toluene-D8 SUR	**101**	88-110	%	1	LMM		2201519	6/4/22	7:37	SW5030C8260D
4-bromofluorobenzene SUR	**100**	86-115	%	1	LMM		2201519	6/4/22	7:37	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-028
Sample ID: MW-14
Matrix: Water
Sampled: 5/24/22 10:15

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
chloromethane	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
vinyl chloride	**160**	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
bromomethane	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
chloroethane	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
trichlorofluoromethane	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
diethyl ether	< 25	25	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
acetone	< 250	250	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
1,1-dichloroethene	< 5	5	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
methylene chloride	< 25	25	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
carbon disulfide	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
methyl t-butyl ether (MTBE)	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
trans-1,2-dichloroethene	**19**	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
isopropyl ether (DIPE)	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
1,1-dichloroethane	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
t-butanol (TBA)	< 150	150	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
2-butanone (MEK)	< 50	50	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
2,2-dichloropropane	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
cis-1,2-dichloroethene	**1300**	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
chloroform	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
bromochloromethane	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
tetrahydrofuran (THF)	< 50	50	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
1,1,1-trichloroethane	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
1,1-dichloropropene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
t-amyl-methyl ether (TAME)	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
carbon tetrachloride	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
1,2-dichloroethane	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
benzene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
trichloroethene	**20**	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
1,2-dichloropropane	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
bromodichloromethane	< 3.0	3.0	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
1,4-dioxane	< 250	250	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
dibromomethane	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 50	50	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
cis-1,3-dichloropropene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
toluene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
trans-1,3-dichloropropene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
2-hexanone	< 50	50	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
1,1,2-trichloroethane	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
1,3-dichloropropane	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
tetrachloroethene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
dibromochloromethane	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-028
Sample ID: MW-14
Matrix: Water
Sampled: 5/24/22 10:15

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
chlorobenzene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
1,1,1,2-tetrachloroethane	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
ethylbenzene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
m&p-xylenes	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
o-xylene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
styrene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
bromoform	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
isopropylbenzene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
1,1,2,2-tetrachloroethane	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
1,2,3-trichloropropane	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
n-propylbenzene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
bromobenzene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
1,3,5-trimethylbenzene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
2-chlorotoluene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
4-chlorotoluene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
tert-butylbenzene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
1,2,4-trimethylbenzene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
sec-butylbenzene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
1,3-dichlorobenzene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
4-isopropyltoluene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
1,4-dichlorobenzene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
1,2-dichlorobenzene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
n-butylbenzene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
1,2,4-trichlorobenzene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
1,3,5-trichlorobenzene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
hexachlorobutadiene	< 2.5	2.5	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
naphthalene	< 25	25	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
1,2,3-trichlorobenzene	< 10	10	ug/L	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**107**	78-114	%	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
toluene-D8 SUR	**102**	88-110	%	5	LMM		2201519	6/4/22	8:30	SW5030C8260D
4-bromofluorobenzene SUR	**100**	86-115	%	5	LMM		2201519	6/4/22	8:30	SW5030C8260D

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-029
Sample ID: BR-1D
Matrix: Water
Sampled: 5/24/22 10:55

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
cis-1,2-dichloroethene	**4**	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
trichloroethene	**4**	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
tetrachloroethene	**5**	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-029
Sample ID: BR-1D
Matrix: Water
Sampled: 5/24/22 10:55

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**107**	78-114	%	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
toluene-D8 SUR	**100**	88-110	%	1	LMM		2201519	6/4/22	4:59	SW5030C8260D
4-bromofluorobenzene SUR	**98**	86-115	%	1	LMM		2201519	6/4/22	4:59	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-030
Sample ID: SH-4
Matrix: Water
Sampled: 5/24/22 11:25

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
chloromethane	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
vinyl chloride	**11**	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
bromomethane	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
chloroethane	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
trichlorofluoromethane	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
diethyl ether	< 25	25	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
acetone	< 250	250	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
1,1-dichloroethene	< 5	5	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
methylene chloride	< 25	25	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
carbon disulfide	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
methyl t-butyl ether (MTBE)	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
trans-1,2-dichloroethene	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
isopropyl ether (DIPE)	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
1,1-dichloroethane	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
t-butanol (TBA)	< 150	150	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
2-butanone (MEK)	< 50	50	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
2,2-dichloropropane	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
cis-1,2-dichloroethene	**29**	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
chloroform	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
bromochloromethane	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
tetrahydrofuran (THF)	< 50	50	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
1,1,1-trichloroethane	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
1,1-dichloropropene	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
t-amyl-methyl ether (TAME)	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
carbon tetrachloride	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
1,2-dichloroethane	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
benzene	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
trichloroethene	**15**	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
1,2-dichloropropane	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
bromodichloromethane	< 3.0	3.0	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
1,4-dioxane	< 250	250	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
dibromomethane	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 50	50	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
cis-1,3-dichloropropene	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
toluene	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
trans-1,3-dichloropropene	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
2-hexanone	< 50	50	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
1,1,2-trichloroethane	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
1,3-dichloropropane	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
tetrachloroethene	**220**	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
dibromochloromethane	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-030
Sample ID: SH-4
Matrix: Water
Sampled: 5/24/22 11:25

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
chlorobenzene	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
1,1,1,2-tetrachloroethane	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
ethylbenzene	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
m&p-xylenes	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
o-xylene	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
styrene	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
bromoform	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
isopropylbenzene	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
1,1,2,2-tetrachloroethane	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
1,2,3-trichloropropane	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
n-propylbenzene	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
bromobenzene	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
1,3,5-trimethylbenzene	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
2-chlorotoluene	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
4-chlorotoluene	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
tert-butylbenzene	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
1,2,4-trimethylbenzene	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
sec-butylbenzene	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
1,3-dichlorobenzene	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
4-isopropyltoluene	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
1,4-dichlorobenzene	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
1,2-dichlorobenzene	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
n-butylbenzene	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
1,2,4-trichlorobenzene	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
1,3,5-trichlorobenzene	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
hexachlorobutadiene	< 2.5	2.5	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
naphthalene	< 25	25	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
1,2,3-trichlorobenzene	< 10	10	ug/L	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**101**	78-114	%	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
toluene-D8 SUR	**95**	88-110	%	5	LMM		2201539	6/6/22	21:06	SW5030C8260D
4-bromofluorobenzene SUR	**95**	86-115	%	5	LMM		2201539	6/6/22	21:06	SW5030C8260D

Note: This sample required re-analysis at a more appropriate dilution, however no additional sample was available.

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-031
Sample ID: BR-4S
Matrix: Water
Sampled: 5/24/22 12:05

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
cis-1,2-dichloroethene	**16**	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
trichloroethene	**16**	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
tetrachloroethene	**44**	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-031
Sample ID: BR-4S
Matrix: Water
Sampled: 5/24/22 12:05

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**101**	78-114	%	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
toluene-D8 SUR	**97**	88-110	%	1	LMM		2201539	6/6/22	19:21	SW5030C8260D
4-bromofluorobenzene SUR	**96**	86-115	%	1	LMM		2201539	6/6/22	19:21	SW5030C8260D

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-032
Sample ID: SH-18D
Matrix: Water
Sampled: 5/26/22 9:20

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
cis-1,2-dichloroethene	**33**	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
trichloroethene	**71**	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
tetrachloroethene	**4**	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-032
Sample ID: SH-18D
Matrix: Water
Sampled: 5/26/22 9:20

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**99**	78-114	%	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
toluene-D8 SUR	**99**	88-110	%	1	LMM		2201539	6/6/22	19:47	SW5030C8260D
4-bromofluorobenzene SUR	**100**	86-115	%	1	LMM		2201539	6/6/22	19:47	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-033
Sample ID: SH-18S
Matrix: Water
Sampled: 5/26/22 9:55

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
cis-1,2-dichloroethene	**2**	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
trichloroethene	**5**	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
tetrachloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-033
Sample ID: SH-18S
Matrix: Water
Sampled: 5/26/22 9:55

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**107**	78-114	%	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
toluene-D8 SUR	**101**	88-110	%	1	LMM		2201519	6/4/22	5:26	SW5030C8260D
4-bromofluorobenzene SUR	**98**	86-115	%	1	LMM		2201519	6/4/22	5:26	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-034
Sample ID: SH-17
Matrix: Water
Sampled: 5/26/22 10:45

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
cis-1,2-dichloroethene	**2**	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
trichloroethene	**5**	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
tetrachloroethene	**5**	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-034
Sample ID: SH-17
Matrix: Water
Sampled: 5/26/22 10:45

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**104**	78-114	%	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
toluene-D8 SUR	**99**	88-110	%	1	LMM		2201519	6/4/22	5:52	SW5030C8260D
4-bromofluorobenzene SUR	**97**	86-115	%	1	LMM		2201519	6/4/22	5:52	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-035
Sample ID: MW-17
Matrix: Water
Sampled: 5/26/22 11:30

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
trichloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
tetrachloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-035
Sample ID: MW-17
Matrix: Water
Sampled: 5/26/22 11:30

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**107**	78-114	%	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
toluene-D8 SUR	**100**	88-110	%	1	LMM		2201519	6/4/22	1:04	SW5030C8260D
4-bromofluorobenzene SUR	**100**	86-115	%	1	LMM		2201519	6/4/22	1:04	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-036
Sample ID: MW-18
Matrix: Water
Sampled: 5/26/22 12:20

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
cis-1,2-dichloroethene	**6**	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
trichloroethene	**2**	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
tetrachloroethene	**17**	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-036
Sample ID: MW-18
Matrix: Water
Sampled: 5/26/22 12:20

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**102**	78-114	%	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
toluene-D8 SUR	**98**	88-110	%	1	LMM		2201539	6/6/22	17:36	SW5030C8260D
4-bromofluorobenzene SUR	**94**	86-115	%	1	LMM		2201539	6/6/22	17:36	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-037
Sample ID: MW-19
Matrix: Water
Sampled: 5/26/22 13:10

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
trichloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
tetrachloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-037
Sample ID: MW-19
Matrix: Water
Sampled: 5/26/22 13:10

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**107**	78-114	%	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
toluene-D8 SUR	**101**	88-110	%	1	LMM		2201519	6/4/22	1:30	SW5030C8260D
4-bromofluorobenzene SUR	**98**	86-115	%	1	LMM		2201519	6/4/22	1:30	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-038
Sample ID: SH-14S
Matrix: Water
Sampled: 5/27/22 9:30

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
trichloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
tetrachloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-038
Sample ID: SH-14S
Matrix: Water
Sampled: 5/27/22 9:30

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**106**	78-114	%	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
toluene-D8 SUR	**100**	88-110	%	1	LMM		2201519	6/4/22	1:57	SW5030C8260D
4-bromofluorobenzene SUR	**102**	86-115	%	1	LMM		2201519	6/4/22	1:57	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-039
Sample ID: MW-12
Matrix: Water
Sampled: 5/27/22 10:10

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
cis-1,2-dichloroethene	**4**	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
trichloroethene	**9**	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
tetrachloroethene	**66**	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-039
Sample ID: MW-12
Matrix: Water
Sampled: 5/27/22 10:10

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**104**	78-114	%	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
toluene-D8 SUR	**97**	88-110	%	1	LMM		2201539	6/6/22	18:29	SW5030C8260D
4-bromofluorobenzene SUR	**94**	86-115	%	1	LMM		2201539	6/6/22	18:29	SW5030C8260D

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-040
Sample ID: MW-02R
Matrix: Water
Sampled: 5/27/22 9:10

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
vinyl chloride	**2**	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
cis-1,2-dichloroethene	**3**	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
trichloroethene	**6**	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
tetrachloroethene	**20**	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-040
Sample ID: MW-02R
Matrix: Water
Sampled: 5/27/22 9:10

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**103**	78-114	%	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
toluene-D8 SUR	**97**	88-110	%	1	LMM		2201539	6/6/22	18:02	SW5030C8260D
4-bromofluorobenzene SUR	**96**	86-115	%	1	LMM		2201539	6/6/22	18:02	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-041
Sample ID: SH-15
Matrix: Water
Sampled: 5/27/22 9:55

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
trichloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
tetrachloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-041
Sample ID: SH-15
Matrix: Water
Sampled: 5/27/22 9:55

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**102**	78-114	%	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
toluene-D8 SUR	**100**	88-110	%	1	LMM		2201519	6/4/22	2:23	SW5030C8260D
4-bromofluorobenzene SUR	**96**	86-115	%	1	LMM		2201519	6/4/22	2:23	SW5030C8260D

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-042
Sample ID: SH-19
Matrix: Water
Sampled: 5/27/22 10:30

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
trichloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
tetrachloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-042
Sample ID: SH-19
Matrix: Water
Sampled: 5/27/22 10:30

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**100**	78-114	%	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
toluene-D8 SUR	**102**	88-110	%	1	LMM		2201519	6/4/22	2:49	SW5030C8260D
4-bromofluorobenzene SUR	**102**	86-115	%	1	LMM		2201519	6/4/22	2:49	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-043
Sample ID: MW-20
Matrix: Water
Sampled: 5/27/22 11:05

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
cis-1,2-dichloroethene	**3**	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
trichloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
tetrachloroethene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-043
Sample ID: MW-20
Matrix: Water
Sampled: 5/27/22 11:05

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**107**	78-114	%	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
toluene-D8 SUR	**100**	88-110	%	1	LMM		2201519	6/4/22	3:15	SW5030C8260D
4-bromofluorobenzene SUR	**102**	86-115	%	1	LMM		2201519	6/4/22	3:15	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-044
Sample ID: TRIP BLANK
Matrix: Water
Sampled: 5/27/22 0:00

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
chloromethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
vinyl chloride	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
bromomethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
chloroethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
trichlorofluoromethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
diethyl ether	< 5	5	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
acetone	< 50	50	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
1,1-dichloroethene	< 1	1	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
methylene chloride	< 5	5	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
carbon disulfide	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
1,1-dichloroethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
t-butanol (TBA)	< 30	30	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
2-butanone (MEK)	< 10	10	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
2,2-dichloropropane	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
chloroform	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
bromochloromethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
1,1-dichloropropene	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
carbon tetrachloride	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
1,2-dichloroethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
benzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
trichloroethene	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
1,2-dichloropropane	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
bromodichloromethane	< 0.6	0.6	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
1,4-dioxane	< 50	50	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
dibromomethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
toluene	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
2-hexanone	< 10	10	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
1,3-dichloropropane	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
tetrachloroethene	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
dibromochloromethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340
Sample#: 61340-044
Sample ID: TRIP BLANK
Matrix: Water
Sampled: 5/27/22 0:00

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
chlorobenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
ethylbenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
m&p-xylenes	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
o-xylene	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
styrene	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
bromoform	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
isopropylbenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
n-propylbenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
bromobenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
2-chlorotoluene	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
4-chlorotoluene	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
tert-butylbenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
sec-butylbenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
4-isopropyltoluene	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
n-butylbenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
1,3,5-trichlorobenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
naphthalene	< 5	5	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	**101**	78-114	%	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
toluene-D8 SUR	**99**	88-110	%	1	LMM		2201487	6/1/22	19:14	SW5030C8260D
4-bromofluorobenzene SUR	**94**	86-115	%	1	LMM		2201487	6/1/22	19:14	SW5030C8260D

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B

Job ID: 61340

Sample#: 61340-001
Sample ID: MW-15S
Matrix: Water
Sampled: 5/24/22 13:00

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2201522	6/2/22	13:59	SW8260Dmod

Sample#: 61340-002
Sample ID: MW-22D
Matrix: Water
Sampled: 5/24/22 8:40

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2201522	6/2/22	14:30	SW8260Dmod

Sample#: 61340-003
Sample ID: MW-26
Matrix: Water
Sampled: 5/24/22 14:15

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2201522	6/2/22	20:12	SW8260Dmod

Sample#: 61340-004
Sample ID: MW-15D
Matrix: Water
Sampled: 5/24/22 13:30

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2201522	6/2/22	15:01	SW8260Dmod

Sample#: 61340-005
Sample ID: BR-4D
Matrix: Water
Sampled: 5/24/22 12:15

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2201522	6/2/22	23:49	SW8260Dmod

Sample#: 61340-006
Sample ID: BR-4I
Matrix: Water
Sampled: 5/24/22 11:50

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,4-dioxane	**0.29**	0.25	ug/L	1	LMM		2201522	6/2/22	15:32	SW8260Dmod

Absolute Resource associates

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340

Sample#: 61340-007
Sample ID: BR-5S
Matrix: Water
Sampled: 5/24/22 11:20

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2201522	6/2/22	16:03	SW8260Dmod

Sample#: 61340-008
Sample ID: MW-22S
Matrix: Water
Sampled: 5/24/22 9:10

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,4-dioxane	< 5.0	5.0	ug/L	20	LMM		2201526	6/3/22	22:40	SW8260Dmod

Note: Dilution was necessary due to the presence of non-target compound.

Sample#: 61340-009
Sample ID: BR-2D
Matrix: Water
Sampled: 5/24/22 9:45

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2201522	6/2/22	17:05	SW8260Dmod

Sample#: 61340-010
Sample ID: BR-5D
Matrix: Water
Sampled: 5/24/22 10:25

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2201522	6/2/22	17:37	SW8260Dmod

Sample#: 61340-011
Sample ID: BR-5I
Matrix: Water
Sampled: 5/24/22 10:50

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2201522	6/2/22	18:07	SW8260Dmod

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340

Sample#: 61340-012
Sample ID: BR-6S
Matrix: Water
Sampled: 5/26/22 9:35

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 12	12	ug/L	50	LMM		2201526	6/3/22	23:42	SW8260Dmod

Note: Dilution was necessary due to the presence of non-target compound.

Sample#: 61340-013
Sample ID: BR-6I
Matrix: Water
Sampled: 5/26/22 9:00

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2201522	6/2/22	19:10	SW8260Dmod

Sample#: 61340-014
Sample ID: BR-3I
Matrix: Water
Sampled: 5/26/22 10:25

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2201522	6/2/22	19:41	SW8260Dmod

Sample#: 61340-015
Sample ID: MW-24
Matrix: Water
Sampled: 5/26/22 11:00

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2201522	6/2/22	20:43	SW8260Dmod

Sample#: 61340-016
Sample ID: MW-25
Matrix: Water
Sampled: 5/26/22 11:30

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2201522	6/2/22	21:14	SW8260Dmod

Sample#: 61340-017
Sample ID: MW-28
Matrix: Water
Sampled: 5/26/22 12:30

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2201522	6/2/22	23:18	SW8260Dmod

Project ID: Former Elite Laundry J-0033005B

Job ID: 61340

Sample#: 61340-018
Sample ID: MW-30
Matrix: Water
Sampled: 5/26/22 13:15

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2201522	6/2/22	21:45	SW8260Dmod

Sample#: 61340-019
Sample ID: MW-29
Matrix: Water
Sampled: 5/26/22 14:15

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2201522	6/2/22	22:16	SW8260Dmod

Sample#: 61340-020
Sample ID: BR-6D
Matrix: Water
Sampled: 5/26/22 15:00

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2201522	6/2/22	22:47	SW8260Dmod

Sample#: 61340-021
Sample ID: SH-11
Matrix: Water
Sampled: 5/27/22 11:00

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2201525	6/3/22	5:31	SW8260Dmod

Sample#: 61340-022
Sample ID: SH-14D
Matrix: Water
Sampled: 5/27/22 8:45

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2201525	6/3/22	14:20	SW8260Dmod

Sample#: 61340-023
Sample ID: MW-16D
Matrix: Water
Sampled: 5/26/22 14:20

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2201525	6/3/22	6:02	SW8260Dmod

Project ID: Former Elite Laundry J-0033005B

Job ID: 61340

Sample#: 61340-024
Sample ID: MW-27
Matrix: Water
Sampled: 5/24/22 14:15

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2201525	6/3/22	6:33	SW8260Dmod

Sample#: 61340-025
Sample ID: MW-15I
Matrix: Water
Sampled: 5/24/22 13:05

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2201525	6/3/22	7:04	SW8260Dmod

Sample#: 61340-026
Sample ID: MW-21
Matrix: Water
Sampled: 5/24/22 8:45

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2201525	6/3/22	7:36	SW8260Dmod

Sample#: 61340-027
Sample ID: MW-23
Matrix: Water
Sampled: 5/24/22 9:30

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2201525	6/3/22	8:07	SW8260Dmod

Sample#: 61340-028
Sample ID: MW-14
Matrix: Water
Sampled: 5/24/22 10:15

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2201525	6/3/22	15:22	SW8260Dmod

Sample#: 61340-029
Sample ID: BR-1D
Matrix: Water
Sampled: 5/24/22 10:55

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2201525	6/3/22	8:38	SW8260Dmod

Project ID: Former Elite Laundry J-0033005B

Job ID: 61340

Sample#: 61340-030
Sample ID: SH-4
Matrix: Water
Sampled: 5/24/22 11:25

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2201525	6/3/22	14:51	SW8260Dmod

Sample#: 61340-031
Sample ID: BR-4S
Matrix: Water
Sampled: 5/24/22 12:05

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2201525	6/3/22	12:46	SW8260Dmod

Sample#: 61340-032
Sample ID: SH-18D
Matrix: Water
Sampled: 5/26/22 9:20

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2201525	6/3/22	13:17	SW8260Dmod

Sample#: 61340-033
Sample ID: SH-18S
Matrix: Water
Sampled: 5/26/22 9:55

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2201525	6/3/22	9:09	SW8260Dmod

Sample#: 61340-034
Sample ID: SH-17
Matrix: Water
Sampled: 5/26/22 10:45

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2201525	6/3/22	9:40	SW8260Dmod

Sample#: 61340-035
Sample ID: MW-17
Matrix: Water
Sampled: 5/26/22 11:30

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2201525	6/3/22	10:11	SW8260Dmod

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340

Sample#: 61340-036
Sample ID: MW-18
Matrix: Water
Sampled: 5/26/22 12:20

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2201525	6/3/22	10:42	SW8260Dmod

Sample#: 61340-037
Sample ID: MW-19
Matrix: Water
Sampled: 5/26/22 13:10

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2201525	6/3/22	11:13	SW8260Dmod

Sample#: 61340-038
Sample ID: SH-14S
Matrix: Water
Sampled: 5/27/22 9:30

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2201525	6/3/22	11:44	SW8260Dmod

Sample#: 61340-039
Sample ID: MW-12
Matrix: Water
Sampled: 5/27/22 10:10

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2201525	6/3/22	13:49	SW8260Dmod

Sample#: 61340-040
Sample ID: MW-02R
Matrix: Water
Sampled: 5/27/22 9:10

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2201525	6/3/22	12:15	SW8260Dmod

Sample#: 61340-041
Sample ID: SH-15
Matrix: Water
Sampled: 5/27/22 9:55

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Batch	Analysis Date	Analysis Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2201526	6/3/22	21:05	SW8260Dmod

Project ID: Former Elite Laundry J-0033005B
Job ID: 61340

Sample#: 61340-042
Sample ID: SH-19
Matrix: Water
Sampled: 5/27/22 10:30

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,4-dioxane	< 0.25	0.25	ug/L	1	LMM		2201526	6/3/22	21:36	SW8260Dmod

Sample#: 61340-043
Sample ID: MW-20
Matrix: Water
Sampled: 5/27/22 11:05

Parameter	Result	Reporting Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
1,4-dioxane	**0.30**	0.25	ug/L	1	LMM		2201526	6/3/22	22:08	SW8260Dmod

Absolute Resource associates

Absolute Resource associates
124 Heritage Avenue #16
Portsmouth, NH 03801
603-436-2001
absoluteresourceassociates.com

CHAIN-OF-CUSTODY RECORD AND ANALYSIS REQUEST

61340

Company Name: Tighe + Bond
Company Address: 120 Front St Worcester, MA
Report To: Tighe + Bond
Phone #: 410-952-6946
Invoice to: Tighe + Bond
Email: JHarvey@tighebond.com
PO #: MTTrorato@tighebond.com

Project Name: Former Elite Laundry
Project #: J-0033.005 B
Project Location: (NH) MA ME VT
Accreditation Required? N/Y:
Protocol: RCRA MCP SDWA (NHDES) NPDES DOD
Reporting Limits: QAPP EPA DW GW-1 Other S-1
Quote #
☐ NH Reimbursement Pricing

ANALYSIS REQUEST

☒ VOC 8260 NHDES ☐ VOC 8260 MADEP ☐ VOC BTEX MtBE, only ☐ VOC 8021VT ☒ 1,4-Dioxane LOW level ☐ VOC 524.2 NH List ☐ Gases-List: ☐ VOC 524.2 ☐ TPH 8100 ☐ DRO 8015 ☐ EPH MADEP ☐ TPH Fingerprint ☐ 8270PAH ☐ 8270ABN ☐ 625.1 ☐ EDB ☐ 8082 PCB ☐ 8081 Pesticides ☐ 608.3 Pest/PCB ☐ PFAS 537.1 ☐ PFAS 533 ☐ PFAS Isotope dilution ☐ O&G 1664 ☐ Mineral O&G 1664 ☐ pH ☐ BOD ☐ Conductivity ☐ Turbidity ☐ Apparent Color ☐ TSS ☐ TDS ☐ TS ☐ TVS ☐ Alkalinity ☐ Acidity ☐ RCRA Metals ☐ Priority Pollutant Metals ☐ TAL Metals ☐ Hardness ☐ Total Metals-list: ☐ Dissolved Metals-list: ☐ Ammonia ☐ COD ☐ TKN ☐ TN ☐ TON ☐ TOC ☐ Ferrous Iron ☐ T-Phosphorus ☐ Bacteria P/A ☐ Bacteria MPN ☐ Enterococci ☐ Cyanide ☐ Sulfide ☐ Nitrate + Nitrite ☐ Ortho P ☐ Phenols ☐ Nitrate ☐ Nitrite ☐ Chloride ☐ Sulfate ☐ Bromide ☐ Fluoride ☐ Corrosivity ☐ Ignitibility/FP ☐ TCLP Metals ☐ TCLP VOC ☐ TCLP SVOC ☐ TCLP Pesticide ☐ Subcontract: ☐ Grain Size ☐ Herbicides ☐ Asbestos ☐ Grab (G) or Composite (C)

Lab Sample ID (Lab Use Only)	Field ID	# CONTAINERS	Matrix: WATER	SOLID	OTHER	Preservation Method: HCl	HNO_3	H_2SO_4	NaOH	MeOH	Sampling: DATE	TIME	SAMPLER	VOC 8260	VOC 624.1	VPH MADEP
61340-01	MW-15S	4	X								5/24/22	1300	CR	X		X
-02	MW-22D	4	X								5/24/22	840	CR	X		X
-03	MW-26	4	X								5/24/22	1415	CR	X		X
-04	MW-15D	4	X								5/24/22	1330	CR	X		X
-05	BR-4D	4	X								5/24/22	1215	CR	X		X
-06	BR-4I	4	X								5/24/22	1150	CR	X		X
-07	BR-5S	4	X								5/24/22	1120	CR	X		X
-08	MW-22S	4	X								5/24/22	910	CR	X		X
-09	BR-2D	4	X								5/24/22	945	CR	X		X
-10	BR-5D	4	X								5/24/22	1025	CR	X		X
-11	BR-5I	4	X								5/24/22	1050	CR	X		X

TAT REQUESTED
Priority (24 hr)* ☐
Expedited (48 hr)* ☐
Standard (10 Business Days) ☒
*Date Needed

See absoluteresourceassociates.com for sample acceptance policy and current accreditation lists.

SPECIAL INSTRUCTIONS

REPORTING INSTRUCTIONS ☐ PDF (e-mail address) ☐ HARD COPY REQUIRED ☐ EDD

RECEIVED ON ICE ☒ YES ☐ NO
TEMPERATURE 6 °C

CUSTODY RECORD
QSD-01 Revision 09/16/2021

	Date	Time		Date	Time
Relinquished by Sampler:	5/31/22	11:00	Received by:	5/31	11:45
Relinquished by:			Received by:		
Relinquished by:	5/31	13:40	Received by Laboratory:	5/31/22	13:40

Absolute Resource associates
124 Heritage Avenue #16
Portsmouth, NH 03801
603-436-2001
absoluteresourceassociates.com

CHAIN-OF-CUSTODY RECORD AND ANALYSIS REQUEST

Lab ID Here

Company Name: Tighe + Bond
Company Address: 120 Front St. Worcester, MA
Report To: Tighe + Bond
Phone #: 410 952 6946
Invoice to: Tighe + Bond
Email: JHarvey@tighebond.com
PO #: MTIovino@tighebond.com

Project Name: Former Elite Laundry
Project #: ~~J-0033-005B~~
Project Location: (NH) MA ME VT
Accreditation Required? N/Y:
Protocol: RCRA SDWA ~~NPDES~~ MCP NHDES DOD
Reporting Limits: QAPP GW-1 S-1 EPA DW Other
Quote #
☐ NH Reimbursement Pricing

ANALYSIS REQUEST

☒ VOC 8260 NHDES ☐ VOC 8260 MADEP ☐ VOC 624.1 ☐ VOC BTEX MtBE, only ☐ VOC 8021VT ☐ VPH MADEP ☐ GRO 8015 ☒ 1,4-Dioxane (Low Level) ☐ VOC 524.2 ☐ VOC 524.2 NH List ☐ Gases-List: ☐ TPH 8100 ☐ DRO 8015 ☐ EPH MADEP ☐ TPH Fingerprint ☐ 8270PAH ☐ 8270ABN ☐ 625.1 ☐ EDB ☐ 8082 PCB ☐ 8081 Pesticides ☐ 608.3 Pest/PCB ☐ PFAS 537.1 ☐ PFAS 533 ☐ PFAS isotope dilution ☐ O&G 1664 ☐ Mineral O&G 1664 ☐ pH ☐ BOD ☐ Conductivity ☐ Turbidity ☐ Apparent Color ☐ TSS ☐ TDS ☐ TS ☐ TVS ☐ Alkalinity ☐ Acidity ☐ RCRA Metals ☐ Priority Pollutant Metals ☐ TAL Metals ☐ Hardness ☐ Total Metals-list: ☐ Dissolved Metals-list: ☐ Ammonia ☐ COD ☐ TKN ☐ TN ☐ TON ☐ TOC ☐ Ferrous Iron ☐ T-Phosphorus ☐ Bacteria P/A ☐ Bacteria MPN ☐ Enterococci ☐ Cyanide ☐ Sulfide ☐ Nitrate + Nitrite ☐ Ortho P ☐ Phenols ☐ Nitrate ☐ Nitrite ☐ Chloride ☐ Sulfate ☐ Bromide ☐ Fluoride ☐ Corrosivity ☐ Ignitibility/FP ☐ TCLP Metals ☐ TCLP VOC ☐ TCLP SVOC ☐ TCLP Pesticide ☐ Subcontract: ☐ Grain Size ☐ Herbicides ☐ Asbestos Grab (G) or Composite (C)

Lab Sample ID (Lab Use Only)	Field ID	# CONTAINERS	Matrix: WATER	SOLID	OTHER	Preservation Method: HCl	HNO_3	H_2SO_4	NaOH	MeOH	Sampling: DATE	TIME	SAMPLER
613540-12	BR-6S	4	X								5/26/22	935	CR
-13	BR-6I	4	X								5/26/22	900	CR
-14	BR-3I	4	X								5/26/22	1025	CR
-15	MW-24	4	X								5/26/22	1100	CR
-16	MW-25	4	X								5/26/22	1130	CR
-17	MW-28	4	X								5/26/22	1230	CR
-18	MW-30	4	X								5/26/22	1315	CR
-19	MW-29	4	X								5/26/22	1415	CR
-20	BR-6D	4	X								5/26/22	1500	CR
-21	SH-11	4	X								5/27/22	1100	CR
-22	SH-140	4	X								5/27/22	845	CR

TAT REQUESTED
Priority (24 hr)* ☐
Expedited (48 hr)* ☐
Standard ☒ (10 Business Days)
*Date Needed

See absoluteresourceassociates.com for sample acceptance policy and current accreditation lists.

SPECIAL INSTRUCTIONS

REPORTING INSTRUCTIONS ☐ PDF (e-mail address) ☐ HARD COPY REQUIRED ☐ EDD

RECEIVED ON ICE ☒ YES ☐ NO
TEMPERATURE 6 °C

CUSTODY RECORD
QSD-01 Revision 09/16/2021

	Relinquished by Sampler:	Date	Time	Received by:	Date	Time
		5/31/22	11:00		5/31	16:45
	Relinquished by:	Date	Time	Received by:	Date	Time
	Relinquished by:	Date	Time	Received by Laboratory:	Date	Time
		5/31	13:40		5/31/22	13:40

Absolute Resource associates
124 Heritage Avenue #16
Portsmouth, NH 03801
603-436-2001
absoluteresourceassociates.com

CHAIN-OF-CUSTODY RECORD AND ANALYSIS REQUEST

Lab ID Here

Company Name: ~~Tighe~~ Tighe + Bond
Company Address: 120 Front St Worcester MA
Report To: Tighe + Bond
Phone #: 410-952-6946
Invoice to: Tighe + Bond
Email: JHarvey@tighebond.com
PO #: MTTrovato@tighebond.com

Project Name: Former Elite Laundry
Project #: J-0033-005B
Project Location: (NH) MA ME VT
Accreditation Required? N/Y:
Protocol: RCRA, MCP, SDWA, (NHDES), NPDES, DOD
Reporting Limits: QAPP, EPA DW, GW-1, S-1, Other
Quote #
☐ NH Reimbursement Pricing

ANALYSIS REQUEST

☐ VOC 8260 NHDES ☐ VOC 8260 MADEP ☐ VOC 624.1 ☐ VOC BTEX MtBE, only ☐ VOC 8021VT ☐ VPH MADEP ☐ GRO 8015 ☐ 1,4-Dioxane Low Level ☐ VOC 524.2 ☐ VOC 524.2 NH List ☐ Gases-List: ☐ TPH 8100 ☐ DRO 8015 ☐ EPH MADEP ☐ TPH Fingerprint ☐ 8270PAH ☐ 8270ABN ☐ 625.1 ☐ EDB ☐ 8082 PCB ☐ 8081 Pesticides ☐ 608.3 Pest/PCB ☐ PFAS 537.1 ☐ PFAS 533 ☐ PFAS isotope dilution ☐ O&G 1664 ☐ Mineral O&G 1664 ☐ pH ☐ BOD ☐ Conductivity ☐ Turbidity ☐ Apparent Color ☐ TSS ☐ TDS ☐ TVS ☐ Alkalinity ☐ Acidity ☐ RCRA Metals ☐ Priority Pollutant Metals ☐ TAL Metals ☐ Hardness ☐ Total Metals-list: ☐ Dissolved Metals-list: ☐ Ammonia ☐ COD ☐ TKN ☐ TN ☐ TON ☐ TOC ☐ Ferrous Iron ☐ T-Phosphorus ☐ Bacteria P/A ☐ Bacteria MPN ☐ Enterococci ☐ Cyanide ☐ Sulfide ☐ Nitrate + Nitrite ☐ Ortho P ☐ Phenols ☐ Nitrate ☐ Nitrite ☐ Chloride ☐ Sulfate ☐ Bromide ☐ Fluoride ☐ Corrosivity ☐ Ignitibility/FP ☐ TCLP Metals ☐ TCLP VOC ☐ TCLP SVOC ☐ TCLP Pesticide Subcontract: ☐ Grain Size ☐ Herbicides ☐ Asbestos Grab (G) or Composite (C)

Lab Sample ID (Lab Use Only)	Field ID	# CONTAINERS	Matrix: WATER	SOLID	OTHER	Preservation Method: HCl	HNO_3	H_2SO_4	NaOH	MeOH	Sampling: DATE	TIME	SAMPLER	VOC 8260	VOC 624.1	VPH MADEP
61340 -23	MW-16D	4	X								5/26/22	14:20	CB	X		X
-24	MW-27	4	X								5/24/22	14:15	CB	X		X
-25	MW-15I	4	X								5/24/22	13:05	CB	X		X
-26	MW-21	4	X								5/24/22	08:45	CB	X		X
-27	MW-23	4	X								5/24/22	09:30	CB	X		X
-28	MW-14	4	X								5/24/22	10:15	CB	X		X
-29	BR-1D	4	X								5/24/22	10:55	CB	X		X
-30	SH-4	4	X								5/24/22	11:25	CB	X		X
-31	BR-4S	4	X								5/24/22	12:05	CB	X		X
-32	SH-18D	4	X								5/26/22	09:20	CB	X		X
-33	SH-18S	4	X								5/26/22	09:55	CB	X		X

TAT REQUESTED
Priority (24 hr)* ☐
Expedited (48 hr)* ☐
Standard (10 Business Days) X
*Date Needed

See absoluteresourceassociates.com for sample acceptance policy and current accreditation lists.

SPECIAL INSTRUCTIONS

REPORTING INSTRUCTIONS ☐ PDF (e-mail address) ☐ HARD COPY REQUIRED ☐ EDD

RECEIVED ON ICE X YES ☐ NO
TEMPERATURE 6 °C

CUSTODY RECORD
QSD-01 Revision 09/16/2021

	Relinquished by Sampler:	Date	Time	Received by:	Date	Time
1	[signature]	5/31/22	11:00	[signature]	5/31	11:45
2	Relinquished by:	Date	Time	Received by:	Date	Time
3	Relinquished by: [signature]	5/31	13:40	Received by Laboratory: [signature]	5/31/22	13:40

Absolute Resource associates

124 Heritage Avenue #16
Portsmouth, NH 03801
603-436-2001
absoluteresourceassociates.com

CHAIN-OF-CUSTODY RECORD AND ANALYSIS REQUEST

61340

Company Name: Tighe & Bond
Company Address: 120 Front St Worcester, MA
Report To: JHarvey@tighebond.com
Phone #: 410-952-6946
Invoice to: Tighe & Bond
Email: JHarvey@tighebond.com
PO #: MTTrovato@tighebond.com

Project Name: former Elite Laundry
Project #: J-0033-005B
Project Location: (NH) MA ME VT
Accreditation Required? N/Y:
Protocol: RCRA SDWA NPDES / MCP (NHDES) DOD
Reporting Limits: QAPP GW-1 S-1 / EPA DW Other
Quote #
☐ NH Reimbursement Pricing

ANALYSIS REQUEST

☐ VOC 8260 NHDES ☐ VOC 8260 MADEP ☐ VOC 624.1 ☐ VOC BTEX MtBE, only ☐ VOC 8021VT ☐ VPH MADEP ☐ GRO 8015 ☐ 1,4-Dioxane Low level ☐ VOC 524.2 ☐ VOC 524.2 NH List ☐ Gases-List: ☐ TPH 8100 ☐ DRO 8015 ☐ EPH MADEP ☐ TPH Fingerprint ☐ 8270PAH ☐ 8270ABN ☐ 625.1 ☐ EDB ☐ 8082 PCB ☐ 8081 Pesticides ☐ 608.3 Pest/PCB ☐ PFAS 537.1 ☐ PFAS 533 ☐ PFAS isotope dilution ☐ O&G 1664 ☐ Mineral O&G 1664 ☐ pH ☐ BOD ☐ Conductivity ☐ Turbidity ☐ Apparent Color ☐ TSS ☐ TDS ☐ TS ☐ TVS ☐ Alkalinity ☐ Acidity ☐ RCRA Metals ☐ Priority Pollutant Metals ☐ TAL Metals ☐ Hardness ☐ Total Metals-list: ☐ Dissolved Metals-list: ☐ Ammonia ☐ COD ☐ TKN ☐ TN ☐ TON ☐ TOC ☐ Ferrous Iron ☐ T-Phosphorus ☐ Bacteria P/A ☐ Bacteria MPN ☐ Enterococci ☐ Cyanide ☐ Sulfide ☐ Nitrate + Nitrite ☐ Ortho P ☐ Phenols ☐ Nitrate ☐ Nitrite ☐ Chloride ☐ Sulfate ☐ Bromide ☐ Fluoride ☐ Corrosivity ☐ Ignitibility/FP ☐ TCLP Metals ☐ TCLP VOC ☐ TCLP SVOC ☐ TCLP Pesticide ☐ Subcontract: ☐ Grain Size ☐ Herbicides ☐ Asbestos ☐ Grab (G) or Composite (C)

Lab Sample ID (Lab Use Only)	Field ID	# CONTAINERS	Matrix: WATER	SOLID	OTHER	Preservation Method: HCl	HNO_3	H_2SO_4	NaOH	MeOH	Sampling: DATE	TIME	SAMPLER	VOC 8260	VOC 624.1	VPH MADEP
61340 -34	SH-17	4	X								5/26/22	10:45	CB	X		X
-35	MW-17	4	X								5/26/22	11:30	CB	X		X
-36	MW-18	4	X								5/26/22	12:20	CB	X		X
-37	MW-19	4	X								5/26/22	13:10	CB	X		X
-38	SH-145	4	X								5/27/22	930	CB	X		X
-39	MW-12	4	X								5/27/22	1016	CB	X		X
-40	MW-02R	4	X								5/27/22	910	CB	X		X
-41	SH-15	4	X								5/27/22	955	CB	X		X
-42	SH-19	4	X								5/27/22	1038	CB	X		X
-43	MW-20	4	X								5/27/22	1105	CB	X		X
-44	Trip Blank															

TAT REQUESTED
Priority (24 hr)* ☐
Expedited (48 hr)* ☐
Standard (10 Business Days) ☒
*Date Needed

See absoluteresourceassociates.com for sample acceptance policy and current accreditation lists.

SPECIAL INSTRUCTIONS

REPORTING INSTRUCTIONS ☐ PDF (e-mail address) ☐ HARD COPY REQUIRED ☐ EDD

RECEIVED ON ICE ☒ YES ☐ NO
TEMPERATURE 6 °C

CUSTODY RECORD
QSD-01 Revision 09/16/2021

	Relinquished by:	Date	Time	Received by:	Date	Time
1	Sampler	5/31/22	11:00		5/31	1154
2						
3		5/31	1540	Received by Laboratory:	5/31/22	13:40

Sample Receipt Condition Report

61340

Absolute Resource Associates **Job Number:**

Samples Received from: ☐-UPS ☐-FedEx ☐-USPS ☒-Lab Courier ☐-Client Drop-off ☐-_____

Custody Seals - present & intact: ☐-Yes ☐-No ☒-N/A CoC signed: ☒-Yes ☐-No

Receipt Temp: 6.0 °C Samples on ice? ☒-Yes ☐-No ☐-N/A Sampled < 24 hrs ago? ☐-Yes ☒-No

PFAS-only real ice? ☐-Yes ☐-No ☒-N/A Any signs of freezing? ☐-Yes ☒-No

Comments:_____

Preservation / Analysis	Bottle Size/Type & Quantity								Check pH for ALL applicable* samples and document:
HCl	40mL(G) 87		250mL(P)		500mL(P)		1L(G)		
HNO_3	125mL(P)		250mL(P)		500mL(P)				
H_2SO_4	40mL(G)		60mL(P)		125mL(P)		250mL(P)	500mL(P)	
NaOH	125mL(P)		250mL(P)						
$(NH_4)_2SO_4$	60mL(P)		125mL(P)		250mL(P)				
ZnAc-NaOH	125mL(P)		250mL(P)						
Trizma	125mL(P)		250mL (P)						
NH_4Ac	125mL(P)		250mL (P)						
NaS_2O_3	40mL(G)		120mL(P)						
MeOH	20mL(G)		40mL(G)						
None (solid)	2oz(G)		4oz(G)		8oz(G)		Syringe		
None (water)	40ml (G) 86		60mL(P)		125mL(P)		250mL(P)	500mL(P)	1L(G) 1L (P)
Mold	Cassette		Bulk		Plate		Tape Lift		
Asbestos	Cassette		Bulk						
Lead	Cassette		Bulk		Wipe				

*pH ✓by analyst:VOC, PFAS, TOC,O&G
Residual Cl not present:
ABN625____Pest608____
Bacteria ResCl ✓by analyst

PC Dry applicable? Y N

Login Review	Yes	No	NA	Comments
Proper lab sample containers/enough volume/correct preservative?	X			
Analyses marked on COC match bottles received?	X			
VOC &TOC Water-no headspace? VOC Solid-MeOH covers solid, no leaks, Prep Expiration OK?	X			
PFAS: ARA bottles & samples/FRB same Lot#? QC rec'd, if req'd?			X	Lot ID#:_____
Bacteria bottles provided by ARA?			X	
Samples within holding time?	X			
Immediate tests communicated in writing: NO_3, NO_2,o-PO_4, pH, BOD, Coliform/*E. coli* (P/A or MPN), Enterococci, Color Surfactants, Turbidity, Odor, CrVI, Ferrous Iron, Dissolved Oxygen, Unpres 624			X	
Date, time & ID on samples match CoC?		X		61340-18 Time DOES not match 61340-19 FieldID DOES not match
Rushes communicated to analyst in writing?			X	
Subcontracted samples sent to sub lab?			X	Date Prep'd:_____ Date sent:_____
Pesticides EPA 608 pH5-9?			X	
Compliance samples have no discrepancies/require no flags?			X	(Or must be rejected)
Log-in Supervisor notified immediately of following items:				Discrepancies, compliance samples (NHDES, MADEP, DoD etc.) or uncommon requests.

Inspected and Received By: K.W. Date/Time: 5/31/22 17:05

Peer Review Checklist

☐ Client ID/Project Manager	☐ On Ice, Temperature OK?	☐ Sample IDs	☐ Analyses in Correctly -references -wastewater methods
☐ Project Name	☐ PO# (if provided)	☐ Matrix	
☐ TAT/rushes communicated	☐ Sub samples sent? Shipping Charge?	☐ Date/Time collected	
☐ Received Date/Time	☐ Issues noted above communicated?	☐ Short HTs communicated	☐ Notes from CoC in LIMS

Reviewed By:_____ Date:_____

Notes: (continue on back as needed)

	Initials	Date	What was sent?
Uploaded / PDF	_____	_____	Report / Data / EDD / Invoice
Uploaded / PDF	_____	_____	Report / Data / EDD / Invoice
Uploaded / PDF	_____	_____	Report / Data / EDD / Invoice